

2014
Product Information Guide

GLASTRON

TABLE OF CONTENTS

GT 160	2-11
GTX 160, GT 160, GTS 160, GTL 160, GTSF 160, GT 169, GTS 169, GTL 169	
GT 180	12-17
GT 180, GTS 180, GTL 180, GTSF 180	
GT 185	18-23
GTX 185, GT 185, GTS 185, GTL 185, GTSF 185	
GT 187	24-27
GT 187, GTS 187	
GT 200	28-33
GT 200, GTS 200, GTL 200, GTSF 200	
GT 205	34-39
GT 205, GTS 205, GTL 205, GTSF 205, GTS 209	
GT 225	40-43
GT 225, GTS 225, GTL 225	
GT 229	44-47
GT 229, GTS 229, GTL 229	
GT 245	48-51
GT 245, GTS 245, GTL 245	
DS 205	52-53
DS 215	54-55
GS 249	56-57
GS 259	58-59
GS 289	60-61
TRAILERS	62-72
WARRANTY	73-80

GT 160 Models

INCLUDES GTX160, GT160, GTS160, GTL160, GTSF160, GT169, GTS169, GTL169

SPECIFICATIONS

	US	METRIC
LOA		
Beam	16'6"	5.03 m
Fuel Capacity	7'0"	2.13 m
Draft (drive up)	12 gal	45 L
Draft (drive down)	14"	36 cm
Maximum Capacity	30"	77 cm
Persons Capacity	1590 lbs	720 kg
Approx. Boat & Engine Weight	6	5
Trailer Weight	1900 lbs	861 kg
Deadrise	754 lbs	342 kg
Storage Length on Trailer	17°	17°
Bridge Clearance	19'6"	5.94 m
Total Height	3'2"	97 m
Total Height on Trailer	4'3"	1.3 m
	5'5"	1.65 m

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT 160 LBS	Merc 115 ProXS	1200	375	72	80	754
GT 160 KG	Merc 115 ProXS	544	170	33	36	342

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
EV 75 E-TEC/75 hp (56kw)							
EV 90 E-TEC/90 hp (67kw)	13 1/4 X 17	34 X 43	AL	38-41	61-66	50	81
EV 115 E-TEC/115 hp (86kw)	13 1/4 X 17	34 X 43	AL	40-43	64-69	50	81
Merc 75 Opti/75 hp (56kw)	13 1/4 X 17	34 X 43	AL	43-46	69-74	50	81
Merc 90 Opti/90 hp (67kw)	13 X 19	33 X 48	AL	39-41	63-66	50	81
Merc 115 ProXS/115 hp (86kw)	13 X 19	33 X 48	AL	41-44	66-71	50	81
Yam F75/75 hp (56kw)	13 X 19	33 X 48	AL	46-49	74-79	50	81
Yam F90/90 hp (67kw)	13 X 19	33 X 48	AL	39-41	63-66	50	81
Yam F115/115 hp (86kw)	13 X 19	33 X 48	AL	41-44	66-71	50	81
	13 X 19	33 X 48	AL	45-48	72-77	50	81

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

GTX160

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl w/ chrome insert
SSV® hull
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Windshield, roadster style, exclusive design
Walk-thru windshield

COCKPIT

AquaFlex™ vinyl
Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor, skid resistant
Full-width bench seat, storage beneath
Glove box
Seating, bucket seats (2) port and starboard, adjustable
Ski locker, in-floor, molded fiberglass finish

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power trim and tilt

TRAILER

Glastron custom-matched trailer, single axle

OPTIONS

TOW SPORTS

Ski tow pylon

COCKPIT

Snap-in carpet

ENTERTAINMENT

Stereo, Sony®, 2 speakers, MP3 adapter
Stereo, Sony® AM/FM/CD player, MP3 port

POWER

Evinrude® outboard 60 hp
Mercury® outboard 60 hp

TRAILER

Trailer delete

CANVAS

Color-coordinated bimini top w/boat
Color-coordinated bow cover
Color-coordinated cockpit cover

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl w/ chrome insert
SSV® hull
Swim platform(s), integrated,
skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive
design
Walk-thru windshield

COCKPIT

Aquaflex™ vinyl
Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor, skid resistant
Full-width bench seat, storage beneath
Glove box
Seating, bucket seats (2) port and
starboard, adjustable
Ski locker, in-floor, molded fiberglass finish

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power trim and tilt

TRAILER

Glastron custom-matched trailer,
single axle

OPTIONS

HULL AND DECK

Bow scuff plate
SSV gel scheme
Swim platform mat
Ladder, retractable
Side windshield wings

TOW SPORTS

Ski tow pylon

COCKPIT

Fixed fuel tank - 18 gallon
Snap-in carpet

HELM

Hydraulic tilt steering

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo, Sony®, 2 speakers, MP3 adapter

POWER

Evinrude® outboard	60 - 200 hp
Mercury® outboard	60 - 200 hp
Yamaha® outboard	60 - 150 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Care cover (black)
Color-coordinated bimini top w/boot
Color-coordinated cockpit cover

OPTIONAL PACKAGES

XL Package:
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
GTS gel scheme & graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid black vinyl w/ chrome insert
SSV® hull
Swim platform mat
Swim platform(s), integrated,
skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style,
exclusive design
Walk-thru windshield

COCKPIT

Aquaflex™ vinyl
Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor, skid resistant
Full-width bench seat, storage beneath
Glove box
GTS cockpit interior:
Seating, bucket seats (2) port and
starboard, adjustable
Ski locker, in-floor, molded fiberglass finish

HELM

Emergency engine shut-off
Glastron custom GTS gauges, fog resistant
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power trim and tilt

TRAILER

Glastron custom-matched trailer,
single axle

OPTIONS

HULL AND DECK

Bow scuff plate
Ladder, retractable
Side windshield wings

TOW SPORTS

Ski tow pylon

COCKPIT

Bow filler cushion(s)
Fixed fuel tank - 18 gallon
Snap-in carpet (custom embroidered)

HELM

Hydraulic tilt steering
(outboard only, std on 150 hp and up)

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo, Sony®, 2 speakers, MP3 adapter

POWER

Evinrude® outboard	60 - 200 hp
Mercury® outboard	60 - 200 hp
Yamaha® outboard	60 - 150 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Care cover (black)
Color-coordinated bimini top w/boot
Color-coordinated bow cover
Color-coordinated cockpit cover

OPTIONAL PACKAGES

XL Package:
Snap-in carpet (custom embroidered)
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
 Bow scuff plate
 Cleats, pull-up, stainless steel
 Fiberglass stringers
 GTL gel scheme & graphics
 SSV gel scheme
 Horn, concealed
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
 Navigational lighting
 Rub rail, rigid white vinyl w/ chrome insert
 SSV® hull
 Swim platform mat
 Swim platform(s), integrated, skid-resistant surface
 Ladder, stainless steel
 Two-tone deck
 Windshield, roadster style, exclusive design
 Walk-thru windshield

COCKPIT

AquaFlex™ vinyl
 Assist handles, stainless steel
 Beverage holders, stainless steel
 Bow seats with storage & seat latch
 Built-in cockpit side storage
 Courtesy light
 Fiberglass floor, skid resistant
 Full-width bench seat, storage beneath
 Glove box
 GTL cockpit interior, choice of Saddle or Cashmere
 Seating, bucket seats (2) port and starboard, adjustable
 Ski locker, in-floor, molded fiberglass finish
 Snap-in carpet

HELM

Emergency engine shut-off
 Glastron custom gauges, fog-resistant
 Steering wheel, non-directional
 Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
 Power trim and tilt

ENTERTAINMENT

Stereo, Sony®, 2 speakers, MP3 adapter

TRAILER

Glastron custom-matched trailer, single axle

OPTIONS

HULL AND DECK

Ladder, retractable
 Side windshield wings

TOW SPORTS

Ski tow pylon

COCKPIT

Fixed fuel tank - 18 gallon

HELM

Hydraulic tilt steering

ENGINE / SYSTEMS / DRIVE

High altitude prop

POWER

Evinrude® outboard	60 - 200 hp
Mercury® outboard	60 - 200 hp
Yamaha® outboard	60 - 150 hp

TRAILER

Galvanized trailer w/GatorHyde finish
 Spare tire & wheel
 Trailer delete.

CANVAS

Care cover (black)
 Color-coordinated Bimini top w/boot
 Color-coordinated cockpit cover
 Color-coordinated bow cover

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
 Cleats, stainless steel
 Fiberglass stringers
 SSV gel scheme
 Horn, concealed
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
 Navigational lighting
 Rub rail, rigid white vinyl with chrome insert
 SSV® hull
 Swim platform(s), integrated, skid-resistant surface
 Ladder, stainless steel
 Trolling motor mount
 Two-tone deck
 Windshield, roadster style, exclusive design
 Walk-thru windshield

COCKPIT

AquaFlex™ vinyl
 Assist handles, synthetic
 Beverage holders, synthetic
 Bow casting platform
 Bow seats with storage & seat latch
 Built-in cockpit side storage
 Casting seats
 Courtesy light
 Full-width bench seat, storage beneath
 Glove box
 Seating, bucket seats (2) port and starboard, adjustable
 Rod holders & rod storage
 Ski locker, in-floor, molded fiberglass finish

HELM

Emergency engine shut-off
 Glastron custom gauges, fog-resistant
 Steering wheel, non-directional
 Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
 Power trim and tilt

TRAILER

Glastron custom-matched trailer, single axle

OPTIONS

HULL AND DECK

Bow scuff plate
 Ski/Fish graphics
 Swim platform mat
 Ladder, retractable
 Side windshield wings

TOW SPORTS

Ski tow pylon

COCKPIT

Fixed fuel tank - 18 gallon
 Snap-in carpet

HELM

Hydraulic tilt steering

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo, Sony®, 2 speakers, MP3 adapter*

POWER

Evinrude® outboard	60 - 200 hp
Mercury® outboard	60 - 200 hp
Yamaha® outboard	60 - 150 hp

TRAILER

Galvanized trailer w/GatorHyde finish
 Spare tire & wheel
 Trailer delete

CANVAS

Color-coordinated bimini top w/boot
 Color-coordinated bow cover
 Color-coordinated cockpit cover

OPTIONAL PACKAGES

XL Package:

Flip-up bucket seats (2)
 Snap-in carpet
 Beverage holders, stainless steel
 Speaker covers, stainless steel
 Assist handles, stainless steel
 Cleats, pull-up, stainless steel
 Bow scuff plate
 Fishing Package, trolling motor & fish finder

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl w/ chrome insert
SSV® hull
Swim platform(s), integrated,
skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive
design

COCKPIT

Aquaflex™ vinyl
Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor, skid resistant
Full-width bench seat, storage beneath
Glove box
Seating, bucket seats (2) port and
starboard, adjustable
Ski locker, in-floor, molded fiberglass finish

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power trim and tilt

TRAILER

Glastron custom-matched trailer,
single axle

OPTIONS

HULL AND DECK

Bow scuff plate
SSV gel scheme
Ladder, retractable
Swim platform mat
Side windshield wings

TOW SPORTS

Ski tow pylon

COCKPIT

Fixed fuel tank - 18 gallon
Snap-in carpet

HELM

Hydraulic tilt steering

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo, Sony®, 2 speakers, MP3 adapter

POWER

Evinrude® outboard	60 - 200 hp
Mercury® outboard	60 - 200 hp
Yamaha® outboard	60 - 150 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Care cover (black)
Color-coordinated bimini top w/boot
Color-coordinated cockpit cover

OPTIONAL PACKAGES

XL Package:
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
GTS gel scheme & graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid black vinyl w/ chrome insert
SSV® hull
Swim platform mat
Swim platform(s), integrated,
skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design

COCKPIT

Aquaflex™ vinyl
Assist handles, synthetic
Beverage holders, synthetic
Built-in cockpit side storage
Courtesy light
Fiberglass floor, skid resistant
Full-width bench seat, storage beneath
Glove box
GTS cockpit interior
Seating, bucket seats (2) port and
starboard, adjustable
Ski locker, in-floor, molded fiberglass finish

HELM

Emergency engine shut-off
Glastron custom GTS gauges, fog resistant
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power trim and tilt

TRAILER

Glastron custom-matched trailer,
single axle

OPTIONS

HULL AND DECK

Bow scuff plate
Ladder, retractable
Side windshield wings

TOW SPORTS

Ski tow pylon

COCKPIT

Fixed fuel tank - 18 gallon
Snap-in carpet (custom embroidered)

HELM

Hydraulic tilt steering

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo, Sony®, 2 speakers, MP3 adapter

POWER

Evinrude® outboard	60 - 200 hp
Mercury® outboard	60 - 200 hp
Yamaha® outboard	60 - 150 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel S
Trailer delete

CANVAS

Care cover (black)
Color-coordinated bimini top w/boot
Color-coordinated cockpit cover

OPTIONAL PACKAGES

XL Package:
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

- Flow and stern eyes, stainless steel
- Flow scuff plate
- Seats, pull-up, stainless steel
- Fiberglass stringers
- Color scheme & graphics
- UV gel scheme
- UV gel concealed
- Form applicable ABYC, Canadian, ISO and
- USCG Standards, NMMA and CE certified
- Navigation lighting
- Rail, rigid white vinyl w/ chrome insert
- hull
- Swim platform mat
- Swim platform(s), integrated,
- skid-resistant surface
- Ladder, stainless steel
- Two-tone deck
- Windshield, roadster style, exclusive design

COCKPIT

- AquaFlex™ vinyl
- Assist handles, stainless steel
- Beverage holders, stainless steel
- Built-in cockpit side storage
- Courtesy light
- Fiberglass floor, skid resistant
- Full-width bench seat, storage beneath
- Glove box
- O/L cockpit interior, choice of saddle or Cashmere
- Seating, bucket seats (2) port and starboard, adjustable
- Ski locker, in-floor, molded fiberglass finish
- Snap-in carpet

HELM

- Emergency engine shut-off
- Glastron custom gauges, fog-resistant
- Steering wheel, non-directional
- Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

- Bilge pump, automatic
- Power trim and tilt

ENTERTAINMENT

- Stereo, Sony®, 2 speakers, MP3 adapter

TRAILER

- Glastron custom-matched trailer, single axle

OPTIONS

HULL AND DECK

- Ladder, retractable
- Side windshield wings

TOW SPORTS

- Ski tow pylon

COCKPIT

- Fixed fuel tank - 18 gallon

HELM

- Hydraulic tilt steering

ENGINE / SYSTEMS / DRIVE

- High altitude prop

POWER

Evinrude® outboard	60 - 200 hp
Mercury® outboard	60 - 200 hp
Yamaha® outboard	60 - 150 hp

TRAILER

- Galvanized trailer w/GatorHyde finish
- Spare tire & wheel
- Trailer delete

CANVAS

- Care cover (black)
- Color-coordinated bimini top w/boot
- Color-coordinated cockpit cover

NOTES

GT180 Models

INCLUDES GT180, GTS180, GTL180, GTSF180

SPECIFICATIONS

	US	METRIC
LOA	17'10"	5.44 m
Beam	7'5"	2.26 m
Fuel Capacity	24 gal	91 L
Draft (drive up)	14"	36 cm
Draft (drive down)	31"	79 cm
Maximum Capacity	1800 lbs	816 kg
Persons Capacity	8	7
Approx. Boat & Engine Weight	2100 lbs	950 kg
Trailer Weight	639 lbs	290 kg
Deadrise	20°	20°
Storage Length on Trailer	21'5"	6.53 m
Bridge Clearance	3'10"	1.17 m
Bridge Clearance with arch/tower	6'9"	2.06 m
Total Height	4'10"	1.47 m
Total Height on Trailer	6'4"	1.93 m
Total Height on Trailer w/Wakeboard tower Dn	7'1"	2.16 m
Total Height on Trailer w/Wakeboard tower Up	9'4"	2.85 m

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT 180 LBS	Merc 115 4S	1600	400	144	100	639
GT 180 KG	Merc 115 4S	726	181	65	45	290

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
EV 90 E-TEC 90 hp (67kw)	13 1/4 X 17	34 X 43	AL	38-41	61-66	110	180
EV 115 E-TEC 115 hp (86kw)	13 1/4 X 17	34 X 43	AL	41-44	66-71	110	180
EV 150 E-TEC 150 hp (112kw)	14.6 x 17	38 X 43	AL	45-48	72-77	110	180
Merc 90 Opti 90 hp (67kw)	13 1/4 X 17	34 X 43	AL	38-41	61-66	110	180
Merc 115 4S 115 hp (86kw)	13 1/4 X 17	34 X 43	AL	41-44	66-71	120	190
Merc 150 4S 150 hp (112kw)	14 1/2 19	37 X 48	AL	47-50	76-81	120	190
Yam F90 90 hp (67kw)	13 1/4 X 17	34 X 43	AL	38-41	61-66	110	180
Yam F115 115 hp (86kw)	13 1/4 X 17	34 X 43	AL	41-44	66-71	110	180
Yam F150 150 hp (112kw)	14 X 19	36 X 48	AL	47-50	76-81	120	190

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

GT180

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl w/ chrome insert
SSV® hull
Swim platform(s), integrated,
skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield

COCKPIT

AquaFlex® vinyl
Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests
& drains
Full-width bench seat, storage beneath
Glove box
Seating, bucket seats (2) port and
starboard, adjustable
Ski locker, in-floor, molded fiberglass finish

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port,
(2) speakers

TRAILER

Glastron custom-matched trailer,
single axle

OPTIONS

HULL AND DECK

Bow scuff plate
SSV gel scheme
Swim platform mat
Side windshield wings

TOW SPORTS

Ski tow pylon
Wakeboard tower
Wakeboard tower with bimini top

COCKPIT

Bow filler cushion(s)
Flip-up bucket seat(s)
Snap-in carpet

HELM

Hydraulic tilt steering
(std on 150 hp and up)

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Evinrude® outboard 60 - 200 hp
Mercury® outboard 60 - 200 hp
Yamaha® outboard 60 - 150 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Care cover (black)
Color-coordinated bimini top w/boot
Color-coordinated bow cover
Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package:

(includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

Fishing Package:

trolling motor & fish finder

GTS180

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
 Cleats, stainless steel
 Fiberglass stringers
 GTS gel scheme & graphics
 Horn, concealed
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
 Navigational lighting
 Rub rail, rigid black vinyl w/ chrome insert
 SSV® hull
 Swim platform mat
 Swim platform(s), integrated, skid-resistant surface
 Ladder, stainless steel
 Two-tone deck
 Windshield, roadster style, exclusive design
 Walk-thru windshield

COCKPIT

Aquaflex™ vinyl
 Assist handles, synthetic
 Beverage holders, synthetic
 Bow seats with storage & seat latch
 Built-in cockpit side storage
 Courtesy light
 Fiberglass floor w/built-in footrests & drains
 Full-width bench seat, storage beneath
 Glove box
 GTS cockpit interior
 Seating, bucket seats (2) port and starboard, adjustable
 Ski locker, in-floor, molded fiberglass finish

HELM

Emergency engine shut-off
 Glastron custom GTS gauges, fog resistant
 Steering wheel, non-directional
 Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
 Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port, (2) speakers

TRAILER

Glastron custom-matched trailer, single axle

OPTIONS

HULL AND DECK

Bow scuff plate
 Side windshield wings

TOW SPORTS

Ski tow pylon
 Wakeboard tower
 Wakeboard tower with Bimini top

COCKPIT

Bow filler cushion(s)
 Flip-up bucket seat(s)
 Snap-in carpet (custom embroidered)

HELM

Hydraulic tilt steering

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote.

POWER

Evinrude® outboard	60 - 200 hp
Mercury® outboard	60 - 200 hp
Yamaha® outboard	60 - 150 hp

TRAILER

Galvanized trailer w/GatorHyde finish
 Spare tire & wheel
 Trailer delete

CANVAS

Care cover (black)
 Color-coordinated bimini top w/boot
 Color-coordinated bow cover
 Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:
 Hour meter & depth sounder
 XL Package:
 - (includes convenience package)
 Flip-up bucket seats (2)
 Snap-in carpet (custom embroidered)
 Beverage holders, stainless steel
 Speaker covers, stainless steel
 Assist handles, stainless steel
 Cleats, pull-up, stainless steel
 Bow scuff plate

GTL180

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
 Bow scuff plate
 Cleats, pull-up, stainless steel
 Docking lights
 Fiberglass stringers
 GTL gel scheme & graphics
 SSV gel scheme
 Horn, concealed
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
 Navigational lighting
 Rub rail, rigid white vinyl with chrome insert
 SSV® hull
 Swim platform mat
 Swim platform(s), integrated, skid-resistant surface
 Ladder, stainless steel
 Two-tone deck
 Windshield, roadster style, exclusive design
 Walk-thru windshield

COCKPIT

Aquaflex™ vinyl
 Assist handles, stainless steel
 Beverage holders, stainless steel
 Bow seats with storage & seat latch
 Built-in cockpit side storage
 Courtesy light
 Fiberglass floor w/built-in footrests & drains
 Flip-up bucket seat(s)
 Full-width bench seat, storage beneath
 Glove box
 GTL cockpit interior, choice of Saddle or Cashmere
 Ski locker, in-floor, molded fiberglass finish
 Snap-in carpet

HELM

Emergency engine shut-off
 Glastron custom gauges, fog-resistant
 Hour meter & depth sounder
 Steering wheel, non-directional
 Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
 Power trim and tilt

ENTERTAINMENT

Stereo upgrade, subwoofer & remote
 Stereo, Sony® AM/FM/CD player, MP3 port, (2) speakers

TRAILER

Glastron custom-matched trailer, single axle

OPTIONS

HULL AND DECK

Side windshield wings

TOW SPORTS

Ski tow pylon
 Wakeboard tower
 Wakeboard tower with bimini top

COCKPIT

Bow filler cushion(s)

HELM

Hydraulic tilt steering

ENGINE / SYSTEMS / DRIVE

High altitude prop

POWER

Evinrude® outboard	60 - 200 hp
Mercury® outboard	60 - 200 hp
Yamaha® outboard	60 - 150 hp

TRAILER

Galvanized trailer w/GatorHyde finish
 Spare tire & wheel
 Trailer delete

CANVAS

Care cover (black)
 Color-coordinated bimini top w/boot
 Color-coordinated bow cover
 Color-coordinated cockpit cover

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
 Cleats, stainless steel
 Fiberglass stringers
 SSV gel scheme
 Horn, concealed
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
 Navigational lighting
 Rub rail, rigid white vinyl w/ chrome insert
 SSV® hull
 Swim platform(s), integrated, skid-resistant surface
 Ladder, stainless steel
 Trolling motor mount
 Two-tone deck
 Windshield, roadster style, exclusive design
 Walk-thru windshield

COCKPIT

Aerated livewell
 Aquaflex™ vinyl
 Assist handles, synthetic
 Beverage holders, synthetic
 Bow casting platform
 Bow seats with storage & seat latch
 Built-in cockpit side storage
 Casting seats
 Courtesy light
 Fiberglass floor w/built-in footrests & drains
 Full-width bench seat, storage beneath
 Glove box
 Seating, bucket seats (2) port and starboard, adjustable
 Rod holders & rod storage
 Ski locker, in-floor, molded fiberglass finish

HELM

Emergency engine shut-off
 Gastron custom gauges, fog-resistant
 Steering wheel, non-directional
 Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
 Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port (2) speakers

TRAILER

Gastron custom-matched trailer, single axle

OPTIONS

HULL AND DECK

Bow scuff plate
 Ski/Fish graphics
 Side windshield wings
 Swim platform mat

TOW SPORTS

Ski tow pylon

COCKPIT

Flip-up bucket seat(s)
 Snap-in carpet

HELM

Hydraulic tilt steering (outboard only, std on 150 hp and up)

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Evinrude® outboard	60 - 200 hp
Mercury® outboard	60 - 200 hp
Yamaha® outboard	60 - 150 hp

TRAILER

Galvanized trailer w/GatorHyde finish
 Spare tire & wheel
 Trailer delete

CANVAS

Color-coordinated bimini top w/boot
 Color-coordinated bow cover
 Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:
 Hour meter & depth sounder
 XL Package:
 - (includes convenience package)
 Flip-up bucket seats (2)
 Snap-in carpet (custom embroidered on GTS)
 Beverage holders, stainless steel
 Speaker covers, stainless steel
 Assist handles, stainless steel
 Cleats, pull-up, stainless steel
 Bow scuff plate
 Fishing Package:
 trolling motor & fish finder

NOTES

Blank lined area for notes.

GT185 Models

INCLUDES GTX185, GT185, GTS185, GTL185, GTSF185

SPECIFICATIONS	US	METRIC
LOA	18'0"	5.49 m
LOA w/Extended Swim Platform	19'6"	5.95 m
Beam	7'5"	2.26 m
Fuel Capacity	24 gal	91 L
Draft (drive up)	16"	41 cm
Draft (drive down)	33"	84 cm
Maximum Capacity	1200 lbs.	544 kg
Persons Capacity	8	6
Approx. Boat & Engine Weight	2400 lbs	1090 kg
Trailer Weight	861 lbs	390 kg
Deadrise	20°	20°
Storage Length on Trailer	20'9"	9.33 m
Storage Length on Trailer w/Extended Swim	20'9"	9.33 m
Bridge Clearance	3'9"	1.14 m
Bridge Clearance with arch/tower	6'8"	2.03 m
Total Height	4'10"	1.47 m
Total Height on Trailer	6'4"	1.93 m
Total Height on Trailer w/Wakeboard tower Dn	7'1"	2.16 m
Total Height on Trailer w/Wakeboard tower Up	9'4"	2.85 m

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT 185 LBS	MC 4.3MPI	1590	910	144	100	861
GT 185 KG	MC 4.3MPI	721	413	65	45	390

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 3.0MPI/A/135 hp (101kw)	14 1/4 X 21	36 X 53	AL	39-42	63-68	90	145
MC 4.3/A/190 hp (142kw)	14 1/4 X 23	36 X 58	AL	48-51	77-82	90	145
MC 4.3MPI/A/220 hp (164kw)	14 1/4 X 21	36 X 53	AL	49-52	79-84	95	155
VP V6-200/SX/200 hp (149kw)	14 1/4 X 23	36 X 58	AL	47-50	76-81	95	155
VP V6-225/SX/225 hp (168kw)	14 1/4 X 23	36 X 58	AL	49-52	79-84	95	155

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

GTX185

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl w/ chrome insert
SSV® hull
Swim platform, integrated,
skid-resistant surface
Ladder, stainless steel
Windshield, roadster style, exclusive design
Walk-thru windshield

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aquaflex™ vinyl
Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Full-width bench seat, storage beneath
Glove box
Seating, bucket seats (2) port and
starboard, adjustable
Ski locker, in-floor, molded fiberglass finish

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

TRAILER

Glastron custom-matched trailer,
single axle

OPTIONS

TOW SPORTS

Ski tow pylon

COCKPIT

Flip-up bucket seat(s)
Snap-in carpet

HELM

Tilt steering

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port
Speakers, 2

POWER

Mercuriser® sterndrive 135 hp

TRAILER

Trailer delete

CANVAS

Color-coordinated bimini top w/boot
Color-coordinated bow cover
Color-coordinated cockpit cover

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl w/ chrome insert
SSV® hull
Swim platform(s), integrated,
skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive
design
Walk-thru windshield

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aquaflex™ vinyl
Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests
& drains
Full-width bench seat, storage beneath
Glove box
Seating, bucket seats (2) port and
starboard, adjustable
Ski locker, in-floor, molded fiberglass finish
Sundeck, aft converts to chaise lounge

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port,
(2) speakers std

TRAILER

Glastron custom-matched trailer,
single axle

OPTIONS

HULL AND DECK

Bow scuff plate
SSV gel scheme
Swim platform mat
Swim platform, extended low-profile
Side windshield wings

TOW SPORTS

Wakeboard tower
Wakeboard tower with bimini top

COCKPIT

Bow filler cushion(s)
Flip-up bucket seat(s)
Snap-in carpet

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive	200 - 225 hp
Mercuriser® sterndrive	135 - 220 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Care cover (black)
Color-coordinated bimini top w/boot
Color-coordinated bow cover
Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package:
- (includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
GTS gel scheme & graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid black vinyl with chrome
insert
SSV® hull
Swim platform mat
Swim platform, integrated,
skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aquaflex™ vinyl
Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests
& drains
Full-width bench seat, storage beneath
Glove box
GTS cockpit interior
Seating, bucket seats (2) port and
starboard, adjustable
Ski locker, in-floor, molded fiberglass finish
Sundeck, aft converts to chaise lounge

HELM

Emergency engine shut-off
Glastron custom GTS gauges, fog resistant
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port,
(2) speakers

TRAILER

Glastron custom-matched trailer,
single axle

OPTIONS

HULL AND DECK

Bow scuff plate
Swim platform, extended low-profile
Side windshield wings

TOW SPORTS

Wakeboard tower
Wakeboard tower with bimini top

COCKPIT

Bow filler cushion(s)
Flip-up bucket seat(s)
Snap-in carpet (custom embroidered)

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive	200 - 225 hp
Mercuriser® sterndrive	135 - 220 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Care cover (black)
Color-coordinated bimini top w/boot
Color-coordinated bow cover
Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package:
- (includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet (custom embroidered)
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

GTSF 185

STANDARDS

HULL AND DECK
 Hull and deck w/ stainless steel
 Bow and stern eyes, stainless steel
 Cleats, stainless steel
 Fiberglass stringers
 SSV gel scheme
 Horn, concealed
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified

TOW SPORTS
 Wakeboard tower with bimini top

COCKPIT
 Bow filler cushion(s)
 High altitude prop

ENGINE / SYSTEMS / DRIVE
 Volvo Penta® sterndrive 200 - 225 hp
 Mercruiser® sterndrive 135 - 220 hp

POWER
 Volvo Penta® sterndrive 200 - 225 hp
 Mercruiser® sterndrive 135 - 220 hp

TRAILER
 Galvanized trailer w/GatorHyde finish
 Spare tire & wheel
 Trailer delete

CANVAS
 Care cover (black)
 Color-coordinated bimini top w/boot
 Color-coordinated bow cover
 Color-coordinated cockpit cover

STANDARDS
 Hull and deck w/ stainless steel
 Bow and stern eyes, stainless steel
 Cleats, stainless steel
 Fiberglass stringers
 SSV gel scheme
 Horn, concealed
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified

TOW SPORTS
 Wakeboard tower with bimini top

COCKPIT
 Bow filler cushion(s)
 High altitude prop

ENGINE / SYSTEMS / DRIVE
 Volvo Penta® sterndrive 200 - 225 hp
 Mercruiser® sterndrive 135 - 220 hp

POWER
 Volvo Penta® sterndrive 200 - 225 hp
 Mercruiser® sterndrive 135 - 220 hp

TRAILER
 Galvanized trailer w/GatorHyde finish
 Spare tire & wheel
 Trailer delete

CANVAS
 Care cover (black)
 Color-coordinated bimini top w/boot
 Color-coordinated bow cover
 Color-coordinated cockpit cover

OPTIONS

HULL AND DECK
 Swim platform, extended low-profile
 Side windshield wings

TOW SPORTS
 Wakeboard tower
 Wakeboard tower with bimini top

COCKPIT
 Bow filler cushion(s)

ENGINE / SYSTEMS / DRIVE
 High altitude prop

POWER
 Volvo Penta® sterndrive 200 - 225 hp
 Mercruiser® sterndrive 135 - 220 hp

TRAILER
 Galvanized trailer w/GatorHyde finish
 Spare tire & wheel
 Trailer delete

CANVAS
 Care cover (black)
 Color-coordinated bimini top w/boot
 Color-coordinated bow cover
 Color-coordinated cockpit cover

STANDARDS

HULL AND DECK
 Bow and stern eyes, stainless steel
 Cleats, stainless steel
 Fiberglass stringers
 SSV gel scheme
 Horn, concealed
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified

Navigation lighting
 Rub rail, rigid white vinyl with chrome insert
 SSV® hull
 Swim platform(s), integrated, skid-resistant surface
 Ladder, stainless steel
 Trolling motor mount
 Two-tone deck
 Windshield, roadster style, exclusive design
 Walk-thru windshield

TOW SPORTS
 Ski tow, stainless steel

COCKPIT
 Aerated livewell
 Aquaflex™ vinyl
 Assist handles, synthetic
 Beverage holders, synthetic
 Bow casting platform
 Bow seats with storage & seat latch
 Built-in cockpit side storage
 Casting seats
 Courtesy light
 Fiberglass floor w/built-in footrests & drains
 Full-width bench seat, storage beneath
 Glove box
 Seating, bucket seats (2) port and starboard, adjustable
 Rod holders & rod storage
 Ski locker, in-floor, molded fiberglass finish
 Sundeck, aft, converts to casting platform

HELM
 Emergency engine shut-off
 Glastron custom gauges, fog-resistant
 Steering wheel, non-directional
 Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE
 Bilge pump, automatic
 Power steering
 Power trim and tilt

ENTERTAINMENT
 Stereo, Sony® AM/FM/CD player, MP3 port
 Speakers, 2

TRAILER
 Glastron custom-matched trailer, single axle

OPTIONS

HULL AND DECK
 Bow scuff plate
 Ski/Fish graphics
 Swim platform mat
 Swim platform, extended low-profile
 Side windshield wings

TOW SPORTS
 Wakeboard tower
 Wakeboard tower with bimini top

COCKPIT
 Flip-up bucket seat(s)
 Snap-in carpet

ENGINE / SYSTEMS / DRIVE
 High altitude prop

ENTERTAINMENT
 Stereo upgrade, subwoofer & aft remote

POWER
 Volvo Penta® sterndrive 200 - 225 hp
 Mercruiser® sterndrive 135 - 220 hp

TRAILER
 Galvanized trailer w/GatorHyde finish
 Spare tire & wheel
 Trailer delete

CANVAS
 Color-coordinated bimini top w/boot
 Color-coordinated bow cover
 Color-coordinated cockpit cover

OPTIONAL PACKAGES
 Convenience Package:
 Hour meter & depth sounder
 XL Package:
 (Includes convenience package):
 Flip-up bucket seats (2)
 Snap-in carpet
 Beverage holders, stainless steel
 Speaker covers, stainless steel
 Assist handles, stainless steel
 Cleats, pull-up, stainless steel
 Bow scuff plate
 Fishing Package:
 trolling motor & fish finder

GT187 Models

INCLUDES GT187, GTS187

SPECIFICATIONS	US	METRIC
LOA	19'6"	5.94 m
Beam	7'5"	2.26 m
Fuel Capacity	27 gal	102 L
Draft	14"	36 cm
Maximum Capacity	1200 lbs	544 kg
Persons Capacity	8	6
Approx. Boat & Engine Weight	2300 lbs	1040 kg
Trailer Weight	731 lbs	323 kg
Deadrise	20°	20°
Storage Length on Trailer	20'9"	9.33 m
Storage Length on Trailer w/Extended Swim	20'9"	9.33 m
Bridge Clearance	3'9"	1.14 m
Bridge Clearance with arch/tower	6'8"	2.03 m
Total Height	4'10"	1.47 m
Total Height on Trailer	6'4"	1.93 m
Total Height on Trailer w/Wakeboard tower Dn	7'1"	2.16 m
Total Height on Trailer w/Wakeboard tower Up	9'4"	2.85 m

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT187 LBS	Rotax 200HP	1,700	430	162	80	731
GT187 KG	Rotax 149KV	771	195	73	36	323

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	MM		MPH	KPH	MI	KM
ROTAX 150/112 1.5L INJECTED	6.1	155	SST	33-36	53-58	85	137
ROTAX 200/149 1.5L SUPERCHARGED	6.26	159	SST	39-42	63-68	85	137
ROTAX 250/187 1.5L SUPERCHARGED	6.34	161	SST	43-46	69-74	85	137

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl w/ chrome insert
SSV® hull
Swim platform, integrated,
skid-resistant surface
Swim platform, extended low-profile
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield

COCKPIT

Aquaflex™ vinyl
Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests
& drains
Full-width bench seat, storage beneath
Glove box
Seating, bucket seats (2) port and
starboard, adjustable
Ski locker, in-floor, molded fiberglass finish
Swim platform lounge seat(s)

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port,
(2) speakers

TRAILER

Glastron custom-matched trailer,
single axle

OPTIONS

HULL AND DECK

Bow scuff plate
Side windshield wings

TOW SPORTS

Wakeboard tower
Wakeboard tower with bimini top

COCKPIT

Bow filler cushion(s)
Flip-up bucket seat(s)

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

1.5 L EFI Rotax® 4-TEC 155-255 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Care cover (black)
Color-coordinated bimini top w/boot
Color-coordinated bow cover
Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package:
(includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
 Cleats, stainless steel
 Fiberglass stringers
 GTS gel scheme & graphics
 Horn, concealed
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
 Navigational lighting
 Rub rail, rigid black vinyl with chrome insert
 SSV® hull
 Swim platform mat
 Swim platform, integrated, skid-resistant surface
 Ladder, stainless steel
 Two-tone deck
 Windshield, roadster style, exclusive design
 Walk-thru windshield

TOW SPORTS

Ski tow, stainless steel

COCKPIT

AquaFlex™ vinyl
 Assist handles, synthetic
 Beverage holders, synthetic
 Bow seats with storage & seat latch
 Built-in cockpit side storage
 Courtesy light
 Fiberglass floor w/built-in footrests & drains
 Full-width bench seat, storage beneath
 Glove box
 GTS cockpit interior
 Seating, bucket seats (2) port and starboard, adjustable
 Ski locker, in-floor, molded fiberglass finish
 Swim platform lounge seat(s)

HELM

Emergency engine shut-off
 Glastron custom GTS gauges, fog resistant
 Steering wheel, non-directional
 Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port, (2) speakers

TRAILER

Glastron custom-matched trailer, single axle

OPTIONS

HULL AND DECK

Bow scuff plate
 Side windshield wings

TOW SPORTS

Wakeboard tower
 Wakeboard tower with bimini top

COCKPIT

Bow filler cushion(s)
 Flip-up bucket seat(s)
 Snap-in carpet (custom embroidered)

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

1.5 L EFI Rotax® 4-TEC 155-255 hp

TRAILER

Galvanized trailer w/GatorHyde finish
 Spare tire & wheel
 Trailer delete

CANVAS

Care cover (black)
 Color-coordinated bimini top w/boot
 Color-coordinated bow cover
 Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:
 Hour meter & depth sounder
 XL Package:
 - (includes convenience package)
 Flip-up bucket seats (2)
 Snap-in carpet (custom embroidered)
 Beverage holders, stainless steel
 Speaker covers, stainless steel
 Assist handles, stainless steel
 Cleats, pull-up, stainless steel
 Bow scuff plate

NOTES

Blank lined area for notes.

Models

GT200, GTS200, GTL200, GTSF200

INCLUDES SPECIFICATIONS

Includes:
 - 2000 lbs. capacity
 - 2420 lbs. weight & engine weight
 - 21" height on trailer
 - 40" length on trailer
 - 6'11" clearance with arch/tower
 - 6'6" height on trailer
 - 7'3" height on trailer w/wakeboard tower Dn
 - 9'6" height on trailer w/wakeboard tower Up

	US	METRIC
Length	20'4"	6.20 m
Beam	8'0"	2.24 m
Capacity	32 gal	121 L
Height	18"	46 cm
Weight	34"	86 cm
Weight	2200 lbs	998 kg
Height	9"	7"
Weight & Engine Weight	2420 lbs	1100 kg
Height	971 lbs	440 kg
Height	21"	21"
Length on Trailer	22'3"	6.78 m
Length	40"	1.22 m
Clearance with arch/tower	6'11"	2.11 m
Height	5'3"	1.6 m
Height on Trailer	6'6"	1.98 m
Height on Trailer w/Wakeboard tower Dn	7'3"	2.21 m
Height on Trailer w/Wakeboard tower Up	9'6"	2.89 m

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Eng. Type	Boat	Eng.	Fuel	Access.	Trall Wt.
Merc 150 4S	1930	460	192	150	971
Merc 150 4S	875	209	87	68	440

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
150 (110kw)	14 7/8 X 17	38 X 43	AL	39-42	63-68	105	170
150 (110kw)	14 7/8 X 17	38 X 43	AL	43-46	69-74	105	170
150 (110kw)	14 1/2 X 19	37 X 48	AL	48-51	77-82	105	170
150 (110kw)	13 1/4 X 17	34 X 43	AL	39-42	63-68	105	170
150 (110kw)	13 1/4 X 17	34 X 43	AL	39-42	63-68	110	180
150 (110kw)	15 X 17	38 X 43	AL	43-46	69-74	110	180
150 (110kw)	15 X 17	38 X 43	AL	43-46	69-74	105	170
150 (110kw)	14 1/2 X 19	37 X 48	AL	48-51	77-82	105	170
150 (110kw)	14 1/2 X 19	37 X 48	AL	48-51	77-82	110	180
150 (110kw)	13 1/4 X 17	34 X 43	AL	39-42	63-68	105	170
150 (110kw)	14 1/4 X 17	36 X 43	AL	43-46	69-74	105	170

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

GT200

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
 Cleats, stainless steel
 Fiberglass stringers
 Gel coat, premium, choice of colors,
 - Glastron spear graphics
 - Horn, concealed
 Meets applicable ABYC, Canadian, ISO and
 USCG Standards, NMMA and CE certified
 Navigational lighting
 Rub rail, rigid white vinyl with chrome
 insert
 SSV® hull
 Swim platform(s), integrated,
 skid-resistant surface
 Ladder, stainless steel
 Two-tone deck
 Windshield, roadster style, exclusive design
 Side windshield wings

COCKPIT

AquaFlex™ vinyl
 Assist handles, synthetic
 Beverage holders, synthetic
 Bow seats with storage & seat latch
 Built-in cockpit side storage
 Courtesy light
 Fiberglass floor w/built-in footrests
 & drains
 Full-width bench seat, storage beneath
 Glove box
 Seating, aft seating converts to lounge
 w/retractable seat
 Seating, bucket seats (2) port and
 starboard, adjustable
 Ski locker, in-floor, molded fiberglass finish

HELM

Emergency engine shut-off
 Glastron custom gauges, fog-resistant
 Steering wheel, non-directional
 Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
 Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port,
 (4) speakers

TRAILER

Glastron custom-matched trailer,
 single axle

OPTIONS

HULL AND DECK

Bow scuff plate
 Docking lights
 SSV gel scheme
 Swim platform mat
 Underwater lighting
 Delete Side windshield wings

TOW SPORTS

Ski tow pylon
 Wakeboard tower
 Wakeboard tower with bimini top

COCKPIT

Bow filler cushion(s)
 Flip-up bucket seat(s)
 Snap-in carpet

HELM

Hydraulic tilt steering (outboard only,
 std on 150 hp and up)

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Evinrude® outboard 60 - 200 hp
 Mercury® outboard 60 - 200 hp
 Yamaha® outboard 60 - 150 hp

TRAILER

Glastron trailer, tandem axle
 Galvanized trailer w/GatorHyde finish
 Spare tire & wheel
 Trailer delete
 Delete 2nd tandem-axle brakes

CANVAS

Care cover (black)
 Color-coordinated bimini top w/boot
 Color-coordinated bow cover
 Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:
 Hour meter & depth sounder
 XL Package:
 - (includes convenience package)
 Flip-up bucket seats (2)
 Snap-in carpet
 Beverage holders, stainless steel
 Speaker covers, stainless steel
 Assist handles, stainless steel
 Cleats, pull-up, stainless steel
 Bow scuff plate

GTS200

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
 Bow scuff plate, stainless steel
 Docking lights
 Underwater lighting
 Delete Side windshield wings
 Cleats, pull-up, stainless steel
 Docking lights
 Fiberglass stringers
 GTL gel scheme & graphics
 Horn, concealed
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
 Navigational lighting
 Rub rail, rigid black vinyl w/ chrome insert

Swim platform mat
 Swim platform(s), integrated, skid-resistant surface
 Ladder, stainless steel
 Two-tone deck
 Windshield, roadster style, exclusive design
 Side windshield wings
 Walk-thru windshield

COCKPIT

Assist handles, synthetic
 Beverage holders, synthetic
 Bow seats with storage & seat latch
 Built-in cockpit side storage
 Courtesy light
 Fiberglass floor w/built-in footrests
 Full-width bench seat, storage beneath
 Flip-up bucket seats (2)
 Full-width interior seating converts to lounge
 Retractable seat
 Bucket seats (2) port and starboard, adjustable
 Ski locker, in-floor, molded fiberglass finish

HELM

Emergency engine shut-off
 Glastron custom GTS gauges, fog resistant
 Steering wheel, non-directional
 Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bi-lge pump, automatic
 Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port, (4) speakers

TRAILER

Glastron custom-matched trailer, single axle

OPTIONS

HULL AND DECK

Bow scuff plate
 Docking lights
 Underwater lighting
 Delete Side windshield wings

TOW SPORTS

Ski tow pylon
 Wakeboard tower
 Wakeboard tower with bimini top

COCKPIT

Bow filler cushion(s)
 Flip-up bucket seat(s)
 Snap-in carpet (custom embroidered)

HELM

Hydraulic tilt steering

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Evinrude® outboard	60 - 200 hp
Mercury® outboard	60 - 200 hp
Yamaha® outboard	60 - 150 hp

TRAILER

Glastron trailer, tandem axle
 Galvanized trailer w/GatorHyde finish
 Spare tire & wheel
 Trailer delete

CANVAS

Care cover (black)
 Color-coordinated bimini top w/bow
 Color-coordinated bow cover
 Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:
 Hour meter & depth sounder
 XL Package:
 - (includes convenience package)
 Flip-up bucket seats (2)
 Snap-in carpet (custom embroidered)
 Beverage holders, stainless steel
 Speaker covers, stainless steel
 Assist handles, stainless steel
 Cleats, pull-up, stainless steel
 Bow scuff plate

GTL200

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
 Bow scuff plate
 Cleats, pull-up, stainless steel
 Docking lights
 Fiberglass stringers
 GTL gel scheme & graphics
 SSV gel scheme
 Horn, concealed
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
 Navigational lighting
 Rub rail, rigid white vinyl w/ chrome insert
 SSV® hull

Swim platform mat
 Swim platform(s), integrated, skid-resistant surface
 Ladder, stainless steel

Two-tone deck
 Windshield, roadster style, exclusive design
 Side windshield wings
 Walk-thru windshield

COCKPIT

AquaFlex™ vinyl
 Assist handles, stainless steel
 Beverage holders, stainless steel
 Bow seats with storage & seat latch
 Built-in cockpit side storage
 Courtesy light
 Fiberglass floor w/built-in footrests & drains
 Flip-up bucket seat(s)
 Full-width bench seat, storage beneath
 Glove box
 GTL cockpit interior, choice of Saddle or Cashmere
 Seating, aft seating converts to lounge w/retractable seat
 Ski locker, in-floor, molded fiberglass finish
 Snap-in carpet

HELM

Emergency engine shut-off
 Glastron custom gauges, fog-resistant
 Hour meter & depth sounder
 Steering wheel, non-directional
 Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bi-lge pump, automatic
 Power trim and tilt

ENTERTAINMENT

Stereo upgrade, subwoofer & remote
 Stereo, Sony® AM/FM/CD player, MP3 port, (4) speakers

TRAILER

Glastron custom-matched trailer, single axle

OPTIONS

HULL AND DECK

Underwater lighting
 Delete Side windshield wings

TOW SPORTS

Wakeboard tower
 Wakeboard tower with bimini top

COCKPIT

Bow filler cushion(s)

HELM

Hydraulic tilt steering

ENGINE / SYSTEMS / DRIVE

High altitude prop

POWER

Evinrude® outboard	60 - 200 hp
Mercury® outboard	60 - 200 hp
Yamaha® outboard	60 - 150 hp

TRAILER

Galvanized trailer w/GatorHyde finish
 Spare tire & wheel
 Trailer delete
 Delete 2nd tandem-axle brakes

CANVAS

Care cover (black)
 Color-coordinated bimini top w/bow
 Color-coordinated bow cover
 Color-coordinated cockpit cover

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
 Cleats, stainless steel
 Fiberglass stringers
 SSV gel scheme
 Horn, concealed
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
 Navigational lighting
 Rub rail, rigid white vinyl with chrome insert
 SSV® hull
 Swim platform(s), integrated, skid-resistant surface
 Ladder, stainless steel
 Trolling motor mount
 Two-tone deck
 Windshield, roadster style, exclusive design
 Walk-thru windshield

COCKPIT

Aerated livewell
 Aquaflex™ vinyl
 Assist handles, synthetic
 Beverage holders, synthetic
 Bow casting platform
 Bow seats with storage & seat latch
 Built-in cockpit side storage
 Casting seats
 Courtesy light
 Fiberglass floor w/built-in footrests & drains
 Full-width bench seat, storage beneath
 Glove box
 Seating, bucket seats (2) port and starboard, adjustable
 Rod holders & Rod Storage
 Ski locker, in-floor, molded fiberglass finish

HELM

Emergency engine shut-off
 Glastron custom gauges, fog-resistant
 Steering wheel, non-directional
 Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
 Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port, (4) speakers

TRAILER

Glastron custom-matched trailer, single axle

OPTIONS

HULL AND DECK

Bow scuff plate
 Ski/Fish graphics
 Swim platform mat
 Delete Side windshield wings

TOW SPORTS

Ski tow pylon

COCKPIT

Flip-up bucket seat(s)
 Snap-in carpet

HELM

Hydraulic tilt steering

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Evinrude® outboard	60 - 200 hp
Mercury® outboard	60 - 200 hp
Yamaha® outboard	60 - 150 hp

TRAILER

Galvanized trailer w/GatorHyde finish
 Spare tire & wheel
 Trailer delete
 Delete 2nd tandem-axle brakes

CANVAS

Color-coordinated bimini top w/boot
 Color-coordinated bow cover
 Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:
 Hour meter & depth sounder
 XL Package:
 - (includes convenience package)
 Flip-up bucket seats (2)
 Snap-in carpet
 Beverage holders, stainless steel
 Speaker covers, stainless steel
 Assist handles, stainless steel
 Cleats, pull-up, stainless steel
 Bow scuff plate
 Fishing Package:
 trolling motor & fish finder

NOTES

Blank lined area for notes.

GT205 Models

INCLUDES GT205, GTS205, GTL205, GTSF205, GTS209

SPECIFICATIONS	US	METRIC
LOA	20'6"	6.25 m
LOA w/Extended Swim Platform	23'0"	7.01 m
Beam	8'0"	2.44 m
Fuel Capacity	32 gal	121 L
Draft (drive up)	18"	46 cm
Draft (drive down)	35"	89 cm
Maximum Capacity	1500 lbs	680 kg
Persons Capacity	9	7
Approx. Boat & Engine Weight	2770 lbs	1260 kg
Trailer Weight	971 lbs	440 kg
Deadrise	21°	21°
Storage Length on trailer	23'0"	7.01 m
Storage Length on trailer w/ extended swim	23'0"	7.01 m
Bridge Clearance	4'0"	1.22 m
Bridge Clearance with arch/tower	6'11"	2.11 m
Total Height	5'3"	1.6 m
Total Height on Trailer	6'6"	1.98 m
Height on Trailer w/Wakeboard tower Dn	7'3"	2.21 m
Height on Trailer w/Wakeboard tower Up	9'6"	2.89 m

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT 205 LBS	VP V8-270/SX	1770	1010	192	150	1155
GT 205 KG	VP V8-270/SX	803	458	87	68	524

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.3L/A 190 hp (142kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	90	145
MC 4.3M PVA 220 hp (164kw)	14 1/2 X 19	37 X 48	AL	47-50	76-81	95	155
MC 5.0 MPI/A 260 hp (194kw)	14 1/4 X 21	36 X 53	AL	52-55	84-89	95	155
MC 350 MPI/A 300 hp (224kw)	14 1/4 X 21	36 X 53	AL	54-57	87-92	95	155
VP V6-200/SX 200 hp (149kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	95	155
VP V6-225/SX 225 hp (168kw)	14 1/4 X 21	36 X 53	AL	48-51	77-82	95	155
VP V8-225/SX 225 hp (168kw)	14 1/4 X 21	36 X 53	AL	48-51	77-82	95	155
VP V8-270/SX 270 hp (201kw)	14 1/4 X 21	36 X 53	AL	52-55	84-89	95	155
VP V8-300/SX 300 hp (224kw)	14 1/4 X 21	36 X 53	AL	54-57	87-92	95	155

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
SSV® hull
Swim platform, integrated,
skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aquaflex™ vinyl
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests
& drains
Full-width bench seat, storage beneath
Glove box
Seating, aft seating converts to lounge
w/retractable seat
Seating, bucket seats (2) port and
starboard, adjustable
Ski locker, in-floor, molded fiberglass finish
Sundeck, aft, chaise lounge
& aft facing seat
Walk-thru transom

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port
(4) speakers std

TRAILER

Glastron custom-matched trailer,
single axle

OPTIONS

HULL AND DECK

Bow scuff plate
Docking lights
SSV gel scheme
Swim platform mat
Swim platform, extended low-profile
Underwater lighting
Delete Side windshield wings

TOW SPORTS

Wakeboard tower
Wakeboard tower with bimini top

COCKPIT

Bow filler cushion(s)
Flip-up bucket seat(s)
Snap-in carpet

ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet
High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive 200 - 320 hp
Mercurier® sterndrive 190 - 320 hp

TRAILER

Glastron trailer, tandem axle
Galvanized trailer w/GatorHyde finish
Spare tire & wheel Spare tire & wheel
Trailer delete Trailer delete
Delete 2nd tandem-axle brakes

CANVAS

Care cover (black)
Color-coordinated bimini top w/boot
Color-coordinated bow cover
Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package:
(includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
GTS gel scheme & graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid black vinyl w/ chrome insert
SSV® hull
Swim platform mat
Swim platform, integrated, skid-resistant surface
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aquaflex™ vinyl
Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests & drains
Full-width bench seat, storage beneath
Glove box
GTS cockpit interior
Seating, aft seating converts to lounge w/retractable seat
Seating, bucket seats (2) port and starboard, adjustable
Ski locker, in-floor, molded fiberglass finish
Sundeck, aft, chaise lounge & aft facing seat
U-shaped bench seat, storage beneath
Walk-thru transom

HELM

Emergency engine shut-off
Glastron custom GTS gauges, fog resistant
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port
Speakers, 2

TRAILER

Glastron custom-matched trailer, single axle

OPTIONS

HULL AND DECK

Bow scuff plate
Docking lights
Swim platform, extended low-profile
Underwater lighting
Delete Side windshield wings

TOW SPORTS

Wakeboard tower
Wakeboard tower with bimini top

COCKPIT

Bow filler cushion(s)
Flip-up bucket seat(s)
Snap-in carpet (custom embroidered)

ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet
High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive	200 - 320 hp
MerCruiser® sterndrive	190 - 320 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete
Delete 2nd tandem-axle brakes

CANVAS

Care cover (black)
Color-coordinated bimini top w/boot
Color-coordinated bow cover
Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package:
(Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet (custom embroidered)
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Bow scuff plate
Cleats, pull-up, stainless steel
Fiberglass stringers
GTL gel scheme & graphics
SSV gel scheme
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl w/ chrome insert
SSV® hull
Swim platform mat
Swim platform, integrated, skid-resistant surface
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aquaflex™ vinyl
Assist handles, stainless steel
Beverage holders, stainless steel
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests & drains
Flip-up bucket seat(s)
Full-width bench seat, storage beneath
Glove box
GTL cockpit interior, choice of Saddle or Cashmere
Seating, aft seating converts to lounge w/retractable seat
Ski locker, in-floor, molded fiberglass finish
Snap-in carpet
Sundeck, aft converts to chaise lounge
Walk-thru transom

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Hour meter & depth sounder
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote
Stereo, Sony® AM/FM/CD player, MP3 port
(4) speakers

TRAILER

Glastron custom-matched trailer, single axle

OPTIONS

HULL AND DECK

Swim platform, extended low-profile
Underwater lighting
Delete Side windshield wings

TOW SPORTS

Wakeboard tower
Wakeboard tower with Bimini top

COCKPIT

Bow filler cushion(s)

ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet
High altitude prop

POWER

Volvo Penta® sterndrive	200 - 320 hp
MerCruiser® sterndrive	190 - 320 hp

TRAILER

Glastron trailer, tandem axle
Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete
Delete 2nd tandem-axle brakes

CANVAS

Care cover (black)
Color-coordinated Bimini top w/boot
Color-coordinated bow cover
Color-coordinated cockpit cover

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
 Cleats, stainless steel
 Fiberglass stringers
 SSV gel scheme
 Horn, concealed
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
 Navigational lighting
 Rub rail, rigid white vinyl with chrome insert
 SSV® hull
 Swim platform(s), integrated, skid-resistant surface
 Ladder, stainless steel
 Trolling motor mount
 Two-tone deck
 Windshield, roadster style, exclusive design
 Walk-thru windshield
 Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aerated livewell
 Aquaflex™ vinyl
 Assist handles, synthetic
 Beverage holders, synthetic
 Bow casting platform
 Bow seats with storage & seat latch
 Built-in cockpit side storage
 Casting seats
 Courtesy light
 Fiberglass floor w/built-in footrests & drains
 Full-width bench seat, storage beneath
 Glove box
 Seating, aft seating converts to lounge w/retractable seat
 Seating, bucket seats (2) port and starboard, adjustable
 Rod holders & Rod Storage
 Ski locker, in-floor, molded fiberglass finish
 Sundeck, aft, converts to casting platform
 Walk-thru transom

HELM

Emergency engine shut-off
 Glastron custom gauges, fog-resistant
 Steering wheel, non-directional
 Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
 Power steering
 Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port, (4) speakers

TRAILER

Glastron custom-matched trailer, tandem axle

OPTIONS

HULL AND DECK

Bow scuff plate
 Docking lights
 Ski/Fish graphics
 Swim platform mat
 Underwater lighting
 Delete Side windshield wings

TOW SPORTS

Wakeboard tower
 Wakeboard tower with bimini top

COCKPIT

Flip-up bucket seat(s)
 Snap-in carpet

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive 200 - 300 hp
 Mercruiser® sterndrive 190 - 300 hp

TRAILER

Galvanized trailer w/GatorHyde finish
 Spare tire & wheel
 Trailer delete
 Delete 2nd tandem-axle brakes

CANVAS

Color-coordinated bimini top w/boot
 Color-coordinated bow cover
 Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:
 Hour meter & depth sounder
 XL Package:
 - (includes convenience package)
 Flip-up bucket seats (2)
 Snap-in carpet
 Beverage holders, stainless steel
 Speaker covers, stainless steel
 Cleats, pull-up, stainless steel
 Bow scuff plate
 Fishing Package:
 trolling motor & fish finder

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
 Cleats, stainless steel
 Fiberglass stringers
 GTS gel scheme & graphics
 Horn, concealed
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
 Navigational lighting
 Rub rail, rigid black vinyl w/ chrome insert
 SSV® hull
 Swim platform mat
 Swim platform, integrated, skid-resistant surface
 Ladder, stainless steel
 Two-tone deck
 Windshield, roadster style, exclusive design
 Walk-thru windshield
 Side windshield wings

COCKPIT

Aquaflex™ vinyl
 Assist handles, synthetic
 Beverage holders, synthetic
 Built-in cockpit side storage
 Courtesy light
 Fiberglass floor w/built-in footrests & drains
 Full-width bench seat, storage beneath
 Glove box
 GTS cockpit interior
 Seating, bucket seats (2) port and starboard, adjustable
 Ski locker, in-floor, molded fiberglass finish
 Sundeck, aft, chaise lounge & aft facing seat
 Walk-thru transom

HELM

Emergency engine shut-off
 Glastron custom GTS gauges, fog resistant
 Steering wheel, non-directional
 Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
 Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port, (4) speakers

TRAILER

Glastron custom-matched trailer, single axle

OPTIONS

HULL AND DECK

Bow scuff plate
 Docking lights
 Swim platform, extended low-profile
 Underwater lighting

TOW SPORTS

Wakeboard tower
 Wakeboard tower with bimini

COCKPIT

Flip-up bucket seat(s)
 Snap-in carpet (custom embroidered)

ENGINE / SYSTEMS / DRIVE

High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive 200 - 320 hp
 Mercruiser® sterndrive 190 - 320 hp

TRAILER

Galvanized trailer w/GatorHyde finish
 Spare tire & wheel
 Trailer delete

CANVAS

Care cover (black)
 Color-coordinated bimini top w/boot
 Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:
 Hour meter & depth sounder
 XL Package:
 - (includes convenience package)
 Flip-up bucket seats (2)
 Snap-in carpet (custom embroidered)
 Beverage holders, stainless steel
 Speaker covers, stainless steel
 Assist handles, stainless steel
 Cleats, pull-up, stainless steel
 Bow scuff plate

STANDARDS

HULL AND DECK

Anchor locker w/rope storage
Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
GTS gel scheme & graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid black vinyl with chrome insert
SSV® hull
Swim platform mat
Swim platform, integrated, skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings
Ski tow, stainless steel

COCKPIT

Aquaflex™ vinyl
Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests & drains
Full-width bench seat, storage beneath
Glove box
GTS cockpit interior
Seating, bucket seats (2) port and starboard, adjustable
Ski locker, in-floor, molded fiberglass finish
Sundeck, aft, chaise lounge & aft facing seat
U-shaped bench seat, storage beneath
Walk-thru transom

HELM

Emergency engine shut-off
Glastron custom GTS gauges, fog resistant
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port, (4) speakers

TRAILER

Glastron custom-matched trailer, tandem axle

OPTIONS

HULL AND DECK

Bow anchor roller
Bow scuff plate
Docking lights
Transom shower
Underwater lighting

TOW SPORTS

Wakeboard tower
Wakeboard tower with bimini top

COCKPIT

Bow filler cushion(s)
Flip-up bucket seat(s)
Table w/mount
Snap-in carpet (custom embroidered)

ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet
High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive	200 - 320 hp
Mercruiser® sterndrive	190 - 320 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel Spare tire & wheel
Trailer delete Trailer delete

CANVAS

Care cover (black)
Color-coordinated bimini top w/boot
Color-coordinated bow cover
Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package:
- (includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Anchor locker w/rope storage
Bow and stern eyes, stainless steel
Bow rails, stainless steel
Bow scuff plate
Cleats, pull-up, stainless steel
Docking lights
Fiberglass stringers
GTL gel scheme & graphics
SSV gel scheme
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform mat
Swim platform(s), integrated, skid-resistant surface
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aquaflex™ vinyl
Assist handles, stainless steel
Beverage holders, stainless steel
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests & drains
Flip-up bucket seat(s)
Full-width bench seat, storage beneath
Glove box
GTL cockpit interior, choice of Saddle or Cashmere
Seating, bucket seats (2) port and starboard, adjustable
Ski locker, in-floor, molded fiberglass finish
Snap-in carpet
Sundeck, aft, chaise lounge & aft facing seat
U-shaped bench seat, storage beneath
Walk-thru transom

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Hour meter & depth sounder
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote
Stereo, Sony® AM/FM/CD player, MP3 port (4) speakers

TRAILER

Glastron custom-matched trailer, tandem axle

OPTIONS

HULL AND DECK

Transom shower
Underwater lighting

TOW SPORTS

Wakeboard tower
Wakeboard tower with bimini top

COCKPIT

Bow filler cushion(s)
Table w/mount

ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet
High altitude prop

POWER

Volvo Penta® sterndrive	200 - 320 hp
Mercruiser® sterndrive	190 - 320 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Care cover (black)
Color-coordinated bimini top w/boot
Color-coordinated bow cover
Color-coordinated cockpit cover

INCLUDES GT229, GTS229, GTL229

SPECIFICATIONS	US	METRIC
LOA	22'0"	6.71 m
Beam	8'4"	2.54 m
Fuel Capacity	40 gal	151 L
Draft (drive up)	17"	43 cm
Draft (drive down)	34"	86 cm
Maximum Capacity	1600 lbs	726 kg
Persons Capacity	9	8
Approx. Boat & Engine Weight	3300 lbs	1500 kg
Trailer Weight	1095 lbs	497 kg
Deadrise	20°	20°
Storage Length on Trailer	23'1"	7.04 m
Bridge Clearance	4'6"	1.37 m
Bridge Clearance with Arch/Tower	6'6"	1.98 m
Total Height	5'7"	1.70 m
Total Height on Trailer	7'1"	2.16 m
Total Height on Trailer w/Wakeboard Tower Dn	7'10"	2.39 m
Total Height on Trailer w/Wakeboard Tower Up	9'6"	2.90 m
Potable Water (standard or optional)	12 gal	45 L

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT 229 LBS	VP V8-300/SX	2300	1010	240	150	1095
GT 229 KG	VP V8-300/SX	1040	458	109	68	497

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed			Cruise Range	
	IN	CM		MPH	KPH	MI	KM	
MC 4.3 MPI/A/220 hp (164kw)	14 1/2 X 19	37 X 48	AL	44-47	71-76	130	210	
MC 5.0 MPI/A/260 hp (194kw)	14 1/2 X 19	37 X 48	AL	47-50	76-81	130	210	
MC 350 MPI/B1/300 hp (224kw)	14 1/2 X 19	37 X 48	AL	50-53	81-85	130	210	
MC 350 MPI/B3/300 hp (224kw)	26P	66	SST	51-54	82-87	130	210	
MC 377 MPI/B1/320 hp (239kw)	14 1/2 X 19	37 X 48	AL	51-54	82-87	130	210	
MC 377 MPI/B3/320 hp (239kw)	28P	71	SST	53-56	85-90	130	210	
VP V6-225/SX/225 hp (168kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	130	210	
VP V8-225C/SX/225 hp (168kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	130	210	
VP V8-270/SX/270 hp (201kw)	14 1/2 X 19	37 X 48	AL	47-50	76-81	130	210	
VP V8-300/SX/300 hp (224kw)	14 1/2 X 19	37 X 48	AL	50-53	81-85	130	210	
VP V8-300/DP/300 hp (224kw)	FH5	FH5	SST	51-54	82-87	130	210	
VP V8-320/SX/320 hp (239kw)	14 1/2 X 19	37 X 48	AL	51-54	82-87	130	210	
VP V8-320/DP/320 hp (239kw)	FH6	FH6	SST	53-56	85-90	130	210	

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Anchor locker w/rope storage
Bow and stern eyes, stainless steel
Bow rails, stainless steel
Cleats, stainless steel
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome
insert
SSV® hull
Swim platform, integrated,
skid-resistant surface
Swim platform, extended low-profile
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aquaflex™ vinyl
Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests
& drains
Full-width bench seat, storage beneath
Glove box
Seating, bucket seats (2) port and
starboard, adjustable
Ski locker, in-floor, molded fiberglass finish
Sundeck, aft, chaise lounge & aft facing
seat
U-shaped bench seat, storage beneath
Walk-thru transom

CABIN

Berth

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port,
(4) speakers

TRAILER

Glastron custom-matched trailer,
tandem axle

OPTIONS

HULL AND DECK

Bow anchor roller
Bow scuff plate
Docking lights
SSV gel scheme
Swim platform mat
Transom shower
Underwater lighting
Windlass w/rope, chain and anchor

TOW SPORTS

Wakeboard tower
Wakeboard tower with bimini top

COCKPIT

Bow filler cushion(s)
Flip-up bucket seat(s)
Table w/mount
Snap-in carpet

CABIN

Porta potti
Pump out, Porta potti

ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet
High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive 200 - 320 hp
Mercruiser® sterndrive 190 - 320 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Color-coordinated bimini top w/boot
Color-coordinated bow cover
Color-coordinated cockpit cover
Color-coordinated camper canvas

OPTIONAL PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package:
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS**HULL AND DECK**

Anchor locker w/rope storage
Bow and stern eyes, stainless steel
Bow rails, stainless steel
Cleats, stainless steel
Fiberglass stringers
GTS gel scheme & graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid black vinyl with chrome insert
SSV® hull
Swim platform mat
Swim platform, integrated, skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

COCKPIT

Aquaflex™ vinyl
Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests & drains
Full-width bench seat, storage beneath
Glove box
GTS cockpit interior
Seating, bucket seats (2) port and starboard, adjustable
Sundeck, aft, chaise lounge & aft facing seat
U-shaped bench seat, storage beneath
Walk-thru transom

CABIN

Berth

HELM

Emergency engine shut-off
Glastron custom GTS gauges, fog resistant
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port, (4) speakers

TRAILER

Glastron custom-matched trailer, tandem axle

OPTIONS**HULL AND DECK**

Bow anchor roller
Bow scuff plate
Docking lights
Transom shower
Underwater lighting
Windlass w/rope, chain and anchor

TOW SPORTS

Wakeboard tower
Wakeboard tower with bimini top

COCKPIT

Flip-up bucket seat(s)
Table w/mount
Snap-in carpet (custom embroidered)

CABIN

Porta potti
Pump out, Porta potti

ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet
High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive 200 - 320 hp
Mercruiser® sterndrive 190 - 320 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Color-coordinated bimini top w/boot
Color-coordinated cockpit cover
Color-coordinated camper canvas

OPTIONAL PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package:
- (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet (custom embroidered)
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS**HULL AND DECK**

Anchor locker w/rope storage
Bow and stern eyes, stainless steel
Bow rails, stainless steel
Bow scuff plate
Cleats, pull-up, stainless steel
Fiberglass stringers
GTL gel scheme & graphics
SSV gel scheme
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform mat
Swim platform, integrated, skid-resistant surface
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aquaflex™ vinyl
Assist handles, stainless steel
Beverage holders, stainless steel
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests & drains
Flip-up bucket seat(s)
Full-width bench seat, storage beneath
Glove box
GTL cockpit interior, choice of Saddle or Cashmere
Snap-in carpet
Sundeck, aft, chaise lounge & aft facing seat
U-shaped bench seat, storage beneath
Walk-thru transom

CABIN

Berth
Porta potti

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Hour meter & depth sounder
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote
Stereo, Sony® AM/FM/CD player, MP3 port
(4) speakers

TRAILER

Glastron custom-matched trailer, tandem axle

OPTIONS**HULL AND DECK**

Bow anchor roller
Transom shower
Underwater lighting
Windlass w/rope, chain and anchor

TOW SPORTS

Wakeboard tower
Wakeboard tower with bimini top

COCKPIT

Table w/mount

CABIN

Pump out, Porta potti

ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet
High altitude prop

POWER

Volvo Penta® sterndrive 200 - 320 hp
Mercruiser® sterndrive 190 - 320 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Color-coordinated bimini top w/boot
Color-coordinated cockpit cover
Color-coordinated camper canvas

INCLUDES GT245, GTS245, GTL245

SPECIFICATIONS	US	METRIC
LOA	24'0"	7.32 m
Beam	8'4"	2.54 m
Fuel Capacity	52 gal	151 L
Draft (drive up)	17"	43 cm
Draft (drive down)	34"	86 cm
Maximum Capacity	1950 lbs	884 kg
Persons Capacity	13	11
Approx. Boat & Engine Weight	4200 lbs	1900 kg
Trailer Weight	1505 lbs	683 kg
Deadrise	20°	20°
Storage Length on Trailer	25'3"	7.70 m
Bridge Clearance	4'6"	1.37 m
Bridge Clearance with Tower	7'4"	2.24 m
Total Height	5'10"	1.78 m
Total Height on Trailer	7'7"	2.31 m
Total Height on Trailer w/Wakeboard Tower Dn	8'3"	2.51 m
Total Height on Trailer w/Wakeboard Tower Up	10'5"	3.18 m
Potable Water (standard or optional)	12 gal	45 L

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT245 LBS	VP V8-300/S	3050	1050	310	150	1505
GT245 KG	VP V8-300/S	1380	476	141	68	683

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 5.0MPI/A/260/194	15 X 17	38 X 43	AL	41-44	66-71	145	235
MC 350MPI/B1/300/224	14 1/2 X 19	37 X 48	AL	46-49	74-79	145	235
MC 350MPI/B3/300/224	26P	26P	SST	46-51	77-82	150	240
MC 377MPI/B1/300/224	14 1/2 X 19	37 X 48	AL	47-50	76-81	145	235
MC 377MPI/B3/300/224	26P	26P	SST	49-52	79-84	150	240
MC 8.2MPI/B3/380/283	26P	26P	SST	53-56	85-90	145	235
VP V8-270/SX/270/201	15 X 17	38 X 43	AL	41-44	66-71	145	235
VP V8-300/SX/300/224	14 1/2 X 19	37 X 48	AL	46-49	74-79	145	235
VP V8-300/DP/300/224	FH5	FH5	SST	48-51	77-82	150	240
VP V8-320/SX/320/239	14 1/2 X 19	37 X 48	AL	47-50	76-81	145	235
VP V8-300/DP/300/224	FH5	FH5	SST	49-52	79-84	150	240
VP V8-380/DP/FH5	FH5	FH5	SST	53-56	85-90	160	255

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Anchor locker w/rope storage
Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl w/ chrome insert
SSV® hull
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aquaflex™ vinyl
Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Changing room/Head compartment, enclosed
Courtesy light
Fiberglass floor w/built-in footrests & drains
Full-width bench seat, storage beneath
Seating, bucket seats (2) port and starboard, adjustable
Ski locker, in-floor, molded fiberglass finish
Sundeck, aft, chaise lounge & aft facing seat
U-shaped bench seat, storage beneath
Walk-thru transom

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port (4) speakers

TRAILER

Glastron custom trailer, tandem axle w/brakes

OPTIONS

HULL AND DECK

Bow scuff plate
Docking lights
SSV gel scheme
Swim platform mat
Transom shower
Underwater lighting

TOW SPORTS

Wakeboard tower
Wakeboard tower with bimini top

COCKPIT

Bow filler cushion
Flip-up bucket seat
Sink, pressure water, porta potti & port lite
Snap-in carpet
Table w/mount

ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive 270 - 380 hp
Mercruiser® sterndrive 260 - 320 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel

CANVAS

Care cover (black)
Color-coordinated bimini top w/boot
Color-coordinated bow cover
Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package:
(includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS**HULL AND DECK**

Anchor locker w/rope storage
Bow and stern eyes, stainless steel
Bow rails, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
GTS gel scheme & graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid black vinyl with chrome insert
SSV® hull
Swim platform mat
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

AquaFlex™ vinyl
Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Changing room/Head compartment, enclosed
Courtesy light
Fiberglass floor w/built-in footrests & drains
Full-width bench seat, storage beneath
Glove box
GTS cockpit interior
Seating, bucket seats (2) port and starboard, adjustable
Ski locker, in-floor, molded fiberglass finish
Sundeck, aft, chaise lounge & aft facing seat
U-shaped bench seat, storage beneath
Walk-thru transom

HELM

Emergency engine shut-off
Glastron custom GTS gauges, fog resistant
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port, (4) speakers

TRAILER

Glastron custom-matched trailer, tandem axle

OPTIONS**HULL AND DECK**

Bow scuff plate
Docking lights
Transom shower
Underwater lighting

TOW SPORTS

Wakeboard tower
Wakeboard tower with bimini top

COCKPIT

Bow filler cushion(s)
Sink, pressure water, porta potti & port lite
Flip-up bucket seat(s)
Table w/mount
Snap-in carpet (custom embroidered)

ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet
High altitude prop

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive	200 - 320 hp
Mercruiser® sterndrive	190 - 320 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Care cover (black)
Color-coordinated bimini top w/boot
Color-coordinated bow cover
Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package:
- (includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet (custom embroidered)
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS**HULL AND DECK**

Anchor locker w/rope storage
Bow and stern eyes, stainless steel
Bow scuff plate
Cleats, pull-up, stainless steel
Docking lights
Fiberglass stringers
GTL gel scheme & graphics
SSV get scheme
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform mat
Swim platform(s), integrated, skid-resistant surface
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

AquaFlex™ vinyl
Assist handles, stainless steel
Beverage holders, stainless steel
Bow seats with storage & seat latch
Built-in cockpit side storage
Changing room/Head compartment, enclosed
Courtesy light
Fiberglass floor w/built-in footrests & drains
Flip-up bucket seat(s)
Full-width bench seat, storage beneath
Glove box
GTL cockpit interior, choice of Saddle or Cashmere
Ski locker, in-floor, molded fiberglass finish
Snap-in carpet
Sundeck, aft, chaise lounge & aft facing seat
U-shaped bench seat, storage beneath
Walk-thru transom

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Hour meter & depth sounder
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote
Stereo, Sony® AM/FM/CD player, MP3 port (4) speakers

TRAILER

Glastron custom-matched trailer, tandem axle

OPTIONS**HULL AND DECK**

Underwater lighting

TOW SPORTS

Wakeboard tower
Wakeboard tower with bimini top

COCKPIT

Bow filler cushion(s)
Sink, pressure water, porta potti & port lite
Table w/mount

ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet
High altitude prop

POWER

Volvo Penta® sterndrive	200 - 320 hp
Mercruiser® sterndrive	190 - 320 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Color-coordinated bimini top w/boot
Color-coordinated bow cover
Color-coordinated cockpit cover

SPECIFICATIONS	US	METRIC
LOA	20'1"	6.12 m
Beam	8'6"	2.59 m
Fuel Capacity	50 gal	189 L
Draft (drive up)	13"	33 cm
Draft (drive down)	28"	71 cm
Maximum Capacity	1400 lbs	635 kg
Persons Capacity	10	10
Approx. Boat & Engine Weight	2900 lbs	1315 kg
Trailer Weight	1086 lbs	493 kg
Deadrise	17°	17°
Total Height	4'8"	1.28 m

PERFORMANCE

Engine: V6-225 Volvo Penta (225), Prop: 21 pitch

rpm	mph	gph	range*
2500	21	4.8	197
3500	35	8.2	192
4500	41	14.8	125
WOT	51-53	-	-

Time to plane: N/A**
Acceleration 0-20 MPH: N/A**

Engine: V8-270 Volvo Penta (270), Prop: 21 pitch

rpm	mph	gph	range*
2000	12	4.1	85
3000	31	7.1	142
4000	45	8.8	143
WOT	54-56	-	-

Time to plane: 2.7 seconds
Acceleration 0-20 MPH: 4.5 seconds

*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

Performance data is measured with two passengers, 3/4 to full tank of fuel, at altitudes of 0 to 1200 feet.

Actual performance will be affected by higher altitude, load, weather/water conditions, and optional equipment, such as wakeboard tower, extended swim platform and generator.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
SSV gel scheme
Horn, concealed
Meets applicable ABYC, Canadian,
ISO and USCG Standards,
NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with
chrome insert
Swim platform(s), integrated,
skid-resistant surface
Ladder, stainless steel
Two-tone deck

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aquaflex™ vinyl
Assist handles, stainless steel
Beverage holders, stainless steel
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Flip-up bucket seat(s)
Full-width bench seat, storage beneath
Ski locker, in-floor, molded fiberglass finish
Snap-in carpet
Sundeck, aft converts to chaise lounge
Walk-thru transom

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Hour meter & depth sounder
Steering wheel, non-directional

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port

TRAILER

Glastron custom-matched trailer,
tandem axle

CANVAS

Color-coordinated Bimini top w/boat

OPTIONS

HULL AND DECK

Swim platform, extended low-profile
Underwater lighting

COCKPIT

Table with mount

ENGINE / SYSTEMS / DRIVE

High altitude prop

POWER

Volvo Penta® sterndrive	225 - 300 hp
Mercruiser® sterndrive	220 - 300 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel Spare tire & wheel
Trailer delete Trailer delete
Delete 2nd tandem-axle brakes

CANVAS

Color-coordinated cockpit cover

OPTIONAL PACKAGES

Fishing Package, trolling motor
& fish finder

SPECIFICATIONS	US	METRIC
LOA	20'11"	6.38 m
Beam	8'6"	2.59 m
Fuel Capacity	56 gal	212 L
Draft (drive up)	14"	36 cm
Draft (drive down)	30"	76 cm
Maximum Capacity	1900 lbs	862 kg
Persons Capacity	13	13
Approx. Boat & Engine Weight	3600 lbs	1633 kg
Trailer Weight	1163 lbs	528 kg
Deadrise	16°	16°
Total Height	4'10"	1.47 m

PERFORMANCE

Engine: V8-270 Volvo Penta (270), Prop: 21 pitch

rpm	mph	gph	range*
2000	9	4.2	108
3000	28	7.4	191
4000	40	12.5	161
WOT	49-51	—	—

Time to plane: 3.0 seconds

Acceleration 0-20 MPH: 5.4 seconds

Engine: 5.0L MPI MerCruiser, Prop: 19 pitch

rpm	mph	gph	range*
2000	9	3.8	119
3000	27	7.0	194
4000	39	11.4	172
WOT	47-49	—	—

Time to plane: 4.3 seconds

Acceleration 0-20 MPH: N/A

*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

Performance data is measured with two passengers, 3/4 to full tank of fuel, at altitudes of 0 to 1200 feet.

Actual performance will be affected by higher altitude, load, weather/water conditions, and optional equipment, such as wakeboard tower, extended swim platform and generator.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
SSV gel scheme
Horn, concealed
Meets applicable ABYC, Canadian,
ISO and USCG Standards, NMMA
and CE certified
Navigational lighting
Rub rail, rigid white vinyl with
chrome insert
Swim platform(s), integrated,
skid-resistant surface
Ladder, stainless steel
Two-tone deck

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aquaflex™ vinyl
Assist handles, stainless steel
Beverage holders, stainless steel
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Flip-up bucket seat(s)
Full-width bench seat, storage beneath
Ski locker, in-floor, molded fiberglass finish
Snap-in carpet
Sundeck, aft converts to chaise lounge
Walk-thru transom

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Hour meter & depth sounder
Steering wheel, non-directional

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM/CD player, MP3 port
Speakers, 4

TRAILER

Glastron custom-matched trailer,
tandem axle

OPTIONS

HULL AND DECK

Docking lights
Swim platform, extended low-profile

COCKPIT

Table with mount
Porta-pottie
Bow filler cushions

ENGINE / SYSTEMS / DRIVE

High altitude prop

POWER

Volvo Penta® sterndrive 225 - 300 hp
MerCruiser® sterndrive 220 - 300 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Color-coordinated cockpit cover

OPTIONAL PACKAGES

Fishing Package, trolling motor & fish
finder

SPECIFICATIONS	US	METRIC
LOA	24'0"	7.31 m
Beam	8'6"	2.59 m
Fuel Capacity	56 gal	212 L
Draft (drive up)	17"	43 cm
Draft (drive down)	35"	89 cm
Maximum Capacity	2000 lbs	907 kg
Persons Capacity	10	10
Approx. Boat & Engine Weight	4437 lbs	2013 kg
Deadrise	20°	20°
Total Height	6'9"	2.06 m

PERFORMANCE

Engine: V8-270 Volvo Penta (270), Props: F3

rpm	mph	gph	range*
2000	9	4.3	106
3000	22	7.4	150
4000	33	12.1	138
WOT	43-45	-	-

Time to plane: 5.3 seconds

Acceleration 0-20 MPH: 7.5 seconds

*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

Performance data is measured with two passengers, 3/4 to full tank of fuel, at altitudes of 0 to 1200 feet.

Actual performance will be affected by higher altitude, load, weather/water conditions, and optional equipment, such as wakeboard tower, extended swim platform and generator.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
 Bow rails, high profile
 Chrome vents
 Cleats, stainless steel
 Engine compartment ventilators
 Gel coat, Premium: choice of colors
 Gel scheme: two tone w/Glastron spear graphic
 Horn, concealed
 Meets applicable ABYC, Canadian; ISO and USCG Standards, NMMA and CE certified
 Navigation light
 Port lites, opening w/screens
 Rub rail, rigid white vinyl w/flexible chrome insert
 Skid-resistant swim platform, foredeck, cockpit floor
 Stainless steel bow rail
 Swim platform, integrated, skid-resistant surface
 Stainless steel boarding ladder
 Translucent deck hatch w/screen
 Walk-thru transom w/gate
 Walk-thru curved full glass windshield

COCKPIT

Aquaflex™ vinyl
 Beverage holders, stainless steel
 Helm seat, flip-up bucket seat, adjustable
 Port lounge seat
 Double wide port lounge seat, folds to sunlounge
 Engine compartment, insulated
 Fiberglass floor w/drain(s)
 Snap-in carpet
 Stainless steel assist handles
 Stainless steel beverage holders
 Stainless steel courtesy lights

CABIN

Cabin entry, centered
 Cabin door, acrylic
 CO (carbon monoxide) monitor (s)
 Dinette, converts to berth
 Under seat storage
 Lighting, overhead
 Table, wood

MID CABIN

Berth

GALLEY

Countertop, solid surface, with sink
 Cabinetry, woodgrain
 Storage

HEAD AND SHOWER

Fiberglass enclosed stand-up head and shower
 Door, woodgrain, locking
 Porta potti
 Port lite, opening w/screen
 Storage

HELM

Custom non-directional woodgrain steering wheel
 Instrumentation, Faria, fog-resistant w/polished raised bezels
 Depth sounder
 Hour meter
 Woodgrain accent trim
 Tilt steering

ENGINE / SYSTEMS / DRIVE

18-gallon water tank
 Battery management system
 Bilge pump, automatic
 Dual battery switch
 Power trim and tilt

ENTERTAINMENT

Stainless steel speaker covers
 Stereo, AM/FM/CD player, MP3 port

CANVAS

Color-coordinated Bimini top w/boot

OPTIONS

HULL AND DECK

Electric anchor windlass
 Hydraulic trim tabs
 Remote control spotlight (inc. compass)
 Transom shower
 Windshield wiper, starboard

CABIN

Dockside air conditioner/reverse heat

GALLEY

Galley Package

HEAD AND SHOWER

Electric china head
 Manual china head w/pump-out

ENGINE / SYSTEMS / DRIVE

Battery charger
 Dockside power
 Water heater

ENTERTAINMENT

Stereo remote at helm

POWER

Volvo Penta® sterndrive 270 - 300 hp
 Mercruiser® sterndrive 260 - 300 hp

CANVAS

Color-coordinated Camper Canvas No Arch
 Color-coordinated cockpit cover

SPECIFICATIONS	US	METRIC
LOA	24'10"	7.57 m
Beam	8'6"	2.59 m
Fuel Capacity	56 gal	212 L
Draft (drive up)	22"	56 cm
Draft (drive down)	36"	91 cm
Maximum Capacity	2240 lbs	1016 kg
Persons Capacity	10	10
Approx. Boat & Engine Weight	5450 lbs	2472 kg
Deadrise	20°	20°
Total Height	7'0"	2.13 m

PERFORMANCE

Engine: V8-270 Volvo Penta (270), Props: 17 pitch

rpm	mph	gph	range*
2000	8	3.7	109
3000	20	7.4	136
4000	35	13.0	135
WOT	43-45	-	-

Time to plane: 5.2 seconds

Acceleration 0-20 MPH: 8.6 seconds

Engine: V8-300 Volvo Penta (300), Props: F4

rpm	mph	gph	range*
2000	9	4.4	101
3000	22	9.0	123
4000	34	12.3	137
5000	43	20.7	105
WOT	44	22.3	101

Time to plane: 6.0 seconds

Acceleration 0-20 MPH: 8.3 seconds

Engine: 350 Magnum MPI Bravo III MerCruiser, Props: 22 1/2 pitch

rpm	mph	gph	range*
2000	8	4.7	92
3000	23	8.6	133
4000	35	12.7	138
5000	45	21.4	106
WOT	46-48	23.3	101

Time to plane: 5.8 seconds

Acceleration 0-20 MPH: 8.0 seconds

*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

Performance data is measured with two passengers, 3/4 to full tank of fuel, at altitudes of 0 to 1200 feet.

Actual performance will be affected by higher altitude, load, weather/water conditions, and optional equipment, such as wakeboard tower, extended swim platform and generator.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Bow rails, high profile
Bow roller & bow rope locker
Chrome vents
Cleats, stainless steel
Engine compartment ventilators
Gel coat, Premium: choice of colors
Gel scheme: two tone w/Glastron
 spear graphic
Horn, concealed
Hydraulic trim tabs
Meets applicable ABYC, Canadian,
 ISO and USCG Standards, NMMA
 and CE certified
Navigation lights
Port lites, opening w/screens
Remote control spotlight
Rub rail, rigid white vinyl w/flexible
 chrome insert
Skid-resistant swim platform, foredeck,
 cockpit floor
Stainless steel bow rail
Swim platform, integrated, skid-resistant
 surface
Stainless steel boarding ladder
Translucent deck hatch w/screen
Transom shower
Walk-thru transom w/gate
Walk-thru curved full glass windshield

COCKPIT

Aquaflex™ vinyl
Beverage holders, stainless steel
Cooler
Helm seat, flip-up bucket seat, adjustable
Port lounge seat
Engine compartment, insulated
Fiberglass floor w/drain(s)
Snap-in carpet
Stainless steel assist handles
Stainless steel beverage holders
Stainless steel courtesy lights
Refreshment center w/ sink
Countertop, solid surface

CABIN

Cabin entry, centered
Cabin door, acrylic
CO (carbon monoxide) monitor (s)
Dinette, converts to berth
Under seat storage
Lighting, overhead
Table, wood

MID CABIN

Over head lights
Berth

GALLEY

Countertop, solid surface, with sink
Cabinetry, woodgrain
Storage
Stove, electric
Microwave
Refrigerator

HEAD AND SHOWER

Fiberglass enclosed stand-up head
 and shower
Door, woodgrain, locking
Manual china head w/pump-out
Port lite, opening w/screen
Storage

HELM

Custom non-directional woodgrain
 steering wheel
Instrumentation, Faria, fog-resistant
 w/polished raised bezels
Compass
Depth sounder
Hour meter
Woodgrain accent trim
Tilt steering

ENGINE / SYSTEMS / DRIVE

18-gallon water tank
Battery charger
Battery management system
Bilge pump, automatic
Dockside power
Dual battery switch
Power trim and tilt
Water heater

ENTERTAINMENT

Stainless steel speaker covers
Stereo remote at helm
Stereo, AM/FM/CD player, MP3 port

CANVAS

Color-coordinated Bimini top w/boot

OPTIONS

HULL AND DECK

Electric anchor windlass Electric anchor
 windlass
Radar arch Radar arch
Windshield wiper, starboard

COCKPIT

Stern filler cushion and table

CABIN

Dockside air conditioner/reverse heat
Decor Package
Electric china head
Grey water system

ENTERTAINMENT

Flat screen TV w/DVD player Flat screen TV
 w/DVD player

POWER

Volvo Penta® sterndrive 270 - 300 hp
MerCruiser® sterndrive 260 - 300 hp

CANVAS

Color-coordinated Camper Canvas Arch
Color-coordinated Camper Canvas No Arch
Color-coordinated cockpit cover

SPECIFICATIONS	US	METRIC
LOA	28'10"	8.79 m
Beam	8'9"	2.77 m
Fuel Capacity	84 gal	318 L
Draft (drive up)	28"	71 cm
Draft (drive down)	41"	1.04 cm
Maximum Capacity	Yacht	Yacht
Approx. Boat & Engine Weight	6500 lbs	2948 kg
Deadrise	20°	20°
Total Height	8'5"	2.57 m

PERFORMANCE

Engine: V8-300 Volvo Penta (300), Props: F4

rpm	mph	gph	range*
2000	9	3.8	178
3000	16	8.9	141
4000	31	12.7	185
5000	41	21.4	144
WOT	40-42	23.1	136

Time to plane: 5.6 seconds
Acceleration 0-20 MPH: 6.6 seconds

Engine: V8-380 Volvo Penta (380), Props: F4

rpm	mph	gph	range*
2000	10	6.4	119
3000	26	11.7	147
4000	38	17.4	164
WOT	44-46	26.4	116

Time to plane: 5.3 seconds
Acceleration 0-20 MPH: 6.2 seconds

*Range: Mileage range calculated on designated RPM and MPH figures shown above, and based on 90 percent of boat's fuel capacity.

Performance data is measured with two passengers, 3/4 to full tank of fuel, at altitudes of 0 to 1200 feet.

Actual performance will be affected by higher altitude, load, weather/water conditions, and optional equipment, such as wakeboard tower, extended swim platform and generator.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Bow rails, high profile
Bow roller & bow rope locker
Chrome vents
Cleats, stainless steel
Engine compartment ventilators
Gel coat, Premium: choice of colors
Gel scheme: two tone w/Glastron spear graphic
Horn, concealed
Hydraulic trim tabs
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigation lights
Port lites, opening w/screens
Remote control spotlight
Rub rail, rigid white vinyl w/flexible chrome insert
Skid-resistant swim platform, foredeck, cockpit floor
Stainless steel bow rail
Swim platform, integrated, skid-resistant surface
Stainless steel boarding ladder
Translucent deck hatch w/screen
Transom shower
Transom storage locker
Walk-thru transom w/gate
Walk-thru curved full glass windshield
Windshield wiper, starboard

COCKPIT

Aquaflex® vinyl
Beverage holders, stainless steel
Cooler
Helm seat, double wide, flip-up bucket seat
Port lounge seat
Removable stern seat
Engine compartment, insulated
Fiberglass floor w/drain(s)
Snap-in carpet
Stainless steel assist handles
Stainless steel beverage holders
Stainless steel courtesy lights
Refreshment center w/ sink
Countertop, solid surface
Refrigerator
Removable stern seat

CABIN

Cabin entry, centered
Cabin door, sliding with built-in steps
CO (carbon monoxide) monitor (s)
Dinette, converts to berth
Under seat storage
Lighting, overhead
Table, wood

MID CABIN

Over head lights / Berth / Curtain

GALLEY

Countertop, solid surface, with sink
Cabinetry, woodgrain
Storage
Stove, electric / Microwave /Refrigerator

HEAD AND SHOWER

Fiberglass enclosed stand-up head and shower
Door, woodgrain, locking
Electric china head Electric china head

Port lite, opening w/screen
Storage

HELM

Custom non-directional woodgrain steering wheel
Instrumentation, Faria, fog-resistant w/polished raised bezels
Compass / Depth sounder / Hour meter
Woodgrain accent trim
Tilt steering

ENGINE / SYSTEMS / DRIVE

18-gallon water tank
Battery charger
Battery management system
Bilge pump, automatic
Dockside power
Dual battery switch
Power trim and tilt
Water heater

ENTERTAINMENT

Stainless steel speaker covers
Stereo remote at helm
Stereo, AM/FM/CD player, MP3 port
MP3 remote jack at dash

CANVAS

Color-coordinated Bimini top w/boat

OPTIONS

HULL AND DECK

Foredeck sun pad
Electric anchor windlass
Radar arch
Swim platform, extended

COCKPIT

Stern filler cushion and table

CABIN

Dockside air conditioner/reverse heat
Decor Package

HELM

Electronics Package for Radar Arch
VHF ship-to-shore radio w/antenna

ENGINE / SYSTEMS / DRIVE

Generator

ENTERTAINMENT

Flat screen TV w/DVD player

POWER

Volvo Penta® sterndrive 300 - 380 hp
Mercruiser® sterndrive 300 - 380 hp

CANVAS

Color-coordinated Camper Canvas Arch
Color-coordinated Camper Canvas No Arch
Color-coordinated cockpit cover

TRAILER SPECIFICATIONS

GT160, GTS160, GTSF160,
GT160 CB, GTS160 CB
Single Axle Trailer

	US	METRIC
Trailer length	19' 5"	5.918 m
Trailer length w/ Tongue Folded	17' 3"	5.258 m
Boat & trailer length w/ tongue	22' 6"	6.883 m
Boat & trailer length w/ Tongue Folded	20' 6"	6.248 m
Width	8' 1"	2.464 m
Trailer Empty weight w/ spare	754 LBS	342 kg
Carrying Capacity	2,196 LBS	996 kg
GVWR (Gross Vehical Weight Rating)	2,950 LBS	1,338 kg
GAWR (Gross Axle Weight Rating)	2,950 LBS	1,338 kg
Tire Size / Range (Stan- dard)	ST 205/75D14 BIAS	ST 205/75D14 BIAS
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity each (Standard)	1,760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	2,950 LBS	1338 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,200 LBS	544 kg
Winch	1,400 LBS	635 kg
Ball Size	2"	5 cm
Ball Towing Height	24"	61 cm

TRAILER SPECIFICATIONS

GT180, GTS180
Single Axle Trailer

	US	METRIC
Trailer length	20' 1"	6.121 m
Trailer length w/ Tongue Folded	17' 11"	5.461 m
Boat & trailer length w/ tongue	23' 3"	7.188 m
Boat & trailer length w/ Tongue Folded	18'	5.486 m
Width	8' 1"	2.464 m
Trailer Empty weight w/ spare	639 LBS	290 kg
Carrying Capacity	2,861 LBS	1,298 kg
GVWR (Gross Vehical Weight Rating)	3,500 LBS	1,588 kg
GAWR (Gross Axle Weight Rating)	3,500 LBS	1,588 kg
Tire Size / Range (Stan- dard)	ST 205/75D14 BIAS	ST 205/75D14 BIAS
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity each (Standard)	1,760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	3,500 LBS	1,588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,200 LBS	544 kg
Winch	1,800 LBS	818 kg
Ball Size	2"	5 CM
Ball Towing Height	22.5"	57 CM

TRAILER SPECIFICATIONS

GTSF180, GT185, GTS185,
GTSF185
Single Axle Trailer

	US	METRIC
Trailer length	20' 1"	6.096 m
Trailer length w/ Tongue Folded	17' 11"	5.461 m
Boat & trailer length w/ tongue	23' 2"	7.188 m
Boat & trailer length w/ Tongue Folded	21' 1"	6.426 m
Width	8' 4"	2.554 m
Trailer Empty weight w/ spare	861 lbs	390 kg
Carrying Capacity	3,539 lbs	1,606 kg
GVWR (Gross Vehical Weight Rating)	4,400 lbs	1,996 kg
GAWR (Gross Axle Weight Rating)	4,400 lbs	1,996 kg
Tire Size / Range (Standard)	ST 225/75D15 BIAS	ST 225/75D15 BIAS
Tire Pressure (standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2,540 lbs	1,152 kg
Lug Nut Torque	90-120 ft/lbs	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	4,400 lbs	1996 kg
Hub	6 LUG 5.5" PATTERN	6 LUG 14 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,200 lbs	544 kg
Winch	1,800 lbs	818 kg
Ball Size	2"	5 cm
Ball Towing Height	24"	61 cm

TRAILER SPECIFICATIONS

GT187, GTS187
Single Axle Trailer

	US	METRIC
Trailer length	20' 2"	6.147 m
Trailer length w/ Tongue Folded	17' 11"	5.461 m
Boat & trailer length w/ tongue	21' 11"	6.68 m
Boat & trailer length w/ Tongue Folded	19' 8"	5.994 m
Width	8' 1"	2.464 m
Trailer Empty weight w/ spare	861 LBS	390 kg
Carrying Capacity	3,539 LBS	1,606 kg
GVWR (Gross Vehical Weight Rating)	4,400 LBS	1,996 kg
GAWR (Gross Axle Weight Rating)	4,400LBS	1,996 kg
Tire Size / Range (Standard)	ST 205/75D14 BIAS	ST 205/75D14 BIAS
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity (Standard)	1,760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	3,500 LBS	1,588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,200 LBS	544 kg
Winch	1,800 LBS	818 kg
Ball Size	2"	5 cm
Ball Towing Height	22.5"	57 cm

TRAILER SPECIFICATIONS

GT 200, GTS 200, GTSF 200, GT 205, GTS 205, GTS 205 CB
Single Axle Trailer

	US	METRIC
Trailer length	21' 9"	6.629 m
Trailer length w/ Tongue Folded	19' 7"	5.969 m
Boat & trailer length w/ tongue	25'	7.62 m
Boat & trailer length w/ Tongue Folded	22' 10"	6.96 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	971 lbs	440 kg
Carrying Capacity	4,029 lbs	1,828 kg
GVWR (Gross Vehical Weight Rating)	5,000 lbs	2,268 kg
GAWR (Gross Axle Weight Rating)	5,000 lbs	2,268 kg
Tire Size / Range (Standard)	ST 225/75D15 BIAS	ST 225/75D15 BIAS
Tire Pressure (standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2540 lbs	1,152 kg
Lug Nut Torque	90-120 ft/lbs	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	5000 lbs	2,268 kg
Hub	6 LUG 5.5" PATTERN	6 LUG 14 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,200 lbs	5,44 kg
Winch	1,800 lbs	818 kg
Ball Size	2"	5 cm
Ball Towing Height	24"	61 cm

TRAILER SPECIFICATIONS

GT 200, GTS 200, GTSF 200, GT 205, GTS 205, GTSF 205, GTS 205 CB
Tandem Axle Trailer

	US	METRIC
Trailer length	21' 9"	6.629 m
Trailer length w/ Tongue Folded	19' 7"	5.969 m
Boat & trailer length w/ tongue	25'	7.62 m
Boat & trailer length w/ Tongue Folded	22' 10"	6.96 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1,155 lbs	524 kg
Carrying Capacity	5,845 lbs	2,651 kg
GVWR (Gross Vehical Weight Rating)	7,000 lbs	3,175 kg
GAWR (Gross Axle Weight Rating)	7,000 lbs	3,175 kg
Tire Size / Range (Standard)	ST 205/75D14 BIAS	ST 205/75D14 BIAS
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity each (Standard)	1,760 lbs	798 kg
Lug Nut Torque	90-120 ft/lbs	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 lbs	1,588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,200 lbs	544 kg
Winch	1,800 lbs	818 kg
Ball Size	2"	5 cm
Ball Towing Height	21"	53.3 cm

TRAILER SPECIFICATIONS

GT 225, GTS 225, GTL 225
Tandem Axle Trailer

	US	METRIC
Trailer length	22' 8"	6.909 m
Trailer length w/ Tongue Folded	20' 6"	6.248 m
Boat & trailer length w/ tongue	25' 10"	7.874 m
Boat & trailer length w/ Tongue Folded	23' 8"	7.214 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1,095 lbs	497 kg
Carrying Capacity	5,905 lbs	2,678 kg
GVWR (Gross Vehical Weight Rating)	7,000 lbs	3,175 kg
GAWR (Gross Axle Weight Rating)	7,000 lbs	3,175 kg
Tire Size / Range (Standard)	ST 205/75D14 BIAS	ST 205/75D14 BIAS
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity (Standard)	1,760 lbs	798 kg
Lug Nut Torque	90-120 ft/lbs	120.6NM-162.8 NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 lbs	1,588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,200 lbs	544 kg
Winch	2,600 lbs	1,179 kg
Ball Size	2"	5 cm
Ball Towing Height	21"	53.3 cm

TRAILER SPECIFICATIONS

GT 229, GTS 229, GTL 229
Tandem Axle Trailer

	US	METRIC
Trailer length	22' 8"	6.909 m
Trailer length w/ Tongue Folded	20' 6"	6.248 m
Boat & trailer length w/ tongue	25' 10"	7.874 m
Boat & trailer length w/ Tongue Folded	23' 8"	7.214 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1,095 lbs	497 kg
Carrying Capacity	5,905 lbs	2,678 kg
GVWR (Gross Vehical Weight Rating)	7,000 lbs	3,175 kg
GAWR (Gross Axle Weight Rating)	7,000 lbs	3,175 kg
Tire Size / Range (Standard)	ST 205/75D14 BIAS	ST 205/75D14 BIAS
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity (Standard)	1,760 lbs	798 kg
Lug Nut Torque	90-120 ft/lbs	120.6NM-162.8 NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 lbs	1,588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,200 lbs	544 kg
Winch	2,600 lbs	1,179 kg
Ball Size	2"	5 cm
Ball Towing Height	21"	53.3 cm

TRAILER SPECIFICATIONS

GT 245, GTS 245, GTL 245
Tandem Axle Trailer

	US	METRIC
Trailer length	26' 5"	8.052 m
Trailer length w/ Tongue Folded	21' 10"	6.655 m
Boat & trailer length w/ tongue	29' 1"	8.865 m
Boat & trailer length w/ Tongue Folded	25' 3"	7.696 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1,505 lbs	683 kg
Carrying Capacity	8,295 lbs	3,763 kg
GVWR (Gross Vehical Weight Rating)	9,800 lbs	4,445 kg
GAWR (Gross Axle Weight Rating)	10,000 lbs	4,535 kg
Tire Size / Range (Standard)	ST 225/75D15 BIAS	ST 225/75D15 BIAS
Tire Pressure (standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2,540 lbs	1,152 kg
Lug Nut Torque	90-120 ft/lbs	120.6 NM-162.8 NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	5,000 lbs	2,268 kg
Hub	6 LUG 5.5" PATTERN	6 LUG 14 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,600 lbs	726 kg
Winch	2,600 lbs	1,179 kg
Ball Size	2 5/16"	6 cm
Ball Towing Height	24.5"	62.23 cm

TRAILER SPECIFICATIONS

DS 205
Tandem Axle Trailer

	US	METRIC
Trailer length	21' 11"	6.68 m
Trailer length w/ Tongue Folded	19' 9"	6.02 m
Boat & trailer length w/ tongue	25'	7.62 m
Boat & trailer length w/ Tongue Folded	22' 10"	6.96 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1,086 lbs	493 kg
Carrying Capacity	5,914 lbs	2,682 kg
GVWR (Gross Vehical Weight Rating)	7,000 lbs	3,175 kg
GAWR (Gross Axle Weight Rating)	7,000 lbs	3,175 kg
Tire Size / Range (Standard)	ST 205/75D14 BIAS	ST 205/75D14 BIAS
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity (Standard)	1,760 lbs	798 kg
Lug Nut Torque	90-120 ft/lbs	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 lbs	1,588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,200 lbs	544 kg
Winch	1,800 lbs	818 kg
Ball Size	2"	5 cm
Ball Towing Height	21"	53.3 cm

TRAILER SPECIFICATIONS

DS 215 Tandem Axle Trailer

	US	METRIC
Trailer length	23' 6"	7.163 m
Trailer length w/ Tongue Folded	21' 4"	6.502 m
Boat & trailer length w/ tongue	26' 7"	8.1 m
Boat & trailer length w/ Tongue Folded	24' 5"	7.442 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1,163 lbs	528 kg
Carrying Capacity	5,837 lbs	2,647 kg
GVWR (Gross Vehical Weight Rating)	7,000 lbs	3,175 kg
GAWR (Gross Axle Weight Rating)	7,000 lbs	3,175 kg
Tire Size / Range (Standard)	ST 205/75D14	ST 205/75D14 BIAS
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity (Standard)	1,760 lbs	798 kg
Lug Nut Torque	90-120 ft/lbs	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 lbs	1,588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,200 lbs	544 kg
Winch	2,600 lbs	1,179 kg
Ball Size	2"	5 cm
Ball Towing Height	21"	53.3 cm

2014 Glastron Fiberglass Boats and Trailers Limited Warranty / North America

Rec Boat Holdings, LLC dba Glastron ("Glastron") warrants to you, the first North American retail purchaser of this 2014 model year Glastron boat and/or trailer or a second North American retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Glastron, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Glastron boat and/or trailer constitutes your acceptance of the terms of this limited warranty. This limited warranty gives you specific legal rights and you may have other rights which may vary from state to state.

This limited warranty is the sole and exclusive express warranty from Glastron regarding your 2014 Glastron boat and/or trailer and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Glastron, unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.

COVERAGE UNDER THIS LIMITED WARRANTY

Trailer Limited Warranty: The limited warranty period runs for one (1) year for defects in trailer components, except as noted below.

Exterior Cosmetic Gel Coat Limited Warranty: The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

Non-Structural Parts And Components Limited Warranty: The limited warranty period runs for one (1) year for defects in the boat's non-structural parts and components, except as noted below.

Osmotic Hull Blister Limited Warranty: The limited warranty period to the first North American retail purchaser runs for five (5) years, except as noted below, for osmotic Hull (defined below) blisters on the boat, which are defined as blisters larger than 1/8" diameter and with a depth of 1/16" or greater, which occur on the boat Hull below the waterline. This limited warranty is not transferrable to a second North American retail purchaser.

If the boat is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period, this limited warranty will only apply if a marine barrier coating with proper surface preparation is applied to the boat Hull before it is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period.

In the event of osmotic blistering, Glastron must approve of any repairs, and their method and cost, before the repairs are performed, for this limited warranty to apply. Once any repairs are completed, a marine barrier coating will be applied to the affected Hull surface area(s).

Repairs under this osmotic Hull blister limited warranty are limited to one time. Any repair costs covered under this limited warranty are limited to labor and materials only. They will be paid on a prorated basis, according to the schedule outlined below. The repair costs cannot exceed \$150 (US) per foot of boat length prior to the prorating outlined below:

Osmotic Hull blistering reported to Glastron:	Amount of repair costs paid:
Less than two (2) years from date of delivery	100%
Two (2) to less than three (3) years from date of delivery	75%
Three (3) to less than four (4) years from date of delivery	50%
Four (4) to five (5) years from date of delivery	25%

Structural Hull Or Deck Limited Warranty: The limited warranty period to the first North American retail purchaser runs for the duration of the first North American retail purchaser's period of ownership for Structural Hull or Deck Defects (defined below), except as noted below. The limited warranty period to the second (if applicable) North American retail purchaser runs for ten (10) years for Structural Hull or Deck Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structural within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale) and the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale). A "Structural Hull or Deck Defect" shall mean a substantial defect in the boat's Hull or Deck, which causes the boat to be unfit or unsafe for use as a pleasure craft under normal operating conditions.

The applicable limited warranty period, for both the First and Second (if applicable) North American retail purchaser, runs from the date of delivery of the boat and/or trailer to the first North American retail purchaser, provided that the boat and/or trailer is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat and/or trailer delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat and/or trailer was delivered to that purchaser. For a boat and/or trailer delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat and/or trailer with photos to Glastron before delivery of the boat and/or trailer to that purchaser; Glastron will then determine and advise what limited warranty coverage remains in effect on the boat and/or the trailer, if any. For a boat and/or trailer delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranty on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

Certain portions of this limited warranty, as noted above, extend only to the first North American retail purchaser. Other portions of this limited warranty, as noted above, may be transferred to a second North American retail purchaser, if the transfer occurs within five (5) years of the boat's and/or trailer's sale to the first North American retail purchaser, for a non-refundable recording fee of \$150 (US), for boats less than twenty (20) feet in length, or \$300 (US), for boats twenty (20) feet or more in length, provided the second North American retail purchaser purchases the boat and/or trailer from the first North American retail purchaser or an authorized Glastron dealer. To transfer the limited warranty, the second North American retail purchaser or the authorized Glastron dealer must send to Glastron, within fifteen (15) days of the boat's and/or trailer's purchase, at the address noted below, the: 1) first North American retail purchaser's plastic registration card, if available; 2) proof of the purchase; and 3) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Glastron. This limited warranty may only be transferred once. Glastron will confirm all limited warranty transfers, in writing, to the authorized Glastron dealer and/or second North American retail purchaser via email. Glastron reserves the right to reject a limited warranty transfer request for a Glastron boat and/or trailer that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat and/or trailer purchased from any party other than an authorized Glastron dealer or the first North American retail purchaser.
2. A boat and/or trailer, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Glastron, or a boat and/or trailer that has been salvaged, declared a total loss or a constructive total loss for any reason not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats or trailers that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, jet pumps, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Glastron, whether or not they are warranted by other manufacturers. Note: it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components.

7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. The original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-instatement of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the U.S. Coast Guard Capacity Plate.
12. Any boat and/or a trailer that has been misused or used in a negligent manner; a boat that has been used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instruction furnished by Glastron; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local, Coast Guard or other governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage to a boat resulting from failure to use a lower unit support device when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat and/or trailer for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Glastron.
19. Any defect that results in the redesign of the Glastron boat and/or trailer.
20. Trailer tires, paint or Gatorhde defects caused by fading, peeling, chipping, scratches or rusting attributed to normal use.

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT GLASTRON'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. GLASTRON EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES, OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period allowed under applicable law, whichever is earlier.

PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION

Prior to delivering a new Glastron boat and/or trailer to the first North American retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first North American retail purchaser. After completion of the necessary pre-delivery services, the first North American retail purchaser must sign the Glastron limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat and/or trailer unless these forms are completed, signed and returned to Glastron at the address indicated below, or via an authorized Glastron dealer's online dealer extranet. All information received by Glastron via the limited warranty registration or transfer process shall be the property of Glastron, and submission of information, directly or indirectly,

via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Glastron's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Glastron. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Glastron by sending a written request to: Glastron Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY

The authorized Glastron dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Glastron factory, or at another repair facility approved by Glastron. You are responsible for the expense associated with transporting the boat and/or trailer to and from the repair facility. Glastron must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat and/or trailer, including any alleged defective part, to an authorized Glastron dealer and present the Owner's Registration Card. If necessary, you should call Glastron for assistance to locate the nearest Glastron dealer in your area. The following procedures will apply to a limited warranty claim:

- A. The dealer will contact and receive an authorization number from Glastron for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Glastron limited warranty claim form if the claim is not submitted through the Glastron extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Glastron dealer will be responsible for choosing a qualified and reputable repair facility and the authorized Glastron Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Glastron dealer must submit a written estimate to Glastron's claims department to obtain written pre-authorization (including a claim authorization number). Glastron will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Glastron will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Glastron. Any questions concerning the scope of this limited warranty should be directed to Glastron. The terms and conditions contained in this limited warranty may not be modified, altered, or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Glastron. Glastron does not authorize any person or persons (except a senior management level employee of Glastron), including Glastron dealers, to change the terms of this limited warranty. (Note that your authorized Glastron dealer is an independent business, authorized to sell and service Glastron products, but is not an agent of Glastron). Glastron reserves the right to change or improve the design or manufacture of Glastron boats and/or trailers without obligation to modify any boat and/or trailer previously manufactured.

Glastron
925 Frisbie Street
Cadillac, MI 49601
(231) 775-1351

2014 Glastron Fiberglass Boats and Trailers Limited Warranty / International

Rec Boat Holdings, LLC dba Glastron ("Glastron") warrants to you, the first International retail purchaser of this 2014 model year Glastron boat or a second International retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Glastron, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Glastron boat constitutes your acceptance of the terms of this limited warranty.

This limited warranty is the sole and exclusive express warranty from Glastron regarding your 2014 Glastron boat, and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Glastron, unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW; ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Retail purchasers in the European Union (EU) may have legal rights under applicable national legislation and the Consumers Protective Directive 1999/44/EC of the European Parliament and of the Council of 25 May 1999, governing the sale of consumer goods, which are not affected by this limited warranty. Retail purchasers in other countries may also have legal rights which are not affected by this limited warranty.

COVERAGE UNDER THIS LIMITED WARRANTY

Exterior Cosmetic Gel Coat Limited Warranty:

The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

Non-Structural Parts And Components Limited Warranty:

The limited warranty period runs for one (1) year for defects in non-structural parts and components, except as noted below.

Osmotic Hull Blister Limited Warranty:

The limited warranty period to the first International retail purchaser runs for five (5) years, except as noted below, for osmotic Hull (defined below) blisters, which are defined as blisters larger than 1/8" diameter and with a depth of 1/16" or greater, which occur on the boat Hull below the waterline. This limited warranty is not transferrable to a second International retail purchaser.

If the boat is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period, this limited warranty will only apply if a marine barrier coating with proper surface preparation is applied to the boat Hull before it is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period.

In the event of osmotic blistering, Glastron must approve of any repairs, and their method and cost, before the repairs are performed, for this limited warranty to apply. Once any repairs are completed, a marine barrier coating will be applied to the affected Hull surface area(s).

Repairs under this Osmotic Hull Blister Limited Warranty are limited to one time. Any repair costs covered under this limited warranty are limited to labor and materials only. They will be paid on a prorated basis, according to the schedule outlined below. The repair costs cannot exceed \$150 (US) per foot of boat length prior to the prorating outlined on the following page:

Osmotic Hull blistering reported to Glastron:	Amt of repair costs paid:
Less than two (2) years from date of delivery	100%
Two (2) to less than three (3) years from date of delivery	75%
Three (3) to less than four (4) years from date of delivery	50%
Four (4) to five (5) years from date of delivery	25%

Structural Hull Or Deck Component Limited Warranty:

The limited warranty period to the first International retail purchaser runs for the duration of the first International retail purchaser's period of ownership for Structural Hull or Deck Defects (defined below), except as noted below. The limited warranty period to the second (if applicable) International retail purchaser runs for ten (10) years for Structural Hull or Deck Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structural within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale) and the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale). A "Structural Hull or Deck Defect" shall mean a substantial defect in the boat's Hull or Deck, which causes the boat to be unsafe or unfit for use as a pleasure craft under normal operating conditions.

The applicable limited warranty period, for both the first and second (if applicable) International retail purchasers, runs from the date of delivery of the boat to the first International retail purchaser, provided that the boat is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat was delivered to that purchaser. For a boat delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat with photos to Glastron before delivery of the boat to the first International retail purchaser; Glastron will then determine and advise what limited warranty coverage remains in effect on the boat, if any. For a boat delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranty on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

Certain portions of this limited warranty, as noted above, extend only to the first International retail purchaser. Other portions of this limited warranty, as noted above, may be transferred to a second International retail purchaser, if the transfer occurs within five (5) years of the boat's sale to the first International retail purchaser, for a non-refundable recording fee of \$150 (US), for boats less than twenty (20) feet in length, or \$300 (US), for boats twenty (20) feet or more in length, provided the second International retail purchaser purchases the boat from the first International retail purchaser or an authorized Glastron dealer. To transfer the limited warranty, the second International retail purchaser or the authorized Glastron dealer must send to Glastron, within fifteen (15) days of the boat's purchase, at the address noted below, the: 1) first International retail purchaser's plastic registration card, if available; 2) proof of the purchase; and 3) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Glastron. This limited warranty may only be transferred once. Glastron will confirm all limited warranty transfers, in writing, to the authorized Glastron dealer and/or second International retail purchaser via email. Glastron reserves the right to reject a limited warranty transfer request for a Glastron boat that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat purchased from any party other than an authorized Glastron dealer or the first International retail purchaser.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Glastron, or a boat that has been salvaged, declared a total loss or a constructive total loss for any reason not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.

5. Boats that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, jet pumps, outdrives, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Glastron, whether or not they are warranted by other manufacturers. Note: it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components.
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. The original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-installment of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the Capacity Plate.
12. Any boat that has been misused or used in a negligent manner; that has been used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instruction furnished by Glastron; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local or governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage to a boat resulting from failure to use a lower unit support device when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing a boat for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Glastron.
19. Any defect that results in the redesign of the Glastron boat.
20. Trailers.

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT GLASTRON'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. GLASTRON EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period of time allowed under applicable law. Any claim by a retail purchaser in the EU that the boat was nonconforming at the time of delivery must be made within two (2) years from the date of delivery.

PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION

Prior to delivering a new Glastron boat to the first International retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first International retail purchaser. After completion of the necessary pre-delivery services, the first International retail purchaser must sign the Glastron limited warranty registration

form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat unless these forms are completed, signed and returned to Glastron at the address indicated below, or via an authorized Glastron dealer's online dealer extranet. All information received by Glastron via the limited warranty registration or transfer process shall be the property of Glastron, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Glastron's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Glastron. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Glastron by sending a written request to: Glastron Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY

The authorized Glastron dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Glastron factory, or at another repair facility approved by Glastron. You are responsible for the expense associated with transporting the boat to and from the repair facility. Glastron must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat, including any alleged defective part, to an authorized Glastron dealer and present the Owner's Registration Card. If necessary, you should call Glastron for assistance to locate the nearest Glastron dealer in your area. The following procedures will apply to a limited warranty claim:

- A. The dealer will contact and receive an authorization number from Glastron for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Glastron limited warranty claim form if the claim is not submitted through the Glastron extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Glastron dealer will be responsible for choosing a qualified and reputable repair facility and the authorized Glastron Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Glastron dealer must submit a written estimate to Glastron's claims department to obtain written pre-authorization (including a claim authorization number). Glastron will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Glastron will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Glastron. Any questions concerning the scope of this limited warranty should be directed to Glastron. The terms and conditions contained in this limited warranty may not be modified, altered, or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Glastron. Glastron does not authorize any person or persons (except a senior management level employee of Glastron), including Glastron dealers, to change the terms of this limited warranty. (Note that your authorized Glastron dealer is an independent business, authorized to sell and service Glastron products, but is not an agent of Glastron). Glastron reserves the right to change or improve the design or manufacture of Glastron boats trailers without obligation to modify any boat trailer previously manufactured.

Glastron
925 Frisbie Street
Cadillac, MI 49601
(231) 775-1351

GLASTRON®

925 FRISBIE STREET • CADILLAC, MI 49601
231-775-1351

www.glastron.com

PART # 090-3069-14