



2016

PRODUCT INFORMATION GUIDE

## TABLE OF CONTENTS

GT180	2-5
GT180, GTS180, GTSF180	
GT185	6-10
GTX185, GT185, GTS185, GTSF185	
GT187	12-14
GT187, GTS187	
GT200	16-19
GT200, GTS200, GTSF200	
GT205	20-23
GT205, GTS205, GTSF205	
GT207	24-26
GT207, GTS207	
GT 225	28-30
GT225, GTS225	
GT229	32-34
GT229, GTS229	
GT240	36-38
GT240, GTS240	
GT245	40-42
GT245, GTS245	
GS289	44-45
TRAILERS	46-53
WARRANTY	54-61

INCLUDES GT180, GTS180, GTSF180

SPECIFICATIONS	US	METRIC
LOA	17'10"	5.44 m
Beam	7'5"	2.26 m
Fuel Capacity	24 gal	91 L
Draft (drive up)	14"	36 cm
Draft (drive down)	30"	76 cm
Maximum Capacity	1800 lbs	816 kg
Persons Capacity	8	7
Approx. Boat & Engine Weight	2010 lbs	912 kg
Trailer Weight	639 lbs	290 kg
Deadrise	20°	20°
Storage Length on Trailer	21'5"	6.53 m
Bridge Clearance	3'10"	1.17 m
Bridge Clearance with arch/tower	6'9"	2.06 m
Total Height	4'10"	1.47 m
Total Height on Trailer	6'4"	1.93 m
Total Height on Trailer w/Wakeboard tower Dn	7'1"	2.16 m
Total Height on Trailer w/Wakeboard tower Up	9'4"	2.85 m

### RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT 180 LBS	Merc 115 4S	1600	400	144	100	639
GT 180 KG	Merc 115 4S	726	181	65	45	290

### PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
EV 90 E-TEC 90 hp (67kw)	13 1/4 X 17	34 X 43	AL	38-41	61-66	110	180
EV 115 E-TEC 115 hp (86kw)	13 1/4 X 17	34 X 43	AL	41-44	66-71	110	180
EV 135 HO E-TEC 135 hp (101KW)	14.8 x 17	38 X 43	AL	44-47	71-76	110	180
EV 150 E-TEC 150 hp (112kw)	14.8 x 17	38 X 43	AL	45-48	72-77	110	180
Merc 90 Opti 90 hp (67kw)	13 1/4 X 17	34 X 43	AL	38-41	61-66	110	180
Merc 115 4S 115 hp (86kw)	13 1/4 X 17	34 X 43	AL	41-44	66-71	120	190
Merc 150 4S 150 hp (112kw)	14 1/2 19	37 X 48	AL	47-50	76-81	120	190
Yam F90 90 hp (67kw)	13 1/4 X 17	34 X 43	AL	38-41	61-66	110	180
Yam F115 115 hp (86kw)	13 1/4 X 17	34 X 43	AL	41-44	66-71	110	180
Yam F150 150 hp (112kw)	14 X 19	36 X 48	AL	47-50	76-81	120	190

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

## STANDARDS

### HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield

### COCKPIT

Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Cooler, built-in, under bench seat  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
Interior, Aquaflex™ vinyl  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, full-width bench seat, storage beneath  
Ski locker, in-floor, molded fiberglass finish, w/mat  
Water intrusion management system

### HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

### ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power trim and tilt

### ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 2

### TRAILER

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

## OPTIONS

### HULL AND DECK

Bow scuff plate  
SSV® gel scheme  
Swim platform mat(s)  
Side windshield wings

### TOW SPORTS

Ski tow pylon  
Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

### COCKPIT

Bow fill-in cushion(s)  
Flip-up bucket seat(s)  
Flooring, Dune Grass, soft-weave mat  
Snap-in carpet

### HELM

Hydraulic tilt steering  
(outboard only, std on 150 hp and up)  
Steering wheel, upgrade

### ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

### POWER

Evinrude® outboard	90 - 150 hp
Mercury® outboard	90 - 150 hp
Yamaha® outboard	90 - 150 hp

### TRAILER

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete

### CANVAS

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

### OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
Xl. Package (includes convenience package):  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

**STANDARDS****HULL AND DECK**

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Fiberglass stringers  
GTS gel scheme & graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid black vinyl with chrome insert  
SSV® hull  
Swim platform mat(s)  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield

**COCKPIT**

Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Cooler, built-in, under bench seat  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
GTS cockpit interior  
Interior, Aquaflex™ vinyl  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, full-width bench seat, storage beneath  
Ski locker, in-floor, molded fiberglass finish, w/mat  
Water intrusion management system

**HELM**

Emergency engine shut-off  
Glastron custom GTS gauges, fog resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

**ENGINE / SYSTEMS / DRIVE**

Bilge pump, automatic  
Power trim and tilt

**ENTERTAINMENT**

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 2

**TRAILER**

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

**OPTIONS****HULL AND DECK**

Bow scuff plate  
Side windshield wings

**TOW SPORTS**

Ski tow pylon  
Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

**COCKPIT**

Bow fill-in cushion(s)  
Flip-up bucket seat(s)  
Snap-in carpet

**HELM**

Hydraulic tilt steering  
(outboard only, std on 150 hp and up)

**ENTERTAINMENT**

Stereo upgrade, subwoofer & aft remote

**POWER**

Evinrude® outboard	90 - 150 hp
Mercury® outboard	90 - 150 hp
Yamaha® outboard	90 - 150 hp

**TRAILER**

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete

**CANVAS**

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

**OPTIONAL PACKAGES**

Convenience Package: Hour meter & depth sounder  
XL Package: (Includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

**STANDARDS****HULL AND DECK**

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron spear graphics  
SSV® gel scheme  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Trolling motor, 12 volt  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield

**COCKPIT**

Aerated livewell  
Assist handles, synthetic  
Beverage holders, synthetic  
Bow casting platform  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Casting seats  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
Interior, Aquaflex™ vinyl  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Rod holders & Rod Storage  
Removeable Bow & Stern Cushions  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, full-width bench seat, storage beneath  
Ski locker, in-floor, molded fiberglass finish, w/mat  
Water intrusion management system

**HELM**

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

**ENGINE / SYSTEMS / DRIVE**

Bilge pump, automatic  
Power trim and tilt

**ENTERTAINMENT**

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 2

**TRAILER**

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

**OPTIONS****HULL AND DECK**

Bow scuff plate  
Ski/Fish graphics  
Trolling Motor, 12 volt, delete  
Trolling motor, 24 volt  
Trolling Motor, Pre-Rig, 24 volt  
Side windshield wings

**TOW SPORTS**

Ski tow pylon  
Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

**COCKPIT**

Bow & fishing seat fill-in cushion(s)  
Flip-up bucket seat(s)  
Snap-in carpet

**HELM**

Fish Finder  
Hydraulic tilt steering  
(outboard only, std on 150 hp and up)  
Steering wheel, upgrade

**ENGINE / SYSTEMS / DRIVE**

Battery Charger

**ENTERTAINMENT**

Stereo upgrade, subwoofer & aft remote

**POWER**

Evinrude® outboard	90 - 150 hp
Mercury® outboard	90 - 150 hp
Yamaha® outboard	90 - 150 hp

**TRAILER**

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete

**CANVAS**

Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

**OPTIONAL PACKAGES**

Convenience Package:  
Hour meter & depth sounder  
XL Package: (Includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

INCLUDES GTX185, GT185, GTS185, GTSF185

SPECIFICATIONS	US	METRIC
LOA	18'0"	5.49 m
LOA w/Extended Swim Platform	19'6"	5.95 m
Beam	7'5"	2.26 m
Fuel Capacity	24 gal	91 L
Draft (drive up)	16"	41 cm
Draft (drive down)	33"	84 cm
Maximum Capacity	1200 lbs	544 kg
Persons Capacity	8	6
Approx. Boat & Engine Weight	2470 lbs	1,120 kg
Trailer Weight	861 lbs	390 kg
Deadrise	20°	20°
Storage Length on Trailer	20'9"	9.33 m
Storage Length on Trailer w/Extended Swim	20'9"	9.33 m
Bridge Clearance	3'9"	1.14 m
Bridge Clearance with arch/tower	6'8"	2.03 m
Total Height	4'10"	1.47 m
Total Height on Trailer	6'4"	1.93 m
Total Height on Trailer w/Wakeboard tower Dn	7'1"	2.16 m
Total Height on Trailer w/Wakeboard tower Up	9'4"	2.85 m

### RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT 185 LBS	VP V6-240/DI/SX	1590	910	144	100	861
GT 185 KG	VP V6-240/DI/SX	721	413	65	45	390

### PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 3.0MPI/A(135 hp (101kw))	14 1/4 X 21	36 X 53	AL	39-42	63-68	90	145
MC 4.3L 180/A(134KW)	14 1/2 x 19	37 x 48	AL	45-48	72-77	95	155
MC 4.3L/A/190 hp (142kw)	14 1/4 X 23	36 X 53	AL	48-51	77-82	90	145
MC 4.3MPI/A/220 hp (164kw)	14 1/4 X 21	36 X 53	AL	49-52	79-84	95	155
MC 4.5L 200/A(149kw)	14 1/4 X 21	36 X 53	AL	48-51	77-82	95	155
MC 4.5L 250/A(186kw)	14 1/2 x 19	37 x 48	AL	51-54	84 - 89	95	155
VP V6-200/SX/200 hp (149kw)	14 1/4 X 23	36 X 58	AL	47-50	76-81	95	155
VP V6-200/DI/SX(149kw)	14 1/4 X 23	36 X 58	AL	48-51	77-82	100	161
VP V6-225/SX/225 hp (168kw)	14 1/4 X 23	36 X 58	AL	49-52	79-84	95	155
VP V6-240/DI/SX(179kw)	14 1/4 X 23	36 X 58	AL	51-54	84 - 89	100	161

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

## STANDARDS

### HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Windshield, roadster style, exclusive design  
Walk-thru windshield

### TOW SPORTS

Ski tow, stainless steel

### COCKPIT

Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Fiberglass floor w/built-in footrests & drains  
Glove box  
Interior, Aquaflex™ vinyl  
Seating, comfortide bucket seats (2) port and starboard, adjustable  
Seating, full-width bench seat, storage beneath  
Ski locker, in-floor, molded fiberglass finish  
Water intrusion management system

### HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Unique pull-knob switches

### ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power steering  
Power trim and tilt

### TRAILER

Glastron custom-matched trailer, single axle  
Drum brakes  
Tongue, swing-away

## OPTIONS

### HULL AND DECK

Side windshield wings

### COCKPIT

Flip-up bucket seat(s)  
Snap-in carpet

### HELM

Tilt steering

### ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

### ENTERTAINMENT

Stereo, Sony®, 2 speakers, MP3 adapter

### POWER

Mercruiser® sterndrive 135 hp

### TRAILER

Spare tire & wheel

Trailer delete

### CANVAS

Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

### OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder

## STANDARDS

## HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield

## TOW SPORTS

Ski tow, stainless steel

## COCKPIT

Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Cooler, built-in, under bench seat  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
Interior, Aquaflex™ vinyl  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, full-width bench seat, storage beneath  
Ski locker, in-floor, molded fiberglass finish, w/mat  
Sundeck, aft converts to chaise lounge  
Water intrusion management system

## HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

## ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power steering  
Power trim and tilt

## ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 2

## TRAILER

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

## OPTIONS

## HULL AND DECK

Bow scuff plate  
SSV® gel scheme  
Swim platform mat(s)  
Swim platform extended, mat  
Swim platform, extended low-profile  
Side windshield wings

## TOW SPORTS

Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

## COCKPIT

Bow fill-in cushion(s)  
Flip-up bucket seat(s)  
Flooring, Dune Grass, soft-weave mat  
Snap-in carpet

## HELM

Steering wheel, upgrade

## ENGINE/SYSTEMS/DRIVE

Fire extinguishing system

## ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

## POWER

Volvo Penta® sterndrive	200 - 240 hp
Mercuriser® sterndrive	135 - 250 hp

## TRAILER

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete

## CANVAS

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

## OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package (Includes convenience package):  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

## STANDARDS

## HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
GTS gel scheme & graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid black vinyl with chrome insert  
SSV® hull  
Swim platform mat(s)  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield

## TOW SPORTS

Ski tow, stainless steel

## COCKPIT

Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Cooler, built-in, under bench seat  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
GTS cockpit interior  
Interior, Aquaflex™ vinyl  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, full-width bench seat, storage beneath  
Ski locker, in-floor, molded fiberglass finish, w/mat  
Sundeck, aft converts to chaise lounge  
Water intrusion management system

## HELM

Emergency engine shut-off  
Glastron custom GTS gauges, fog resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

## ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power steering  
Power trim and tilt

## ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 2

## TRAILER

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

## OPTIONS

## HULL AND DECK

Bow scuff plate  
Swim platform, extended low-profile  
Side windshield wings

## TOW SPORTS

Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

## COCKPIT

Bow fill-in cushion(s)  
Flip-up bucket seat(s)  
Snap-in carpet

## ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

## ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

## POWER

Volvo Penta® sterndrive	200 - 240 hp
Mercuriser® sterndrive	135 - 250 hp

## TRAILER

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete

## CANVAS

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

## OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package (Includes convenience package):  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

STANDARDS

HULL AND DECK

- Bow and stern eyes, stainless steel
- Cleats, stainless steel
- Engine vents, transom-mounted
- Fiberglass stringers
- Gel coat, premium, choice of colors, Glastron spear graphics
- SSV® gel scheme
- Horn, concealed
- Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
- Navigational lighting
- Rub rail, rigid white vinyl with chrome insert
- SSV® hull
- Swim platform(s), integrated, skid-resistant surface
- Ladder, stainless steel
- Trolling motor, 12 volt
- Two-tone deck
- Windshield, roadster style, exclusive design
- Walk-thru windshield

TOW SPORTS

- Ski tow, stainless steel

COCKPIT

- Aerated livewell
- Assist handles, synthetic
- Beverage holders, synthetic
- Bow casting platform
- Bow seats with storage & seat latch
- Built-in cockpit side storage
- Casting seats
- Courtesy light
- Fiberglass floor w/built-in footrests & drains
- Glove box
- Interior, Aquaflex™ vinyl
- Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand
- Rod holders & Rod Storage
- Removeable Bow & Stern Cushions
- Seating, comfortride bucket seats (2) port and starboard, adjustable
- Seating, full-width bench seat, storage beneath
- Ski locker, in-floor, molded fiberglass finish, w/mat
- Sundeck, aft, converts to casting platform
- Water intrusion management system

HELM

- Emergency engine shut-off
- Glastron custom gauges, fog-resistant
- Steering wheel, non-directional
- Tilt steering
- Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

- Bilge pump, automatic
- Power steering
- Power trim and tilt

ENGINE / SYSTEMS / DRIVE

- Bilge pump, automatic
- Power steering
- Power trim and tilt

ENTERTAINMENT

- Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity
- Speakers, 2

TRAILER

- Glastron custom-matched trailer, single axle
- Disc brakes
- Tongue, swing-away

OPTIONS

HULL AND DECK

- Bow scuff plate
- Ski/Fish graphics
- Swim platform mat(s)
- Swim platform extended, mat
- Swim platform, extended low-profile
- Trolling Motor, 12 volt, Delete
- Trolling motor, 24 volt
- Trolling Motor, Pre-Rig, 24 volt
- Side windshield wings

TOW SPORTS

- Wakeboard tower, gas assist, Hinging
- Wakeboard tower Bimini top

COCKPIT

- Bow & fishing seat fill-in cushion(s)
- Flip-up bucket seat(s)
- Snap-in carpet

HELM

- Fish Finder
- Steering wheel, upgrade

ENGINE/SYSTEMS/DRIVE

- Battery charger
- Fire extinguishing system

ENTERTAINMENT

- Stereo upgrade, subwoofer & aft remote

POWER

- Volvo Penta® sterndrive 200 - 240 hp
- Mercruiser® sterndrive 135 - 250 hp

TRAILER

- Galvanized trailer w/GatorHyde finish
- Spare tire & wheel
- Trailer delete

CANVAS

- Color-coordinated Bimini top w/boat
- Color-coordinated bow cover
- Color-coordinated cockpit cover

OPTIONAL PACKAGES

- Convenience Package:
  - Hour meter & depth sounder
- XL Package (Includes convenience package):
  - Flip-up bucket seats (2)
  - Snap-in carpet
  - Beverage holders, stainless steel
  - Speaker covers, stainless steel
  - Assist handles, stainless steel
  - Cleats, pull-up, stainless steel
  - Bow scuff plate

NOTES

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---

INCLUDES GT187, GTS187

SPECIFICATIONS	US	METRIC
LOA	19'6"	5.94 m
Beam	7'5"	2.26 m
Fuel Capacity	27 gal	102 L
Draft	14"	36 cm
Maximum Capacity	1200 lbs	544 kg
Persons Capacity	8	6
Approx. Boat & Engine Weight	2040 lbs	925 kg
Trailer Weight	731 lbs	323 kg
Deadrise	20°	20°
Storage Length on Trailer	20'9"	9.33 m
Storage Length on Trailer w/Extended Swim	20'9"	9.33 m
Bridge Clearance	3'9"	1.14 m
Bridge Clearance with arch/tower	6'8"	2.03 m
Total Height	4'10"	1.47 m
Total Height on Trailer	6'4"	1.93 m
Total Height on Trailer w/Wakeboard tower Dn	7'1"	2.16 m
Total Height on Trailer w/Wakeboard tower Up	9'4"	2.85 m

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT187 LBS	Rotax 200HP	1,700	430	162	80	731
GT187 KG	Rotax 149KV	771	195	73	36	323

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
ROTAX 150/112 1.5L INJECTED	6.1	155	SST	33-36	53-58	85	137
ROTAX 200/149 1.5L SUPERCHARGED	6.26	159	SST	39-42	63-68	85	137
ROTAX 250/187 1.5L SUPERCHARGED	6.34	161	SST	43-46	69-74	85	137

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Swim platform, extended low-profile  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
Interior, AquaFlex™ vinyl  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, full-width bench seat, storage beneath  
Ski locker, in-floor, molded fiberglass finish, w/mat  
Sundeck, aft converts to chaise lounge  
Swim platform lounge seat(s)  
Water intrusion management system

HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic

ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 2

TRAILER

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

OPTIONS

HULL AND DECK

Bow scuff plate  
SSV® gel scheme  
Swim platform mat(s)  
Side windshield wings

TOW SPORTS

Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)  
Flip-up bucket seat(s)  
Flooring, Dune Grass, soft-weave mat  
Snap-in carpet

HELM

Depth Sounder

ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

1.5 L EFI Rotax® 4-TEC 150-250 hp

TRAILER

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete

CANVAS

Care cover (black)  
Color-coordinated Bimini top w/boat  
Color-coordinated bow cover  
Color-coordinated cockpit cover

OPTIONAL PACKAGES

XL Package (Includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate





**STANDARDS**

**HULL AND DECK**

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
GTS gel scheme & graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid black vinyl with chrome insert  
SSV® hull  
Swim platform mat(s)  
Swim platform(s), integrated, skid-resistant surface  
Swim platform, extended low-profile  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield

**TOW SPORTS**

Ski tow, stainless steel

**COCKPIT**

Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
GTS cockpit interior  
Interior, Aquaflex™ vinyl  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, full-width bench seat, storage beneath  
Ski locker, in-floor, molded fiberglass finish, w/mat  
Sundeck, aft converts to chaise lounge  
Swim platform lounge seat(s)  
Water intrusion management system

**HELM**

Emergency engine shut-off  
Glastron custom GTS gauges, fog resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

**ENGINE / SYSTEMS / DRIVE**

Bilge pump, automatic

**ENTERTAINMENT**

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 2

**TRAILER**

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

**OPTIONS**

**HULL AND DECK**

Bow scuff plate  
Side windshield wings

**TOW SPORTS**

Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

**COCKPIT**

Bow fill-in cushion(s)  
Flip-up bucket seat(s)  
Snap-in carpet

**HELM**

Depth Sounder

**ENGINE / SYSTEMS / DRIVE**

Fire extinguishing system

**ENTERTAINMENT**

Stereo upgrade, subwoofer & aft remote

**POWER**

1.5 L EFI Rotax® 4-TEC 150-250 hp

**TRAILER**

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete

**CANVAS**

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

**OPTIONAL PACKAGES**

XL Package (Includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

**NOTES**

Blank lined area for notes.

GT200 Models

INCLUDES GT200, GTS200, GTSF200

SPECIFICATIONS	US	METRIC
LOA	20'4"	6.20 m
Beam	8'0"	2.24 m
Fuel Capacity	32 gal	121 L
Draft (drive up)	18"	46 cm
Draft (drive down)	35"	89 cm
Maximum Capacity	2200 lbs	998 kg
Persons Capacity	9	7
Approx. Boat & Engine Weight	2420 lbs	1100 kg
Trailer Weight	971 lbs	440 kg
Deadrise	21°	21°
Storage Length on Trailer	22'3"	6.78 m
Bridge Clearance	4'0"	1.22 m
Bridge Clearance with arch/tower	6'11"	2.11 m
Total Height	5'3"	1.6 m
Total Height on Trailer	6'6"	1.98 m
Total Height on Trailer w/Wakeboard tower Dn	7'3"	2.21 m
Total Height on Trailer w/Wakeboard tower Up	9'6"	2.89 m

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT 200 LBS	Merc 150 4S	1930	460	192	150	971
GT 200 KG	Merc 150 4S	875	209	87	68	440

PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
EV 115 E-TEC/115 hp (86kw)	14 7/8 X 17	38 X 43	AL	39-42	63-68	105	170
EV 135 E-TEC HO/135 hp (101kw)	14 7/8 X 17	38 X 43	AL	42-45	68-72	105	170
EV 150 E-TEC/150 hp (112kw)	14 7/8 X 17	38 X 43	AL	43-46	69-74	105	170
EV 200 E-TEC/200 hp (149kw)	14 1/2 X 19	37 X 48	AL	48-51	77-82	105	170
Merc 115 4S/115 hp (86kw)	13 1/4 X 17	34 X 43	AL	39-42	63-68	110	180
Merc 150 ProXS/150 hp (112kw)	15 X 17	38 X 43	AL	43-46	69-74	105	170
Merc 150 4S/150 hp (112kw)	15 X 17	38 X 43	AL	43-46	69-74	105	170
Merc 200 Opti/200 hp (149kw)	14 1/2 X 19	37 X 48	AL	48-51	77-82	105	170
Merc 200 Verado/200 hp (149kw)	14 1/2 X 19	37 X 48	AL	48-51	77-82	110	180
Yam F115XB/115 hp (86kw)	13 1/4 X 17	34 X 43	AL	39-42	63-68	105	170
Yam F150XB/150 hp (112kw)	14 1/4 X 17	36 X 43	AL	43-46	69-74	105	170
Yam F200XB/200 hp (149kw)	14 1/2 X 17	37 X 43	AL	47-50	76-80	105	170

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Fiberglass stringers  
Gel coat, premium, choice of colors,  
Glastron spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rob rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

COCKPIT

Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Cooler, built-in, under bench seat  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
Interior, Aquaflex® vinyl  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Seating, aft seating converts to lounge w/retractable seat  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, full-width bench seat, storage beneath  
Ski locker, in-floor, molded fiberglass finish, w/mat  
Water intrusion management system

HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port and Bluetooth® Connectivity  
Speakers, 4

TRAILER

Glastron custom-matched trailer, single axle  
Disc brakes

Tongue, swing-away

OPTIONS

HULL AND DECK

Bow scuff plate  
Docking lights  
SSV® gel scheme  
Swim platform mat(s)  
Underwater lighting  
Side windshield wings, Delete

TOW SPORTS

Ski tow pylon  
Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)  
Flip-up bucket seat(s)  
Flooring, Dune Grass, soft-weave mat  
Snap-in carpet

HELM

Hydraulic tilt steering  
(outboard only, std on 150 hp and up)  
Steering wheel, upgrade

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Evinrude® outboard 115 - 200 hp  
Mercury® outboard 115 - 200 hp  
Yamaha® outboard 115 - 200 hp

TRAILER

Glastron trailer, tandem axle  
Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete  
Delete 2nd tandem-axle brakes

CANVAS

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package (Includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

**STANDARDS**

**HULL AND DECK**

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Fiberglass stringers  
GTS gel scheme & graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid black vinyl with chrome insert  
SSV® hull  
Swim platform mat(s)  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

**COCKPIT**

Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Cooler, built-in, under bench seat  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
GTS cockpit interior  
Interior, Aquaflex™ vinyl  
Seating, aft seating converts to lounge w/retractable seat  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, full-width bench seat, storage beneath  
Ski locker, in-floor, molded fiberglass finish, w/mat  
Water intrusion management system

**HELM**

Emergency engine shut-off  
Glastron custom GTS gauges, fog resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

**ENGINE / SYSTEMS / DRIVE**

Bilge pump, automatic  
Power trim and tilt

**ENTERTAINMENT**

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

**TRAILER**

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

**OPTIONS**

**HULL AND DECK**

Bow scuff plate  
Docking lights  
Underwater lighting  
Side windshield wings, Delete

**TOW SPORTS**

Ski tow pylon  
Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

**COCKPIT**

Bow fill-in cushion(s)  
Flip-up bucket seat(s)  
Snap-in carpet

**HELM**

Hydraulic tilt steering  
(outboard only, std on 150 hp and up)

**ENTERTAINMENT**

Stereo upgrade, subwoofer & aft remote

**POWER**

Evinrude® outboard	115 - 200 hp
Mercury® outboard	115 - 200 hp
Yamaha® outboard	115 - 200 hp

**TRAILER**

Glastron trailer, tandem axle  
Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete  
Delete 2nd tandem-axle brakes

**CANVAS**

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

**OPTIONAL PACKAGES**

Convenience Package:  
Hour meter & depth sounder  
XL Package (Includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

**STANDARDS**

**HULL AND DECK**

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron  
Gel graphics  
SSV® gel scheme  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Trolling motor, 12 volt  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

**COCKPIT**

Aerated livewell  
Assist handles, synthetic  
Beverage holders, synthetic  
Bow casting platform  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Casting seats  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
Interior, Aquaflex™ vinyl  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Rod holders & Rod Storage  
Removable Bow & Stern Cushions  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, full-width bench seat, storage beneath  
Ski locker, in-floor, molded fiberglass finish, w/mat  
Water intrusion management system

**HELM**

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

**ENGINE / SYSTEMS / DRIVE**

Bilge pump, automatic  
Power trim and tilt

**ENTERTAINMENT**

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

**TRAILER**

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

**OPTIONS**

**HULL AND DECK**

Bow scuff plate  
Docking lights  
Ski/Fish graphics  
Trolling Motor, 12 volt, delete  
Trolling motor, 24 volt  
Trolling Motor, Pre-Rig, 24 volt  
Underwater lighting  
Side windshield wings, Delete

**TOW SPORTS**

Ski tow pylon  
Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

**COCKPIT**

Bow & fishing seat fill-in cushion(s)  
Flip-up bucket seat(s)  
Snap-in carpet

**HELM**

Fish Finder  
Hydraulic tilt steering  
(outboard only, std on 150 hp and up)  
Steering wheel, upgrade

**ENGINE / SYSTEMS / DRIVE**

Battery Charger

**ENTERTAINMENT**

Stereo upgrade, subwoofer & aft remote

**POWER**

Evinrude® outboard	115 - 200 hp
Mercury® outboard	115 - 200 hp
Yamaha® outboard	115 - 200 hp

**TRAILER**

Glastron trailer, tandem axle  
Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete  
Delete 2nd tandem-axle brakes

**CANVAS**

Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

**OPTIONAL PACKAGES**

Convenience Package:  
Hour meter & depth sounder  
XL Package (Includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

INCLUDES GT205, GTS205, GTSF205

SPECIFICATIONS	US	METRIC
LOA	20'6"	6.25 m
LOA w/Extended Swim Platform	23'0"	7.01 m
Beam	8'0"	2.44 m
Fuel Capacity	32 gal	121 L
Draft (drive up)	18"	46 cm
Draft (drive down)	35"	89 cm
Maximum Capacity	1500 lbs	680 kg
Persons Capacity	9	7
Approx. Boat & Engine Weight	3010 lbs	1370 kg
Trailer Weight	971 lbs	440 kg
Deadrise	21°	21°
Storage Length on trailer	23'0"	7.01 m
Storage Length on trailer w/ extended swim	23'0"	7.01 m
Bridge Clearance	4'0"	1.22 m
Bridge Clearance with arch/tower	6'11"	2.11 m
Total Height	5'3"	1.6 m
Total Height on Trailer	6'6"	1.98 m
Height on Trailer w/Wakeboard tower Dn	7'3"	2.21 m
Height on Trailer w/Wakeboard tower Up	9'6"	2.89 m

### RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT 205 LBS	VP V8-280/DI/SX	2100	910	192	150	1155
GT 205 KG	VP V8-280/DI/SX	952	413	87	68	524

### PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.3L/A 190 hp (142kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	90	145
MC 4.5L 200/A(149KW)	14 1/2 X 19	37 X 48	AL	45-48	72-77	95	155
MC 4.3 MPI/A 220 hp (164kw)	14 1/2 X 19	37 X 48	AL	47-50	76-81	95	155
MC 4.5L 250/A(187KW)	14 1/2 X 19	37 X 48	AL	49-52	79-84	95	155
MC 6.2L 300/B1/(224kw)	14 X 19	36 X 48	SST	54-57	87-92	95	155
VP V6-200/SX 200 hp (149kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	105	169
VP V8-200/DI/SX(149kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	105	169
VP V6-225/SX 225 hp (168kw)	14 1/4 X 21	36 X 53	AL	48-51	77-82	95	155
VP V8-240/DI/SX(179kw)	14 1/4 X 21	36 X 53	AL	48-51	77-82	105	169
VP V8-280/DI/SX(209kw)	14 1/4 X 21	36 X 53	AL	52-55	84-89	105	169
VP V8-300/DI/SX(224kw)	14 1/4 X 21	36 X 53	AL	54-57	87-92	105	169

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

## STANDARDS

### HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
Gel coat, premium, choice of colors,  
Glastron spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

### TOW SPORTS

Ski tow, stainless steel

### COCKPIT

Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Cooler, built-in, under bench seat  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
Interior, Aquaflex™ vinyl  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Seating, aft seating converts to lounge w/retractable seat  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, full-width bench seat, storage beneath  
Ski locker, in-floor, molded fiberglass finish, w/mat  
Sundeck, aft converts to chaise lounge  
Walk-thru transom  
Water intrusion management system

### HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

### ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power steering  
Power trim and tilt

### ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

### TRAILER

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

## OPTIONS

### HULL AND DECK

Bow scuff plate  
Docking lights  
SSV® gel scheme  
Swim platform mat(s)  
Swim platform extended, mat  
Swim platform, extended low-profile  
Underwater lighting  
Side windshield wings, Delete

### TOW SPORTS

Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

### COCKPIT

Bow fill-in cushion(s)  
Flip-up bucket seat(s)  
Flooring, Dune Grass, soft-weave mat  
Snap-in carpet

### HELM

Steering wheel, upgrade

### ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet  
Fire extinguishing system

### ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

### POWER

Volvo Penta® sterndrive	200 - 300 hp
Mercuriser® sterndrive	200 - 300 hp

### TRAILER

Glastron trailer, tandem axle  
Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete  
Delete 2nd tandem-axle brakes

### CANVAS

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

### OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package (Includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

**STANDARDS****HULL AND DECK**

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
GTS gel scheme & graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid black vinyl with chrome insert  
SSV® hull  
Swim platform mat(s)  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

**TOW SPORTS**

Ski tow, stainless steel

**COCKPIT**

Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Cooler, built-in, under bench seat  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
GTS cockpit interior  
Interior, Aquaflex™ vinyl  
Seating, aft seating converts to lounge w/retractable seat  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, full-width bench seat, storage beneath  
Ski locker, in-floor, molded fiberglass finish, w/mat  
Sundeck, aft converts to chaise lounge  
Walk-thru transom  
Water intrusion management system

**HELM**

Emergency engine shut-off  
Glastron custom GTS gauges, fog resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

**ENGINE / SYSTEMS / DRIVE**

Bilge pump, automatic  
Power steering  
Power trim and tilt

**ENTERTAINMENT**

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

**TRAILER**

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

**OPTIONS****HULL AND DECK**

Bow scuff plate  
Docking lights  
Swim platform, extended low-profile  
Underwater lighting  
Side windshield wings, Delete

**TOW SPORTS**

Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

**COCKPIT**

Bow fill-in cushion(s)  
Flip-up bucket seat(s)  
Snap-in carpet

**ENGINE / SYSTEMS / DRIVE**

Exhaust, thru-side, Quick & Quiet  
Fire extinguishing system

**ENTERTAINMENT**

Stereo upgrade, subwoofer & aft remote

**POWER**

Volvo Penta® sterndrive	200 - 300 hp
Mercuriser® sterndrive	200 - 300 hp

**TRAILER**

Glastron trailer, tandem axle  
Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete  
Delete 2nd tandem-axle brakes

**CANVAS**

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

**OPTIONAL PACKAGES**

Convenience Package:  
Hour meter & depth sounder  
XL Package (Includes convenience package):  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

**STANDARDS****HULL AND DECK**

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron spear graphics  
SSV® gel scheme  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Trolling motor, 12 volt  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

**TOW SPORTS**

Ski tow, stainless steel

**COCKPIT**

Aerated live-well  
Assist handles, synthetic  
Beverage holders, synthetic  
Bow casting platform  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Casting seats  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
Interior, Aquaflex™ vinyl  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Rod holders & Rod Storage  
Removeable Bow & Stern Cushions  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, full-width bench seat, storage beneath  
Ski locker, in-floor, molded fiberglass finish, w/mat  
Sundeck, aft, converts to casting platform  
Walk-thru transom  
Water intrusion management system

**HELM**

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

**ENGINE / SYSTEMS / DRIVE**

Bilge pump, automatic  
Power steering  
Power trim and tilt

**ENTERTAINMENT**

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

**TRAILER**

Glastron trailer, tandem axle  
Disc brakes  
Tongue, swing-away

**OPTIONS****HULL AND DECK**

Bow scuff plate  
Docking lights  
Ski/Fish graphics  
Swim platform mat(s)  
Swim platform extended, mat  
Swim platform, extended low-profile  
SSV® hull  
Trolling motor, 24 volt  
Trolling Motor, Pre-Rig, 24 volt  
Underwater lighting  
Side windshield wings, Delete

**TOW SPORTS**

Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

**COCKPIT**

Bow & fishing seat fill-in cushion(s)  
Flip-up bucket seat(s)  
Snap-in carpet

**HELM**

Fish Finder  
Steering wheel, upgrade

**ENGINE / SYSTEMS / DRIVE**

Battery Charger  
Fire extinguishing system

**ENTERTAINMENT**

Stereo upgrade, subwoofer & aft remote

**POWER**

Volvo Penta® sterndrive	200 - 300 hp
Mercuriser® sterndrive	200 - 300 hp

**TRAILER**

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete  
Delete 2nd tandem-axle brakes

**CANVAS**

Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

**OPTIONAL PACKAGES**

Convenience Package:  
Hour meter & depth sounder  
XL Package (Includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

INCLUDES GT207, GTS207

SPECIFICATIONS	US	METRIC
LOA	21'10"	6.55 m
Beam	8'0"	2.44 m
Fuel Capacity	49 gal	185 L
Draft	14"	36 cm
Maximum Capacity	1500 lbs	680 kg
Persons Capacity	9	7
Approx. Boat & Engine Weight	2520 lbs	1140 kg
Trailer Weight	910 lbs	413 kg
Deadrise	21°	21°
Storage Length on trailer	23'0"	7.01 m
Storage Length on trailer w/ extended swim	23'0"	7.01 m
Bridge Clearance	4'0"	1.22 m
Bridge Clearance with arch/tower	6'11"	2.11 m
Total Height	5'3"	1.6 m
Height on Trailer	6'6"	1.98 m
Height on Trailer w/Wakeboard tower Dn	7'3"	2.21 m
Height on Trailer w/Wakeboard tower Up	9'6"	2.89 m

### RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT207 LBS	ROTAX 250HP	1,990	430	186	80	834
GT207 KG	ROTAX 187KV	902	195	84	36	378

### PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
ROTAX 200/149 1.5L SUPERCHARGED	6.26	159	SST	38-41	61-66	85	130
ROTAX 250/187 1.5L SUPERCHARGED HO	6.34	161	SST	41-44	66-71	85	130

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

## STANDARDS

### HULL AND DECK

Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Swim platform, extended low-profile  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

### TOW SPORTS

Ski tow, stainless steel

### COCKPIT

Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
Interior, Aquaflex™ vinyl  
Black & White, or White & Savannah Sand  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, U-shaped bench, storage beneath  
Ski locker, in-floor, molded fiberglass finish, w/mat  
Sundeck, aft converts to chaise lounge  
Swim platform lounge seat(s)  
Walk-thru transom  
Water intrusion management system

### HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

### ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic

### ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

### TRAILER

Glastron custom-matched trailer, single axle  
Disc brakes  
Tongue, swing-away

## OPTIONS

### HULL AND DECK

Bow scuff plate  
Docking lights  
SSV® gel scheme  
Swim platform mat(s)  
Side windshield wings, Delete

### TOW SPORTS

Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

### COCKPIT

Bow fill-in cushion(s)  
Flip-up bucket seat(s)  
Flooring, Dune Grass, soft-weave mat  
Snap-in carpet

### HELM

Depth Sounder

### ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

### ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

### POWER

1.5 L EFI Rotax® 4-TEC 200-250 hp

### TRAILER

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete

### CANVAS

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

### OPTIONAL PACKAGES

XL Package (Includes convenience package)  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate



INCLUDES GT225, GTS225

SPECIFICATIONS	US	METRIC
LOA	22'0"	6.71 m
Beam	8'4"	2.54 m
Fuel Capacity	40 gal	151 L
Draft (drive up)	17"	43 cm
Draft (drive down)	34"	86 cm
Maximum Capacity	1800 lbs	816 kg
Persons Capacity	11	9
Approx. Boat & Engine Weight	3360 lbs	1520 kg
Trailer Weight	1095 lbs	497 kg
Deadrise	20°	20°
Storage Length on trailer	23'1"	7.04 m
Bridge Clearance	4'3"	1.3 m
Bridge Clearance with arch/tower	6'3"	1.9 m
Total Height	5'4"	1.63 m
Total Height on Trailer	6'10"	2.08 m
Height on Trailer w/Wakeboard tower Dn	7'6"	2.29 m
Height on Trailer w/Wakeboard tower Up	9'7"	2.92 m
Potable water	12 gal	45 L

### RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT 225 LBS	VP V8-300/DI/DP	2300	1010	240	150	1095
GT 225 KG	VP V8-300/DI/DP	1040	458	109	68	497

### PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.3 MPI/A/220 hp (164kw)	14 1/2 X 19	37 X 48	AL	44-47	71-76	130	210
MC 4.5 L/A/250 hp (186kw)	14 1/2 X 19	37 X 48	AL	41-44	66-71	125	201
MC 6.2L 300/B1	15 1/2 X 17	39 X 43	SST	50-53	81-85	130	210
MC 6.2L 300/B3	24P	61	SST	51-54	82-87	130	210
VP V6-225/SX/225 hp (168kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	130	210
VP V8-225C/SX/225 hp (168kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	130	210
VP V8-240/DI/SX	14 1/2 X 19	37 X 48	AL	46-49	74-79	140	225
VP V8-280/DI/SX	14 1/4 X 21	36 X 53	AL	48-51	77-82	140	225
VP V8-280/DI/DP	FH4	FH4	SST	49-52	79-84	140	225
VP V8-300/DI/SX	15 X 17	38 X 43	AL	50-53	81-97	130	210
VP V8-300/DI/DP	FH5	FH5	SST	51-54	82-87	140	225

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

## STANDARDS

### HULL AND DECK

Anchor locker w/rope storage  
Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

### TOW SPORTS

Ski tow, stainless steel

### COCKPIT

Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
Interior, Aquaflex™ vinyl  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, U-shaped bench, storage beneath  
Ski locker, in-floor, molded fiberglass finish, w/mat  
Sundeck, aft converts to chaise lounge  
Sundeck, aft, chaise lounge & aft facing seat  
Walk-thru transom  
Water intrusion management system

### HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

### ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power steering  
Power trim and tilt

### ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

### TRAILER

Glastron trailer, tandem axle  
Disc brakes  
Tongue, swing-away

## OPTIONS

### HULL AND DECK

Bow scuff plate  
Docking lights  
SSV® gel scheme  
Swim platform mat(s)  
Swim platform extended, mat  
Swim platform, extended low-profile  
Transom shower  
Underwater lighting

### TOW SPORTS

Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

### COCKPIT

Bow fill-in cushion(s)  
Flip-up bucket seat(s)  
Flooring, Dune Grass, soft-weave mat  
Snap-in carpet  
Table w/mount

### HELM

Steering wheel, upgrade

### ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet  
Fire extinguishing system

### ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

### POWER

Volvo Penta® sterndrive 240 - 300 hp  
Mercuriser® sterndrive 220 - 300 hp

### TRAILER

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete  
Delete 2nd tandem-axle brakes

### CANVAS

Care cover (black)  
Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

### OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package (Includes convenience package):  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate



STANDARDS

HULL AND DECK

Anchor locker w/rope storage  
 Bow and stern eyes, stainless steel  
 Cleats, stainless steel  
 Engine vents, transom-mounted  
 Fiberglass stringers  
 GTS gel scheme & graphics  
 Horn, concealed  
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
 Navigational lighting  
 Rub rail, rigid black vinyl with chrome insert  
 SSV® hull  
 Swim platform mat(s)  
 Swim platform(s), integrated, skid-resistant surface  
 Ladder, stainless steel  
 Two-tone deck  
 Windshield, roadster style, exclusive design  
 Walk-thru windshield  
 Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Assist handles, synthetic  
 Beverage holders, synthetic  
 Bow seats with storage & seat latch  
 Built-in cockpit side storage  
 Courtesy light  
 Fiberglass floor w/built-in footrests & drains  
 Glove box  
 GTS cockpit interior  
 Interior, Aquaflex® vinyl  
 Seating, comfortride bucket seats (2) port and starboard, adjustable  
 Seating, U-shaped bench, storage beneath  
 Ski locker, in-floor, molded fiberglass finish, w/mat  
 Sundeck, aft converts to chaise lounge  
 Sundeck, aft, chaise lounge & aft facing seat  
 Walk-thru transom  
 Water intrusion management system

HELM

Emergency engine shut-off  
 Glastron custom GTS gauges, fog resistant  
 Steering wheel, non-directional  
 Tilt steering  
 Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
 Power steering  
 Power trim and tilt

ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
 Speakers, 4

TRAILER

Glastron trailer, tandem axle  
 Disc brakes  
 Tongue, swing-away

OPTIONS

HULL AND DECK

Bow scuff plate  
 Docking lights  
 Swim platform, extended low-profile  
 Transom shower  
 Underwater lighting

TOW SPORTS

Wakeboard tower, gas assist, Hinging  
 Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)  
 Flip-up bucket seat(s)  
 Snap-in carpet  
 Table w/mount

ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet  
 Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive	240 - 300 hp
Mercuriser® sterndrive	220 - 300 hp

TRAILER

Galvanized trailer w/GatorHyde finish  
 Spare tire & wheel  
 Trailer delete  
 Delete 2nd tandem-axle brakes

CANVAS

Care cover (black)  
 Color-coordinated Bimini top w/boot  
 Color-coordinated bow cover  
 Color-coordinated cockpit cover

OPTIONAL PACKAGES

Convenience Package:  
 Hour meter & depth sounder  
 XL Package (Includes convenience package):  
 Flip-up bucket seats (2)  
 Snap-in carpet  
 Beverage holders, stainless steel  
 Speaker covers, stainless steel  
 Assist handles, stainless steel  
 Cleats, pull-up, stainless steel  
 Bow scuff plate

NOTES

# GT229 Models

INCLUDES GT229, GTS229

SPECIFICATIONS	US	METRIC
LOA	22'0"	6.71 m
Beam	8'4"	2.54 m
Fuel Capacity	40 gal	151 L
Draft (drive up)	17"	43 cm
Draft (drive down)	34"	86 cm
Maximum Capacity	1600 lbs	726 kg
Persons Capacity	9	8
Approx. Boat & Engine Weight	3650 lbs	1560 kg
Trailer Weight	1095 lbs	497 kg
Deadrise	20°	20°
Storage Length on Trailer	23'1"	7.04 m
Bridge Clearance	4'6"	1.37 m
Bridge Clearance with Arch/Tower	6'6"	1.98 m
Total Height	5'7"	1.70 m
Total Height on Trailer	7'1"	2.16 m
Total Height on Trailer w/Wakeboard Tower Dn	7'10"	2.39 m
Total Height on Trailer w/Wakeboard Tower Up	9'6"	2.90 m
Potable Water (standard or optional)	12 gal	45 L

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT 229 LBS	VP V8-300/DI/DP	2300	1010	240	150	1095
GT 229 KG	VP V8-300/DI/DP	1040	458	109	68	497

## PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.3 MPI/A/220 hp (164kw)	14 1/2 X 19	37 X 48	AL	44-47	71-76	130	210
MC 4.5 L/A/250 hp (186kw)	14 1/2 X 19	37 X 48	AL	41-44	66-71	125	201
MC 6.2L 300/B1	15 1/2 X 17	39 X 43	SST	50-53	81-85	130	210
MC 6.2L 300/B3	24P	61	SST	51-54	82-87	130	210
VP V6-225/SX/225 hp (168kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	130	210
VP V6-225C/SX/225 hp (168kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	130	210
VP V8-240/DI/SX	14 1/2 X 19	37 X 48	AL	46-49	74-79	140	225
VP V8-280/DI/SX	14 1/4 X 21	36 X 53	AL	48-51	77-82	140	225
VP V8-280/DI/DP	FH4	FH4	SST	49-52	79-84	140	225
VP V8-300/DI/SX	15 X 17	38 X 43	AL	50-53	81-97	130	210
VP V8-300/DI/DP	FH5	FH5	SST	51-54	82-87	140	225

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

## STANDARDS

### HULL AND DECK

Anchor locker w/rope storage  
Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
Gel coat, premium, choice of colors, Glastron spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

### TOW SPORTS

Ski tow, stainless steel

### COCKPIT

Assist handles, synthetic  
Beverage holders, synthetic  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
Interior, Aquaflex™ vinyl  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, U-shaped bench, storage beneath  
Sundeck, aft converts to chaise lounge  
Sundeck, aft, chaise lounge & aft facing seat  
Walk-thru transom  
Water intrusion management system

### CABIN

Berth

### HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

### ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power steering  
Power trim and tilt

### ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

### TRAILER

Glastron trailer, tandem axle  
Disc brakes  
Tongue, swing-away

## OPTIONS

### HULL AND DECK

Bow anchor roller  
Bow rails, stainless steel  
Bow scuff plate  
Docking lights  
SSV® gel scheme  
Swim platform mat(s)  
Swim platform extended, mat  
Swim platform, extended low-profile  
Transom shower  
Underwater lighting  
Windlass w/rope, chain and anchor

### TOW SPORTS

Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

### COCKPIT

Flip-up bucket seat(s)  
Flooring, Dune Grass, soft-weave mat  
Snap-in carpet  
Table w/mount

### CABIN

Porta potti  
Pump out, Porta potti

### HELM

Steering wheel, upgrade

### ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet  
Fire extinguishing system

### ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

### POWER

Volvo Penta® sterndrive 240 - 300 hp  
Mercruiser® sterndrive 220 - 300 hp

### TRAILER

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete  
Delete 2nd tandem-axle brakes

### CANVAS

Color-coordinated Bimini top w/boot  
Color-coordinated cockpit cover  
Color-coordinated camper canvas

### OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package (Includes convenience package):  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

## STANDARDS

### HULL AND DECK

Anchor locker w/rope storage  
Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
GTS gel scheme & graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid black vinyl with chrome insert  
SSV® hull  
Swim platform mat(s)  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

### TOW SPORTS

Ski tow, stainless steel

### COCKPIT

Assist handles, synthetic  
Beverage holders, synthetic  
Built-in cockpit side storage  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
GTS cockpit interior  
Interior, AquaFlex™ vinyl  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, U-shaped bench, storage beneath  
Sundeck, aft converts to chaise lounge  
Sundeck, aft, chaise lounge & aft facing seat  
Walk-thru transom  
Water intrusion management system

### CABIN

Berth

### HELM

Emergency engine shut-off  
Glastron custom GTS gauges, fog resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

### ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power steering  
Power trim and tilt

### ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

### TRAILER

Glastron trailer, tandem axle  
Disc brakes  
Tongue, swing-away

## OPTIONS

### HULL AND DECK

Bow anchor roller  
Bow rails, stainless steel  
Bow scuff plate  
Docking lights  
Swim platform, extended low-profile  
Transom shower  
Underwater lighting  
Windlass w/rope, chain and anchor

### TOW SPORTS

Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

### COCKPIT

Flip-up bucket seat(s)  
Snap-in carpet  
Table w/mount

### CABIN

Porta potti  
Pump out, Porta potti

### ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet  
Fire extinguishing system

### ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

### POWER

Volvo Penta® sterndrive	240 - 300 hp
MerCruiser® sterndrive	220 - 300 hp

### TRAILER

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete  
Delete 2nd tandem-axle brakes

### CANVAS

Color-coordinated Bimini top w/boot  
Color-coordinated cockpit cover  
Color-coordinated camper canvas


### OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package (includes convenience package):  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

## NOTES

INCLUDES GT240, GTS 240

SPECIFICATIONS	US	METRIC
LOA	24'	7.32 m
Beam	8'4"	2.54 m
Fuel Capacity	52 gal	151 L
Draft (drive up)	15"	38 cm



Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
EV 200 E-TEC/200 hp (149kw)	14 3/4 X 17	37 X 43	SST	42-45	68-72	160	260
EV 250 E-TEC G2/250 hp (187kw)	14 3/4 X 17	37 X 43	SST	47-50	76-81	160	260
EV 300 E-TEC G2/300 hp (224kw)	15 X 18	38 X 46	SST	51-54	82-87	160	260
Merc 200 Verado/200 hp (149kw)	15 1/2 X 17	39 X 43	SST	42-45	68-72	160	260
Merc 250 Verado/250 hp (187kw)	15 1/2 X 17	39 X 43	SST	47-50	76-81	160	260
Merc 300 Verado/300 hp (224kw)	15 1/2 X 17	39 X 43	SST	50-53	81-85	160	260

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

- Anchor locker w/rope storage
- Bow and stern eyes, stainless steel
- Cleats, stainless steel
- Fiberglass stringers
- Gel coat, premium, choice of colors, Glastron spear graphics
- Horn, concealed
- Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
- Navigational lighting
- Rub rail, rigid white vinyl with chrome insert
- SSV® hull
- Swim platform(s), integrated, skid-resistant surface
- Ladder, stainless steel
- Two-tone deck
- Windshield, roadster style, exclusive design
- Walk-thru windshield
- Side windshield wings

COCKPIT

- Assist handles, synthetic
- Beverage holders, synthetic
- Bow seats with storage & seat latch
- Built-in cockpit side storage
- Changing room/Head compartment, enclosed
- Cooler, built-in, under bench seat
- Courtesy light
- Fiberglass floor w/built-in footrests & drains
- Glove box
- Interior, Aquaflex™ vinyl
- Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand
- Seating, comfortride bucket seats (2) port and starboard, adjustable
- Seating, U-shaped bench, storage beneath
- Ski locker, in-floor, molded fiberglass finish, w/mat
- Sundeck, aft converts to chaise lounge
- Sundeck, aft, chaise lounge & aft facing seat
- Walk-thru transom
- Water intrusion management system

HELM

- Emergency engine shut-off
- Glastron custom gauges, fog-resistant
- Hydraulic tilt steering (outboard only, std on 150 hp and up)
- Steering wheel, non-directional
- Tilt steering
- Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

- Bilge pump, automatic
- Power trim and tilt

ENTERTAINMENT

- Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity
- Speakers, 4

TRAILER

- Glastron trailer, tandem axle
- Disc brakes
- Tongue, swing-away

OPTIONS

HULL AND DECK

- Bow scuff plate
- Docking lights
- SSV gel scheme
- Swim platform mat(s)
- Transom shower
- Underwater lighting

TOW SPORTS

- Wakeboard tower, gas assist, Hinging
- Wakeboard tower Bimini top

COCKPIT

- Bow fill-in cushion(s)
- Enclosed Head w/ Sink, Porta Potti, Port Window
- Flip-up bucket seat(s)
- Flooring, Dune Grass, soft-weave mat
- Snap-in carpet
- Table w/mount

CABIN

- Pump out, Porta potti

HELM

- Depth Sounder
- Steering wheel, upgrade

ENTERTAINMENT

- Stereo upgrade, subwoofer & aft remote

POWER

- Evinrude® outboard 200 - 300 hp
- Mercury® outboard 200 - 300 hp

TRAILER

- Galvanized trailer w/GatorHyde finish
- Spare tire & wheel
- Trailer delete

CANVAS

- Color-coordinated Bimini top w/boot
- Color-coordinated bow cover
- Color-coordinated cockpit cover

OPTIONAL PACKAGES

- Convenience Package:
  - Hour meter & depth sounder
- XL Package (Includes convenience package):
  - Flip-up bucket seats (2)
  - Snap-in carpet
  - Beverage holders, stainless steel
  - Speaker covers, stainless steel
  - Assist handles, stainless steel
  - Cleats, pull-up, stainless steel
  - Bow scuff plate



**STANDARDS**

**HULL AND DECK**

Anchor locker w/rope storage  
Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Fiberglass stringers  
GTS gel scheme & graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid black vinyl with chrome insert  
SSV® hull  
Swim platform mat(s)  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

**COCKPIT**

Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Changing room/Head compartment, enclosed  
Cooler, built-in, under bench seat  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
GTS cockpit interior  
Interior, Aquaflex™ vinyl  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, U-shaped bench, storage beneath  
Ski locker, in-floor, molded fiberglass finish, w/mat  
Sundeck, aft converts to chaise lounge  
Sundeck, aft, chaise lounge & aft facing seat  
Walk-thru transom  
Water intrusion management system

**HELM**

Emergency engine shut-off  
Glastron custom GTS gauges, fog resistant  
Hydraulic tilt steering (outboard only, std on 150 hp and up)  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

**ENGINE / SYSTEMS / DRIVE**

Bilge pump, automatic  
Power trim and tilt

**ENTERTAINMENT**

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

**TRAILER**

Glastron trailer, tandem axle  
Disc brakes  
Tongue, swing-away

**OPTIONS**

**HULL AND DECK**

Bow scuff plate  
Docking lights  
Transom shower  
Underwater lighting

**TOW SPORTS**

Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

**COCKPIT**

Bow fill-in cushion(s)  
Enclosed Head w/ Sink, Porta Potti, Port Window  
Flip-up bucket seat(s)  
Snap-in carpet  
Table w/mount

**CABIN**

Pump out, Porta potti

**HELM**

Depth Sounder  
Steering wheel, upgrade

**ENTERTAINMENT**

Stereo upgrade, subwoofer & aft remote

**POWER**

Evinrude® outboard 200 - 300 hp  
Mercury® outboard 200 - 300 hp

**TRAILER**

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete

**CANVAS**

Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

**OPTIONAL PACKAGES**

Convenience Package:  
Hour meter & depth sounder  
XL Package (Includes convenience package):  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate

**NOTES**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

# GT245 Models

INCLUDES GT245, GTS245

SPECIFICATIONS	US	METRIC
LOA	24'0"	7.32 m
Beam	8'4"	2.54 m
Fuel Capacity	52 gal	151 L
Draft (drive up)	17"	43 cm
Draft (drive down)	34"	86 cm
Maximum Capacity	2250 lbs	1020 kg
Persons Capacity	13	11
Approx. Boat & Engine Weight	3980 lbs	1800 kg
Trailer Weight	1420 lbs	644 kg
Deadrise	20°	20°
Storage Length on Trailer	25'3"	7.70 m
Bridge Clearance	4'6"	1.37 m
Bridge Clearance with Tower	7'4"	2.24 m
Total Height	5'10"	1.78 m
Total Height on Trailer	7'7"	2.31 m
Total Height on Trailer w/Wakeboard Tower Dn	8'3"	2.51 m
Total Height on Trailer w/Wakeboard Tower Up	10'5"	3.18 m
Portable Water (standard or optional)	12 gal	45 L

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Model	Eng. Type	Boat	Eng.	Fuel	Access.	Trail Wt.
GT245 LBS	VP V8-350/DI/DP	2980	1000	310	150	1505
GT245 KG	VP V8-350/DI/DP	1350	454	141	68	683

## PERFORMANCE

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5 L/A/250 hp (186kw)	15 1/4 X 15	39 X 38	AL	38-41	61-66	145	235
MC 6.2L/B3/300	26P	26P	SST	48-51	77-82	150	240
MC 6.2L/B3/350	26P	26P	SST	51-54	82-87	150	240
MC 8.2MPI/B3/380hp (283kw)	26P	26P	SST	53-56	85-90	145	235
VP V8-240C/DI/SX	15 X 17	38 X 43	AL	40-43	64-69	145	235
VP V8-280C/DI/SX	14 1/2 X 19	37 X 48	AL	43-46	69-77	150	240
VP V8-280C/DI/DP	FH5	FH5	SST	44-47	71-76	160	255
VP V8-300C/DI/DP	FH5	FH5	SST	48-51	77-82	160	255
VP V8-350C/DI/DP	FH5	FH5	SST	51-54	82-87	160	255
VP V8-380/DP/380hp (283kw)	FH5	FH5	SST	53-56	85-90	150	240

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

## STANDARDS

### HULL AND DECK

Anchor locker w/rope storage  
Bow and stern eyes, stainless steel  
Cleats, stainless steel  
Engine vents, transom-mounted  
Fiberglass stringers  
Gel coat, premium, choice of colors,  
Glastron spear graphics  
Horn, concealed  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigational lighting  
Rub rail, rigid white vinyl with chrome insert  
SSV® hull  
Swim platform(s), integrated, skid-resistant surface  
Ladder, stainless steel  
Two-tone deck  
Windshield, roadster style, exclusive design  
Walk-thru windshield  
Side windshield wings

### TOW SPORTS

Ski tow, stainless steel

### COCKPIT

Assist handles, synthetic  
Beverage holders, synthetic  
Bow seats with storage & seat latch  
Built-in cockpit side storage  
Changing room/Head compartment, enclosed  
Courtesy light  
Fiberglass floor w/built-in footrests & drains  
Glove box  
Interior, Aquaflex™ vinyl  
Interior, choice of Saddle, Cashmere, Black & White, or White & Savannah Sand  
Seating, comfortride bucket seats (2) port and starboard, adjustable  
Seating, U-shaped bench, storage beneath  
Ski locker, in-floor, molded fiberglass finish, w/mat  
Sundeck, aft converts to chaise lounge  
Sundeck, aft, chaise lounge & aft facing seat  
Walk-thru transom  
Water intrusion management system

### HELM

Emergency engine shut-off  
Glastron custom gauges, fog-resistant  
Steering wheel, non-directional  
Tilt steering  
Unique pull-knob switches

### ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic  
Power steering  
Power trim and tilt

### ENTERTAINMENT

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
Speakers, 4

### TRAILER

Glastron trailer, tandem axle  
Disc brakes  
Tongue, swing-away

## OPTIONS

### HULL AND DECK

Bow scuff plate  
Docking lights  
SSV® gel scheme  
Swim platform mat(s)  
Swim platform extended, mat  
Swim platform, extended low-profile  
Transom shower  
Underwater lighting

### TOW SPORTS

Wakeboard tower, gas assist, Hinging  
Wakeboard tower Bimini top

### COCKPIT

Bow fill-in cushion(s)  
Enclosed Head w/ Sink, Porta Pottie, Port Window  
Flip-up bucket seat(s)  
Flooring, Dune Grass, soft-weave mat  
Snap-in carpet  
Table w/mount

### CABIN

Pump out, Porta potti

### HELM

Steering wheel, upgrade

### ENGINE / SYSTEMS / DRIVE

Exhaust, thru-side, Quick & Quiet  
Fire extinguishing system

### ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

### POWER

Volvo Penta® sterndrive 240 - 380 hp  
Mercruiser® sterndrive 250 - 350 hp

### TRAILER

Galvanized trailer w/GatorHyde finish  
Spare tire & wheel  
Trailer delete

### CANVAS

Color-coordinated Bimini top w/boot  
Color-coordinated bow cover  
Color-coordinated cockpit cover

### OPTIONAL PACKAGES

Convenience Package:  
Hour meter & depth sounder  
XL Package (Includes convenience package):  
Flip-up bucket seats (2)  
Snap-in carpet  
Beverage holders, stainless steel  
Speaker covers, stainless steel  
Assist handles, stainless steel  
Cleats, pull-up, stainless steel  
Bow scuff plate



**STANDARDS**

**HULL AND DECK**

Anchor locker w/rope storage  
 Bow and stern eyes, stainless steel  
 Cleats, stainless steel  
 Engine vents, transom-mounted  
 Fiberglass stringers  
 GTS gel scheme & graphics  
 Horn, concealed  
 Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
 Navigational lighting  
 Rub rail, rigid black vinyl with chrome insert  
 SSV® hull  
 Swim platform mat(s)  
 Swim platform(s), integrated, skid-resistant surface  
 Ladder, stainless steel  
 Two-tone deck  
 Windshield, roadster style, exclusive design  
 Walk-thru windshield  
 Side windshield wings

**TOW SPORTS**

Ski tow, stainless steel

**COCKPIT**

Assist handles, synthetic  
 Beverage holders, synthetic  
 Bow seats with storage & seat latch  
 Built-in cockpit side storage  
 Changing room/Head compartment, enclosed  
 Courtesy light  
 Fiberglass floor w/built-in footrests & drains  
 Glove box  
 GTS cockpit interior  
 Interior, Aqualex™ vinyl  
 Seating, comfortride bucket seats (2) port and starboard, adjustable  
 Seating, U-shaped bench, storage beneath  
 Ski locker, in-floor, molded fiberglass finish, w/mat  
 Sundeck, aft converts to chaise lounge  
 Sundeck, aft, chaise lounge & aft facing seat  
 Walk-thru transom  
 Water intrusion management system

**HELM**

Emergency engine shut-off  
 Glastron custom GTS gauges, fog resistant  
 Steering wheel, non-directional  
 Tilt steering  
 Unique pull-knob switches

**ENGINE / SYSTEMS / DRIVE**

Bilge pump, automatic  
 Power steering  
 Power trim and tilt

**ENTERTAINMENT**

Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
 Speakers, 4

**TRAILER**

Glastron trailer, tandem axle  
 Disc brakes  
 Tongue, swing-away

**OPTIONS**

**HULL AND DECK**

Bow scuff plate  
 Docking lights  
 Swim platform extended, mat  
 Transom shower  
 Underwater lighting

**TOW SPORTS**

Wakeboard tower, gas assist, Hinging  
 Wakeboard tower Bimini top

**COCKPIT**

Bow fill-in cushion(s)  
 Enclosed Head w/ Sink, Porta Potti, Port Window  
 Flip-up bucket seat(s)  
 Snap-in carpet  
 Table w/mount

**CABIN**

Porta potti

**ENGINE / SYSTEMS / DRIVE**

Exhaust, thru-side, Quick & Quiet  
 Fire extinguishing system

**ENTERTAINMENT**

Stereo upgrade, subwoofer & aft remote

**POWER**

Volvo Penta® sterndrive 240 - 380 hp  
 Mercruiser® sterndrive 250 - 350 hp

**TRAILER**

Galvanized trailer w/GatorHyde finish  
 Spare tire & wheel  
 Trailer delete

**CANVAS**

Color-coordinated Bimini top w/boot  
 Color-coordinated bow cover  
 Color-coordinated cockpit cover

**OPTIONAL PACKAGES**

Convenience Package:  
 Hour meter & depth sounder  
 XL Package (includes convenience package):  
 Flip-up bucket seats (2)  
 Snap-in carpet  
 Beverage holders, stainless steel  
 Speaker covers, stainless steel  
 Assist handles, stainless steel  
 Cleats, pull-up, stainless steel  
 Bow scuff plate

**NOTES**

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



SPECIFICATIONS	US	METRIC
LOA	28'10"	8.79 m
Beam	9'1"	2.77 m
Fuel Capacity	79 gal	318 L
Draft (drive up)	28"	71 cm
Draft (drive down)	41"	1.04 cm
Maximum Capacity	Yacht	Yacht
Approx. Boat & Engine Weight	7070 lbs	3210 kg
Deadrise	20°	20°
Total Height	9'1"	2.77 m

**RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS**

Model	Eng. Type	Boat	Eng.	Fuel	Access.
GS289 LBS	VP V8-350/DI/DP	5900	1000	470	150
GS289 KG	VP V8-350/DI/DP	2680	454	215	68

**PERFORMANCE**

Power hp (kw)	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 6.2L/B3/300HP	22 1/2"	57	SST	37-40	60-64	150	240
MC 6.2L/B3/350HP	22 1/2"	57	SST	39-42	63-68	150	240
MC 8.2MPI/B3X/380HP	24P	61	SST	43-46	69-74	150	240
VP V8-300/DI/DP	FH3	FH3	SST	37-40	60-64	160	260
VP V8-350/DI/DP	FH4	FH4	SST	40-43	64-69	160	260
VP V8-380/DP	FH4	FH4	SST	42-45	68-72	150	240

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

**STANDARDS**  
**HULL AND DECK**

Bow and stern eyes, stainless steel  
Bow rails, high profile  
Bow roller & bow rope locker  
Chrome vents  
Cleats, stainless steel  
Engine compartment ventilators  
Gel coat, Premium: choice of colors  
Gel scheme: two tone w/Glastron spear graphic  
Horn, concealed  
Hydraulic trim tabs  
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified  
Navigation lights  
Port lites, opening w/screens  
Remote control spotlight  
Rub rail, rigid white vinyl w/flexible chrome insert  
Skid-resistant, foredeck, cockpit floor  
Stainless steel bow rail  
Swim platform, integrated, skid-resistant surface  
Stainless steel boarding ladder  
Translucent deck hatch w/screen  
Transom shower  
Transom storage locker  
Walk-thru transom w/gate  
Walk-thru curved full glass windshield  
Windshield wiper, starboard

**COCKPIT**

Beverage holders, stainless steel  
Cooler  
Countertop, solid surface  
Helm seat, double wide, flip-up bucket seat  
Engine compartment, insulated  
Interior, Aquaflex™ vinyl  
Fiberglass floor w/drain(s)  
Port lounge seat  
Refrigerator  
Refreshment center w/ sink  
Removable stern seat  
Self bailing cockpit  
Snap-in carpet  
Stainless steel assist handles  
Stainless steel beverage holders  
Stainless steel courtesy lights

**CABIN**

Cabin entry, centered  
Cabin door, sliding with built-in steps  
CO (carbon monoxide) monitor(s)  
Dinette, converts to berth  
Lighting, overhead  
Table, wood  
Under seat storage

**MID CABIN**

Berth  
Curtain  
Over head lights

**GALLEY**

Cabinetry, woodgrain  
Countertop, solid surface, with sink  
Microwave  
Refrigerator  
Storage  
Stove, electric

**HEAD AND SHOWER**

Door, woodgrain, locking  
Electric china head

Fiberglass enclosed stand-up head and shower  
Port lite, opening w/screen  
Storage

**HELM**

Custom non-directional woodgrain steering wheel  
Compass  
Depth sounder  
Hour meter  
Instrumentation, Faria, fog-resistant w/polished raised bezels  
Tilt steering  
Woodgrain accent trim

**ENGINE / SYSTEMS / DRIVE**

18-gallon water tank  
Battery charger  
Battery management system  
Bilge pump, automatic  
Dockside power  
Dual battery switch  
Power trim and tilt  
Water heater

**ENTERTAINMENT**

Stainless steel speaker covers  
Stereo remote at helm  
Stereo, Sony® AM/FM, MP3 port, and Bluetooth® Connectivity  
MP3 remote jack at dash

**CANVAS**

Color-coordinated Bimini top w/boot

**OPTIONS**

**HULL AND DECK**

Foredeck sun pad  
Electric anchor windlass  
Radar arch  
Swim platform, extended

**COCKPIT**

Stern filler cushion and table

**CABIN**

Decor Package  
Dockside air conditioner/reverse heat

**HEAD & SHOWER**

Grey water system

**HELM**

Electronics Package for Radar Arch  
VHF ship-to-shore radio w/antenna

**ENGINE/SYSTEMS/DRIVE**

Generator

**ENTERTAINMENT**

Flat screen TV w/DVD player

**CANVAS**

Color-coordinated camper canvas  
Color-coordinated cockpit cover  
Color-coordinated Bimini canvas pkg.

**POWER**

Volvo Penta® sterndrive 300 - 380 hp  
Mercuriser® sterndrive 300 - 380 hp

## TRAILER SPECIFICATIONS

GT180, GTS180  
Single Axle Trailer

	US	METRIC
Trailer Length	20' 1"	6.121 m
Trailer Length w/ Tongue Folded	17' 11"	5.461 m
Width	8' 2"	2.489 m
Trailer Empty Weight w/ Spare	639 LBS	290 kg
Carrying Capacity	2861 LBS	1298 kg
GVWR (Gross Vehicle Weight Rating)	3500 LBS	1588 kg
GAWR (Gross Axle Weight Rating)	3500 LBS	1588 kg
Tire Size / Range (Standard)	ST 205/75D14 BIAS	ST 205/75D14 BIAS
Tire Pressure (Standard)	50 PSI COLD	350 KPA COLD
Tire Capacity Each (Standard)	1760 LBS	789 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	3500 LBS	1588
Hub	5 LUG 4.5" PATTERN	5 LUG 4.5" PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544 kg
Winch	1800 LBS	818 kg
Ball Size	2"	5 cm
Ball Towing Height	24"	61 cm

## TRAILER SPECIFICATIONS

GTSF180, GTX185, GT185,  
GTS185, GTSF185  
Single Axle Trailer

	US	METRIC
Trailer Length	20' 1"	6.096 m
Trailer Length w/ Tongue Folded	7' 11"	5.461 m
Width	8' 6"	2.951 m
Trailer Empty Weight w/ Spare	861 LBS	390 kg
Carrying Capacity	3539 LBS	1606 kg
GVWR (Gross Vehicle Weight Rating)	4400 LBS	1996 kg
GAWR (Gross Axle Weight Rating)	4400LBS	1996 kg
Tire Size / Range (Standard)	ST 225/75D15 BIAS	ST 225/75D15 BIAS
Tire Pressure (Standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2540 LBS	1152 KG
Lug Nut Torque	90-120 FT/LBS	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	4400 LBS/1996 KG	1996 kg
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544 kg
Winch	1800 LBS	818 kg
Ball Size	2"	5 cm
Ball Towing Height	24"	61 cm

## TRAILER SPECIFICATIONS

GT187, GTS187  
Single Axle Trailer

	US	METRIC
Trailer Length	20' 1"	6.096 m
Trailer Length w/ Tongue Folded	17' 11"	5.461 m
Width	8' 2"	2.489 m
Trailer Empty Weight w/ Spare	713 LBS	323 kg
Carrying Capacity	2787 LBS	1264 kg
GVWR (Gross Vehicle Weight Rating)	3500 LBS	1588 kg
GAWR (Gross Axle Weight Rating)	3500 LBS	1588 kg
Tire Size / Range (Standard)	ST 205/75D14 BIAS	ST 205/75D14 BIAS
Tire Pressure (Standard)	50 PSI COLD	350 KPA COLD
Tire Capacity Each (Standard)	1760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	3500 LBS	1588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544 kg
Winch	1800 LBS	818 kg
Ball Size	2"	5 cm
Ball Towing Height	22.5"	57 cm

## TRAILER SPECIFICATIONS

GT 200, GTS 200, GTSF 200,  
GT 205, GTS 205  
Single Axle Trailer

	US	METRIC
Trailer Length	21' 9"	6.629 m
Trailer Length w/ Tongue Folded	19' 7"	5.969 m
Width	8' 6"	2.591 m
Trailer Empty Weight w/ Spare	971 LBS	440 kg
Carrying Capacity	4029 LBS	1828 kg
GVWR (Gross Vehicle Weight Rating)	5000 LBS	2268 kg
GAWR (Gross Axle Weight Rating)	5000 LBS	2268 kg
Tire Size / Range (Standard)	ST 225/75D15 BIAS	ST 225/75D15 BIAS
Tire Pressure (Standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2540 LBS	1152 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	5,000 LBS	2268 kg
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544 kg
Winch	1800 LBS	818 kg
Ball Size	2"	5 cm
Ball Towing Height	24"	61 cm

## TRAILER SPECIFICATIONS

GT 200, GTS 200, GTSF 200, GT 205,  
GTS 205, GTSF 205  
Tandem Axle Trailer

	US	METRIC
Trailer Length	21' 9"	6.629 m
Trailer Length w/ Tongue Folded	19' 7"	5.969 m
Width	8' 6"	2.591 m
Trailer Empty Weight w/ Spare	1155 LBS	524 kg
Carrying Capacity	5845 LBS	2651 kg
GVWR (Gross Vehicle Weight Rating)	7000 LBS	3175 kg
GAWR (Gross Axle Weight Rating)	7000 LBS	3175 kg
Tire Size / Range (Standard)	ST 205/75D14 BIAS	ST 205/75D14 BIAS
Tire Pressure (Standard)	50 PSI COLD	350 KPA COLD
Tire Capacity Each (Standard)	1760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6 NM-162.8 NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3500 LBS	1588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544 kg
Winch	1800 LBS	818 kg
Ball Size	2"	5 cm
Ball Towing Height	21"	53.3 cm

## TRAILER SPECIFICATIONS

GT 207, GTS 207  
Tandem Axle Trailer

	US	METRIC
Trailer Length	22' 8"	6.909 m
Trailer Length w/ Tongue Folded	20' 6"	6.248 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ Spare	910 LBS	7.413 kg
Carrying Capacity	3539 LBS	1606 kg
GVWR (Gross Vehicle Weight Rating)	4400 LBS	1996 kg
GAWR (Gross Axle Weight Rating)	4400 LBS	1996 kg
Tire Size / Range (Standard)	ST 225/75D15 BIAS	ST 225/75D15 BIAS
Tire Pressure (Standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2540 LBS	1152 kg
Lug Nut Torque	90-120 FT/LBS	120.6 NM-162.8 NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	4400 LBS	1996 kg
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544 kg
Winch	1800 LBS	818 kg
Ball Size	2"	5 cm
Ball Towing Height	24"	61 cm

## TRAILER SPECIFICATIONS

GT 225, GTS 225, GT 229, GTS 229  
Tandem Axle Trailer

	US	METRIC
Trailer Length	22' 8"	6.909 m
Trailer Length w/ Tongue Folded	20' 6"	6.248 m
Width	8' 6"	2.591 m
Trailer Empty Weight w/ Spare	1095 LBS	497 kg
Carrying Capacity	5905 LBS	2.678 kg
GVWR (Gross Vehicle Weight Rating)	7000 LBS	3175 kg
GAWR (Gross Axle Weight Rating)	7000 LBS	3175 kg
Tire Size / Range (Standard)	ST 205/75D14 BIAS	ST 205/75D14 BIAS
Tire Pressure (Standard)	50 PSI COLD	350 KPA COLD
Tire Capacity (Standard)	1760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3500 LBS	1588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544 kg
Winch	2600 LBS	1179 kg
Ball Size	2"	5 cm
Ball Towing Height	21"	53.3 cm

## TRAILER SPECIFICATIONS

GT 240, GTS 240, GT 245, GTS 245  
Tandem Axle Trailer

	US	METRIC
Trailer Length w/Tongue	26 3"	7.874 m
Trailer Length w/Tongue Folded	21' 4"	6.502 m
Width	8' 6"	2.59 m
Empty Weight w/Spare	1420 LBS	644 kg
Carrying Capacity	8380 LBS	3801 kg
GVWR (Gross Vehicle Weight Rating)	9800 LBS	4445 kg
GAWR (Gross Axle Weight Rating)	10000 LBS	4535 kg
Tire Size / Range (Standard)	ST 225/75D15 BIAS	ST 225/75D15 BIAS
Tire Pressure	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2540 LBS	1152 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	5,000 LBS	2268 kg
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1,500 LBS	680 kg
Winch	2,600 LBS	1179 kg
Ball Size	2 5/16"	6 cm
Ball Towing Height	24.5"	62.23 cm

## 2016 Glastron Fiberglass Boats and Trailers Limited Warranty / North America

Rec Boat Holdings, LLC dba Glastron ("Glastron") warrants to you, the first North American retail purchaser of this 2016 model year Glastron boat and/or trailer or a second North American retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Glastron, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Glastron boat and/or trailer constitutes your acceptance of the terms of this limited warranty. This limited warranty gives you specific legal rights and you may have other rights which may vary from state to state.

This limited warranty is the sole and exclusive express warranty from Glastron regarding your 2016 Glastron boat and/or trailer and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Glastron, unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.

### Coverage Under This Limited Warranty

**Trailer Limited Warranty:** The limited warranty period runs for one (1) year for defects in trailer components, except as noted below.

**Exterior Cosmetic Gel Coat Limited Warranty:** The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

**Non-Structural Parts And Components Limited Warranty:** The limited warranty period runs for one (1) year for defects in the boat's non-structural parts and components, except as noted below.

**Osmotic Hull Blister Limited Warranty:** The limited warranty period to the first North American retail purchaser runs for five (5) years, except as noted below, for osmotic Hull (defined below) blisters on the boat, which are defined as blisters larger than 1/8" diameter and with a depth of 1/16" or greater, which occur on the boat Hull below the waterline. This limited warranty is not transferable to a second North American retail purchaser.

If the boat is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period, this limited warranty will only apply if a marine barrier coating with proper surface preparation is applied to the boat Hull before it is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period.

In the event of osmotic blistering, Glastron must approve of any repairs, and their method and cost, before the repairs are performed, for this limited warranty to apply. Once any repairs are completed, a marine barrier coating will be applied to the affected Hull surface area(s).

Repairs under this osmotic Hull blister limited warranty are limited to one time. Any repair costs covered under this limited warranty are limited to labor and materials only. They will be paid on a prorated basis, according to the schedule outlined below. The repair costs cannot exceed \$150 (US) per foot of boat length prior to the prorating outlined below:

Osmotic Hull blistering reported to Glastron:	Amount of repair costs paid:
Less than two (2) years from date of delivery	100%
Two (2) to less than three (3) years from date of delivery	75%
Three (3) to less than four (4) years from date of delivery	50%
Four (4) to five (5) years from date of delivery	25%

**Structural Hull Or Deck Limited Warranty:** The limited warranty period to the first North American retail purchaser runs for the duration of the first North American retail purchaser's period of ownership for Structural Hull or Deck Defects (defined below), except as noted below. The limited warranty period to the second (if applicable) North American retail purchaser runs for ten (10) years for Structural Hull or Deck Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structural within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale) and the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale). A "Structural Hull or Deck Defect" shall mean a substantial defect in the boat's Hull or Deck, which causes the boat to be unfit or unsafe for use as a pleasure craft under normal operating conditions.

The applicable limited warranty period, for both the First and Second (if applicable) North American retail purchasers, runs from the date of delivery of the boat and/or trailer to the first North American retail purchaser, provided that the boat and/or trailer is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat and/or trailer delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat and/or trailer was delivered to that purchaser. For a boat and/or trailer delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat and/or trailer with photos to Glastron before delivery of the boat and/or trailer to that purchaser; Glastron will then determine and advise what limited warranty coverage remains in effect on the boat and/or the trailer, if any. For a boat and/or trailer delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranty on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

Certain portions of this limited warranty, as noted above, extend only to the first North American retail purchaser. Other portions of this limited warranty, as noted above, may be transferred to a second North American retail purchaser, if the transfer occurs within five (5) years of the boat's and/or trailer's sale to the first North American retail purchaser, for a non-refundable recording fee of \$150 (US), for boats less than twenty (20) feet in length, or \$300 (US), for boats twenty (20) feet or more in length, provided the second North American retail purchaser purchases the boat and/or trailer from the first North American retail purchaser or an authorized Glastron dealer. To transfer the limited warranty, the second North American retail purchaser or the authorized Glastron dealer must send to Glastron, within fifteen (15) days of the boat's and/or trailer's purchase, at the address noted below, the: 1) first North American retail purchaser's plastic registration card, if available; 2) proof of the purchase; and 3) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Glastron. This limited warranty may only be transferred once. Glastron will confirm all limited warranty transfers, in writing, to the authorized Glastron dealer and/or second North American retail purchaser via email. Glastron reserves the right to reject a limited warranty transfer request for a Glastron boat and/or trailer that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

### THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat and/or trailer purchased from any party other than an authorized Glastron dealer or the first North American retail purchaser.
2. A boat and/or trailer, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Glastron, or a boat and/or a trailer that has been salvaged, declared a total loss or a constructive total loss for any reason not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats or trailers that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, jet pumps, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Glastron, whether or not they are warranted by other manufacturers. Note: it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components.

7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. The original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-installment of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the U.S. Coast Guard Capacity Plate.
12. Any boat and/or a trailer that has been misused or used in a negligent manner; a boat that has been used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instruction furnished by Glastron; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local, Coast Guard or other governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage to a boat resulting from failure to use a lower unit support device when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat and/or trailer for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless pre-approved by Glastron.
19. Any defect that results in the redesign of the Glastron boat and/or trailer.
20. Trailer tires, paint or Gatorhde defects caused by fading, peeling, chipping, scratches or rusting attributed to normal use.

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT GLASTRON'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. GLASTRON EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES, OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period allowed under applicable law, whichever is earlier.

**PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION**

Prior to delivering a new Glastron boat and/or trailer to the first North American retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first North American retail purchaser. After completion of the necessary pre-delivery services, the first North American retail purchaser must sign the Glastron limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat and/or trailer unless these forms are completed, signed and returned to Glastron at the address indicated below, or via an authorized Glastron dealer's online dealer extranet.

All information received by Glastron via the limited warranty registration or transfer process shall be the property of Glastron, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by

applicable law, be deemed to constitute consent by the purchaser and dealer to Glastron's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Glastron. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Glastron by sending a written request to: Glastron Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

**OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY**

The authorized Glastron dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Glastron factory, or at another repair facility approved by Glastron. You are responsible for the expense associated with transporting the boat and/or trailer to and from the repair facility. Glastron must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat and/or trailer, including any alleged defective part, to an authorized Glastron dealer and present the Owner's Registration Card. If necessary, you should call Glastron for assistance to locate the nearest Glastron dealer in your area. The following procedures will apply to a limited warranty claim:

- A. The dealer will contact and receive an authorization number from Glastron for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Glastron limited warranty claim form if the claim is not submitted through the Glastron extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Glastron dealer will be responsible for choosing a qualified and reputable repair facility and the authorized Glastron Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Glastron dealer must submit a written estimate to Glastron's claims department to obtain written pre-authorization (including a claim authorization number). Glastron will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Glastron will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Glastron. Any questions concerning the scope of this limited warranty should be directed to Glastron. The terms and conditions contained in this limited warranty may not be modified, altered, or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Glastron. Glastron does not authorize any person or persons (except a senior management level employee of Glastron), including Glastron dealers, to change the terms of this limited warranty. (Note that your authorized Glastron dealer is an independent business, authorized to sell and service Glastron products, but is not an agent of Glastron). Glastron reserves the right to change or improve the design or manufacture of Glastron boats and/or trailers without obligation to modify any boat and/or trailer previously manufactured.

GLASTRON  
925 Frisbie Street | Cadillac, MI 49601  
(231) 775-1351

## 2016 Glastron Fiberglass Boats Limited Warranty / International

Rec Boat Holdings, LLC dba Glastron ("Glastron") warrants to you, the first International retail purchaser of this 2016 model year Glastron boat or a second International retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Glastron, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Glastron boat constitutes your acceptance of the terms of this limited warranty.

This limited warranty is the sole and exclusive express warranty from Glastron regarding your 2016 Glastron boat, and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Glastron, unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Retail purchasers in the European Union (EU) may have legal rights under applicable national legislation and the Consumers Protective Directive 1999/44/EC of the European Parliament and of the Council of 25 May 1999, governing the sale of consumer goods, which are not affected by this limited warranty. Retail purchasers in other countries may also have legal rights which are not affected by this limited warranty.

### Coverage Under This Limited Warranty

**Exterior Cosmetic Gel Coat Limited Warranty:** The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

**Non-Structural Parts And Components Limited Warranty:** The limited warranty period runs for one (1) year for defects in non-structural parts and components, except as noted below.

**Osmotic Hull Blister Limited Warranty:** The limited warranty period to the first International retail purchaser runs for five (5) years, except as noted below, for osmotic Hull (defined below) blisters, which are defined as blisters larger than 1/8" diameter and with a depth of 1/16" or greater, which occur on the boat Hull below the waterline. This limited warranty is not transferrable to a second International retail purchaser.

If the boat is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period, this limited warranty will only apply if a marine barrier coating with proper surface preparation is applied to the boat Hull before it is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period.

In the event of osmotic blistering, Glastron must approve of any repairs, and their method and cost, before the repairs are performed, for this limited warranty to apply. Once any repairs are completed, a marine barrier coating will be applied to the affected Hull surface area(s).

Repairs under this osmotic Hull blister limited warranty are limited to one time. Any repair costs covered under this limited warranty are limited to labor and materials only. They will be paid on a prorated basis, according to the schedule outlined below. The repair costs cannot exceed \$150 (US) per foot of boat length prior to the prorating outlined below:

Osmotic Hull blistering reported to Glastron:	Amount of repair costs paid:
Less than two (2) years from date of delivery	100%
Two (2) to less than three (3) years from date of delivery	75%
Three (3) to less than four (4) years from date of delivery	50%
Four (4) to five (5) years from date of delivery	25%

**Structural Hull Or Deck Component Limited Warranty:** The limited warranty period to the first International retail purchaser runs for the duration of the first International retail purchaser's period of ownership for Structural Hull or Deck Defects (defined below), except as noted below. The limited warranty period to the second (if applicable) International retail purchaser runs for ten (10) years for Structural Hull or Deck Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structural within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale) and the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale). A "Structural Hull or Deck Defect" shall mean a substantial defect in the boat's Hull or Deck, which causes the boat to be unsafe or unfit for use as a pleasure craft under normal operating conditions.

The applicable limited warranty period, for both the first and second (if applicable) International retail purchasers, runs from the date of delivery of the boat to the first International retail purchaser, provided that the boat is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat was delivered to that purchaser. For a boat delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat with photos to Glastron before delivery of the boat to the first International retail purchaser; Glastron will then determine and advise what limited warranty coverage remains in effect on the boat, if any. For a boat delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranty on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

Certain portions of this limited warranty, as noted above, extend only to the first International retail purchaser. Other portions of this limited warranty, as noted above, may be transferred to a second International retail purchaser, if the transfer occurs within five (5) years of the boat's sale to the first International retail purchaser, for a non-refundable recording fee of \$150 (US), for boats less than twenty (20) feet in length, or \$300 (US), for boats twenty (20) feet or more in length, provided the second International retail purchaser purchases the boat from the first International retail purchaser or an authorized Glastron dealer. To transfer the limited warranty, the second International retail purchaser or the authorized Glastron dealer must send to Glastron, within fifteen (15) days of the boat's purchase, at the address noted below, the: 1) first International retail purchaser's plastic registration card, if available; 2) proof of the purchase; and 3) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Glastron. This limited warranty may only be transferred once. Glastron will confirm all limited warranty transfers, in writing, to the authorized Glastron dealer and/or second International retail purchaser via email. Glastron reserves the right to reject a limited warranty transfer request for a Glastron boat that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

### THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat purchased from any party other than an authorized Glastron dealer or the first International retail purchaser.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Glastron, or a boat that has been salvaged, declared a total loss or a constructive total loss for any reason not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, jet pumps, outdrives, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Glastron, whether or not they are warranted by other manufacturers. Note: it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components.
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.



8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. The original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-installment of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the Capacity Plate.
12. Any boat that has been misused or used in a negligent manner; that has been used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instruction furnished by Glastron; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local or governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage to a boat resulting from failure to use a lower unit support device when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing a boat for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Glastron.
19. Any defect that results in the redesign of the Glastron boat.
20. Trailers.

**THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT GLASTRON'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. GLASTRON EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY.** Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period of time allowed under applicable law. Any claim by a retail purchaser in the EU that the boat was nonconforming at the time of delivery must be made within two (2) years from the date of delivery.

**PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION**

Prior to delivering a new Glastron boat to the first International retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first International retail purchaser. After completion of the necessary pre-delivery services, the first International retail purchaser must sign the Glastron limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat unless these forms are completed, signed and returned to Glastron at the address indicated below, or via an authorized Glastron dealer's online dealer extranet. All information received by Glastron via the limited warranty registration or transfer process shall be the property of Glastron, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Glastron's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Glastron. You may opt

to not have your personal information disclosed to third parties and/or to not receive marketing materials from Glastron by sending a written request to: Glastron Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

**OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY**

The authorized Glastron dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Glastron factory, or at another repair facility approved by Glastron. You are responsible for the expense associated with transporting the boat to and from the repair facility. Glastron must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat, including any alleged defective part, to an authorized Glastron dealer and present the Owner's Registration Card. If necessary, you should call Glastron for assistance to locate the nearest Glastron dealer in your area. The following procedures will apply to a limited warranty claim:

- A. The dealer will contact and receive an authorization number from Glastron for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Glastron limited warranty claim form if the claim is not submitted through the Glastron extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Glastron dealer will be responsible for choosing a qualified and reputable repair facility and the facility. Before referring any work to a sublet repair facility, the authorized Glastron dealer must submit a written estimate to Glastron's claims department to obtain written pre-authorization (including a claim authorization number). Glastron will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Glastron will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Glastron. Any questions concerning the scope of this limited warranty should be directed to Glastron. The terms and conditions contained in this limited warranty may not be modified, altered, or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Glastron, Glastron does not authorize any person or persons (except a senior management level employee of Glastron), including Glastron dealers, to change the terms of this limited warranty. (Note that your authorized Glastron dealer is an independent business, authorized to sell and service Glastron products, but is not an agent of Glastron). Glastron reserves the right to change or improve the design or manufacture of Glastron boats trailers without obligation to modify any boat trailer previously manufactured.

GLASTRON  
925 Frisbie Street | Cadillac, MI 49601  
(231) 775-1351



925 Frisbie Street | Cadillac, MI 49601  
231.775.1351

[www.Glastron.com](http://www.Glastron.com)

PAN 090-11050