

GLASTRON 2018

PRODUCT INFORMATION GUIDE





TABLE OF CONTENTS

THE GLASTRON LEGACY	2
GLATRON PERFORMANCE	3
LEGENDARY SSV HULL	4
PICK YOUR POWER	5
GT180	
GT180, GTS180, GTSF180.....	6-9
GT185	
GTX185, GT185, GTS185, GTSF185.....	10-13
GT187	
GT187, GTS187	14-15
GT200	
GT200, GTS200, GTSF200.....	16-17
GT205	
GT205, GTS205, GTSF205.....	18-21
GT207	
GT207, GTS207	22-23
GT225	
GT225, GTS225	24-27
GT229	
GT229, GTS229	28-31
GT240	
GT240, GTS240	32-35
GT245	
GT245, GTS245	36-39
GTD200	
GTDX200, GTD200.....	40-43
GTD205	
GTDX205, GTD205.....	44-47
GTD220	
GTD220	48-49
GTD225	
GTD225.....	50-51
GS 259	
GS259	52-55
GS 259 OB	
GS259 OB.....	56-57
TRAILERS	58-69
WARRANTY	70-80

OVER 60 YEARS OF LEADERSHIP

A PROMINENT PAST

Glastron has been building boats for 60 years—a milestone only a few companies have achieved. During that time, they have built nearly half a million fiberglass boats.

ADVANCED ENGINEERING

More than any other manufacturer, Glastron has a legacy of unprecedented product innovations and technological breakthroughs. Amongst them:

THE DEEP-VEE HULL

THE TRI-HULL

TWO-TONE GRAPHICS

STERNDRIVE-POWERED BOATS

THE SSV HULL FIBERGLASS STRINGER SYSTEMS

SUPERSTARS OF THE WATER

More than a few well-known people have owned Glastron boats over the years, from President Lyndon Johnson to England's Royal Family, to Elvis Presley. Glastron boats also appeared in numerous movies and TV shows. Glastron was James Bond's boat of choice in Live and Let Die and Moonraker.

THE LEGENDARY SWEEP SPEAR

The Glastron "Sweep Spear" is the most well-known icon in boating. It's the marine industries equivalent to the Nike "swoosh"

OUTPERFORMING THE COMPETITION

Throughout the company's 60 years, its focus has been on designing and building boats that provide a great overall family boating experience. The company has always managed to stay ahead of other companies in building boats that possess three distinct Glastron qualities.

ADVANCED TECHNOLOGY

HIGHLY FUNCTIONAL, FAMILY-FRIENDLY DESIGNS

OUTSTANDING PERFORMANCE



EVERY GLASTRON MODEL DELIVERS PERFORMANCE ATTRIBUTES THAT EVERY FAMILY BOATER CAN APPRECIATE:

QUICK PLANING TIMES

MINIMAL BOWRISE

IMPRESSIVE TOP SPEEDS

LOW MINIMUM PLANING SPEEDS (IMPORTANT FOR WAKESPORTS)

AGILE HANDLING

EXCELLENT FUEL ECONOMY

SSV HULL DESIGN



YEARS OF UNSATURATED DOMINANCE

The legendary SSV (Super Stable Vee®) hull design is the biggest reason why Glastron boats perform so well. It's quick to plane (with minimal bowrise), stable at high speeds and tracks tight in the turns.

The SSV hull's light weight and hydrodynamic efficiency results in another big advantage—excellent fuel economy.

The SSV hull features tuned strakes molded longitudinally into the hull. They form a series of horizontal planing surfaces that create lift by deflecting spray down and away from the hull—a key reason why Glastron boats get on plane so quickly.



Under power, the SSV hull's wide reverse chines create a "bank" of water for added lift and precise, stable turning. Boats without them have a flatter running surface that results in a more jarring ride with a tendency to slide in turns. On most boat hulls, the chines diminish in the forward half of the hull. In comparison, the SSV hull's wide chines extend far forward. These extended chines reduce rocking from side-to-side and front-to-back by acting as sponsons when the boat is at rest.

Glastron's SSV hull is patented; only Glastron has it. So no matter what other manufacturers tell you, they don't have an SSV hull.

PICK YOUR POWER

POWER COMES WITH CHOICE

Glastron continues to offer preferred engine choices for our customers. Unlike other boat manufacturers that offer just one brand of engine, Glastron offers a wide range of power offerings to ensure our customers purchase the engine that best suits their needs.

OUTBOARD BRAND OFFERINGS FROM:



STERNDRIVE BRAND OFFERINGS FROM:



JET DRIVE BRAND OFFERINGS FROM:



GT180

INCLUDES GT180, GTS180, GTSF180

SPECIFICATIONS	US	Metric
LOA	17'10"	5.44 m
Beam	7'5"	2.26 m
Fuel Capacity	24 gal	91 L
Draft (drive up)	14"	36 cm
Draft (drive down)	30"	76 cm
Maximum Capacity	1800 lbs	816 kg
Persons Capacity	8	7
Approx. Boat Weight	1600 lbs	726 kg
Approx. Boat & Engine Weight	2010 lbs	912 kg
Maximum Horsepower	150 hp	112 kw
Trailer Weight	639 lbs	290 kg
Deadrise	20°	20°
Storage Length on Trailer	21'5"	6.53 m
Bridge Clearance	3'10"	1.17 m
Bridge Clearance with Arch/Tower	6'9"	2.06 m
Keel to Top of Tower Dn	5'7"	1.70 m
Keel to Top of Windshield	4'10"	1.47 m
Total Height	4'10"	1.47 m
Total Height on Trailer	6'4"	1.93 m
Height on Trailer w/Wakeboard Tower Dn	7'1"	2.16 m
Height on Trailer w/Wakeboard Tower Up	9'4"	2.85 m

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
Merc 115 4S					
LBS	1600	400	144	100	639
KG	726	181	65	45	290

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Ev E90DSL E-TEC 90 hp (67kw)	13 1/4 X 17	34 X 43	AL	38-41	61-66	110	180
Ev E115DSL E-TEC 115 hp (86kw)	13 1/4 X 17	34 X 43	AL	41-44	66-71	110	180
Ev E150DSL E-TEC 150 hp (112kw)	14.8 x 17	38 X 43	AL	45-48	72-77	110	180
Merc 90ELPT 90 hp (67kw)	13 1/4 X 17	34 X 43	AL	38-41	61-66	110	180
Merc 115ELPT 115 hp (86kw)	13 1/4 X 17	34 X 43	AL	41-44	66-71	120	190
Merc 150L 4S 150 hp (112kw)	14 1/2 19	37 X 48	AL	47-50	76-81	120	190
Yam F90LB 90 hp (67kw)	13 x 19	33 x 48	AL	38-41	61-66	110	180
Yam F115LB 115 hp (86kw)	13 x 19	33 x 48	AL	41-44	66-71	110	180
Yam F150LB 150 hp (112kw)	14 X 19	36 X 48	AL	47-50	76-81	120	190

EVINRUDE E90DSL E-TEC

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5.1	8	1.1	4
1500 RPM	6	10	2.0	7
2000 RPM	9	14	3.0	11
2500 RPM	16	25	3.7	14
3000 RPM	21	35	4.6	18
3500 RPM	26	41	5.7	22
4000 RPM	30	48	7.1	27
4500 RPM	34	54	8.6	32
5000 RPM	37	60	9.9	38
WOT	39	63	10.8	41

EVINRUDE E115DSL E-TEC

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.1	4
2000 RPM	7	11	2.0	7
2500 RPM	9	14	3.0	11
3000 RPM	17	28	3.7	14
3500 RPM	24	38	4.6	18
4000 RPM	29	46	5.7	22
4500 RPM	33	53	7.1	27
5000 RPM	37	60	8.6	32
5500 RPM	41	66	9.9	38
WOT	43	69	10.8	41

EVINRUDE E150DSL E-TEC

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.2	5
2000 RPM	7	12	2.2	8
2500 RPM	10	16	3.4	13
3000 RPM	19	31	4.2	16
3500 RPM	26	42	5.2	20
4000 RPM	31	51	6.4	24
4500 RPM	37	59	8.0	30
5000 RPM	41	67	9.6	36
5500 RPM	46	74	11.1	42
WOT	48	77	12.1	46

MERCURY 90ELPT

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1.1	4
2000 RPM	6	10	1.7	7
2500 RPM	9	14	2.6	10
3000 RPM	18	29	3.2	12
3500 RPM	23	37	4.0	15
4000 RPM	26	42	5.0	19
4500 RPM	30	49	6.2	24
5000 RPM	33	54	7.5	28
5500 RPM	36	58	8.9	34
WOT	40	64	10.8	41

MERCURY 115ELPT

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.1	4
2000 RPM	7	11	1.7	7
2500 RPM	10	16	2.6	10
3000 RPM	20	32	3.2	12
3500 RPM	25	41	4.0	15
4000 RPM	29	47	5.0	19
4500 RPM	33	53	6.2	24
5000 RPM	37	59	7.5	28
5500 RPM	40	64	8.9	34
WOT	44	70	10.8	41

MERCURY 150L 4S

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.4	5
2000 RPM	8	12	2.3	9
2500 RPM	11	18	3.4	13
3000 RPM	22	36	4.2	16
3500 RPM	28	45	5.3	20
4000 RPM	32	52	6.6	25
4500 RPM	37	60	8.3	31
5000 RPM	41	66	10.0	38
5500 RPM	45	72	11.9	45
WOT	49	78	14.4	55

YAMAHA F90LB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1.1	4
2000 RPM	6	10	1.7	7
2500 RPM	9	14	2.6	10
3000 RPM	18	29	3.2	12
3500 RPM	23	37	4.0	15
4000 RPM	26	42	5.0	19
4500 RPM	30	49	6.2	24
5000 RPM	33	54	7.5	28
5500 RPM	36	58	8.9	34
WOT	40	64	10.8	41

YAMAHA F115LB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	6	9	1.1	4
2500 RPM	7	11	1.7	7
3000 RPM	10	16	2.6	10
3500 RPM	20	32	3.2	12
4000 RPM	25	41	4.0	15
4500 RPM	29	47	5.0	19
5000 RPM	33	53	6.2	24
5500 RPM	37	59	7.5	28
6000 RPM	40	64	8.9	34
WOT	44	70	10.8	41

YAMAHA F150LB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.4	5
2000 RPM	8	12	2.3	9
2500 RPM	11	18	3.4	13
3000 RPM	22	36	4.2	16
3500 RPM	28	45	5.3	20
4000 RPM	32	52	6.6	25
4500 RPM	37	60	8.3	31
5000 RPM	41	66	10.0	38
5500 RPM	45	72	11.9	45
WOT	49	78	14.4	55

GT185

INCLUDES GTX185, GT185, GTS185, GTSF185

SPECIFICATIONS	US		Metric	
LOA	18'0"	5.49 m		
LOA w/Extended Swim Platform	19'6"	5.95 m		
Beam	7'5"	2.26 m		
Fuel Capacity	24 gal	91 L		
Draft (drive up)	16"	41 cm		
Draft (drive down)	33"	84 cm		
Maximum Capacity	1200 lbs	544 kg		
Persons Capacity	8	6		
Approx. Boat Weight	1600 lbs	726 kg		
Approx. Boat & Engine Weight	2470 lbs	1,120 kg		
Maximum Horsepower	250 hp	186 kw		
Trailer Weight	861 lbs	390 kg		
Deadrise	20°	20°		
Storage Length on Trailer	20'9"	9.33 m		
Storage Length on Trailer w/Extended Swim	20'9"	9.33 m		
Bridge Clearance	3'9"	1.14 m		
Bridge Clearance with Arch/Tower	6'8"	2.03 m		
Keel to Top of Tower Dn	5'7"	1.70 m		
Keel to Top of Windshield	4'10"	1.47 m		
Total Height	4'10"	1.47 m		
Total Height on Trailer	6'4"	1.93 m		
Height on Trailer w/Wakeboard Tower Dn	7'1"	2.16 m		
Height on Trailer w/Wakeboard Tower Up	9'4"	2.85 m		

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
VP V6-240/SX					
LBS	1590	910	144	100	861
KG	721	413	65	45	390

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 200/A (149kw)	14 1/2 x 19	37 x 48	AL	48-51	77-82	95	155
MC 4.5L 250/A (187kw)	14 1/2 x 19	37 x 48	AL	51-54	84 - 89	95	155
VP V6-200/DI/SX (149kw)	14 1/4 x 23	36 X 58	AL	48-51	77-82	105	161
VP V6-240/DI/SX (179kw)	14 1/4 X 23	36 X 58	AL	51-54	84 - 89	100	161

MC 4.5L 200/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	12	3.1	11.6
2000 RPM	11	17	4.4	16.7
2500 RPM	26	42	5.3	20.1
3000 RPM	32	51	6.7	25.5
3500 RPM	37	60	8.6	32.4
4000 RPM	42	67	11.6	44.0
4500 RPM	47	75	14.9	56.4
WOT	49	79	16.7	63.2

MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6.5	10	2.3	8.7
2000 RPM	7.7	12	3.5	13.2
2500 RPM	11.3	18	5.1	19.3
3000 RPM	27.3	44	5.9	22.3
3500 RPM	33.6	54	7.7	29.1
4000 RPM	39.2	63	9.8	37.1
4500 RPM	43.9	71	13.3	50.3
5000 RPM	49.5	80	17.5	66.2
WOT	51.9	84	19.1	72.3

VP V6-200/DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	4	6	1.3	4.8
2000 RPM	6	9	2.2	8.3
2500 RPM	7	11	3.2	12.1
3000 RPM	11	18	4.4	16.7
3500 RPM	27	43	6.1	23.2
4000 RPM	35	56	8.0	30.1
4500 RPM	41	66	10.5	39.7
5000 RPM	46	74	13.6	51.4
5500 RPM	49	78	16.3	61.7
WOT	50	80	17.5	66.2

GT187

INCLUDES GT187, GTS187

SPECIFICATIONS	US	Metric
LOA	19'6"	5.94 m
Beam	7'5"	2.26 m
Fuel Capacity	27 gal	102 L
Draft	14"	36 cm
Maximum Capacity	1200 lbs	544 kg
Persons Capacity	8	7
Approx. Boat Weight	1600 lbs	726 kg
Approx. Boat & Engine Weight	2040 lbs	925 kg
Maximum Horsepower	250 hp	186 kw
Trailer Weight	731 lbs	323 kg
Deadrise	20°	20°
Storage Length on Trailer	20'9"	9.33 m
Storage Length on Trailer w/Extended Swim	20'9"	9.33 m
Bridge Clearance	3'9"	1.14 m
Bridge Clearance with Arch/Tower	6'8"	2.03 m
Keel to Top of Tower Dn	5'7"	1.70 m
Keel to Top of Windshield	4'10"	1.47 m
Total Height	4'10"	1.47 m
Total Height on Trailer	6'4"	1.93 m
Height on Trailer w/Wakeboard Tower Dn	7'1"	2.16 m
Height on Trailer w/Wakeboard Tower Up	9'4"	2.85 m

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
Rotax 200 HP					
LBS	1700	430	162	80	731
Rotax 149 KW					
KG	771	195	73	36	323

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
ROTAX 150/112 1.5L INJECTED	6.1	155	SST	33-36	53-58	85	137
ROTAX 200/149 1.5L SUPERCHARGED	6.34	161	SST	39-42	63-68	85	137
ROTAX 250/187 1.5L SUPERCHARGED HO	6.34	161	SST	43-46	69-74	85	137

ROTAX 1.5L INJECTED, 150 HP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
3000 RPM	6	9	1.1	4
3500 RPM	6	10	1.4	5
4000 RPM	7	11	1.8	7
4500 RPM	7	12	2.4	9
5000 RPM	8	13	3.1	12
5500 RPM	11	17	4.0	15
6000 RPM	20	33	4.9	19
6500 RPM	27	43	6.3	24
7000 RPM	31	50	8.1	31
WOT	33	53	9.2	35

ROTAX 1.5L SUPERCHARGED, 200 HP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
3500 RPM	5	9	1.7	6
4000 RPM	6	9	2.3	9
4500 RPM	7	11	3.1	12
5000 RPM	9	15	3.9	15
5500 RPM	17	27	5.2	20
6000 RPM	21	33	6.6	25
6500 RPM	24	38	8.2	31
7000 RPM	27	43	10.3	39
7500 RPM	30	48	13.9	53
WOT	32	52	16.0	61

ROTAX 1.5L SUPERCHARGED HO, 250 HP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
3500 RPM	7	12	1.9	7
4000 RPM	8	12	2.6	10
4500 RPM	9	15	3.5	13
5000 RPM	13	20	4.4	17
5500 RPM	23	37	5.9	22
6000 RPM	28	45	7.4	28
6500 RPM	33	52	9.2	35
7000 RPM	36	59	11.6	44
7500 RPM	41	65	16.0	61
WOT	44	71	18.0	68

GT200

INCLUDES GT200, GTS200, GTSF200

SPECIFICATIONS	US	Metric
LOA	20'4"	6.20 m
Beam	8'0"	2.24 m
Fuel Capacity	32 gal	121 L
Draft (drive up)	18"	46 cm
Draft (drive down)	35"	89 cm
Maximum Capacity	2200 lbs	998 kg
Persons Capacity	9	7
Approx. Boat Weight	1950 lbs	885 kg
Approx. Boat & Engine Weight	2450 lbs	1110 kg
Maximum Horsepower	200 hp	149 kw
Trailer Weight	971 lbs	440 kg
Deadrise	21°	21°
Storage Length on Trailer	22'3"	6.78 m
Bridge Clearance	4'0"	1.22 m
Bridge Clearance with Arch/Tower	6'11"	2.11 m
Keel to Top of Tower Dn	6'0"	1.83 m
Keel to Top of Windshield	5'3"	1.6 m
Total Height	5'3"	1.6 m
Total Height on Trailer	6'6"	1.98 m
Height on Trailer w/Wakeboard Tower Dn	7'3"	2.21 m
Height on Trailer w/Wakeboard Tower Up	9'6"	2.89 m

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
Merc 150XL 4S					
LBS	1930	460	192	150	971
KG	875	209	87	68	440

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Ev E150DPX E-TEC/150 hp (112kw)	14 7/8 X 17	38 X 43	AL	43-46	69-74	105	170
Ev E200DPX E-TEC/200hp (149kw)	14 1/2 X 19	37 X 48	AL	48-51	77-82	105	170
Merc150XL 4S/150 hp (112kw)	15 X 17	38 X 43	AL	43-46	69-74	105	170
Merc 200XL Verado/200 hp (149kw)	14 1/2 X 19	37 X 48	AL	48-51	77-82	110	180
Yam F150XB/150 hp (112kw)	14 1/4 X 17	36 X 43	AL	43-46	69-74	105	170
Yam F200XB/200 hp (149kw)	14 1/2 X 17	37 X 43	AL	47-50	76-80	105	170

150 HP ENGINES

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7.7	12	1.9	7
2000 RPM	8	14	3.1	12
2500 RPM	12	19	4.1	16
3000 RPM	23	37	5.1	19
3500 RPM	29	47	6.1	23
4000 RPM	34	54	7.7	29
4500 RPM	38	62	9.1	34
5000 RPM	43	70	10.9	41
5500 RPM	47	76	13.2	50
WOT	49	79	17.5	66

200 HP ENGINES

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6.9	11	1.6	6
2000 RPM	8	12	2.6	10
2500 RPM	11	17	3.4	13
3000 RPM	21	33	4.2	16
3500 RPM	26	41	5.1	19
4000 RPM	30	48	6.4	24
4500 RPM	34	55	7.5	29
5000 RPM	39	62	9.0	34
5500 RPM	42	67	10.9	41
WOT	44	70	14.5	55

GT205

INCLUDES GT205, GTS205, GTSF205

SPECIFICATIONS	US	Metric
LOA	20'6"	6.25 m
LOA w/Extended Swim Platform	23'0"	7.01 m
Beam	8'0"	2.44 m
Fuel Capacity	32 gal	121 L
Draft (drive up)	18"	46 cm
Draft (drive down)	35"	89 cm
Maximum Capacity	1500 lbs	680 kg
Persons Capacity	9	7
Approx. Boat Weight	2000 lbs	907 kg
Approx. Boat & Engine Weight	3010 lbs	1370 kg
Maximum Horsepower	300 hp	224 kw
Trailer Weight	971 lbs	440 kg
Deadrise	21°	21°
Storage Length on Trailer	23'0"	7.01 m
Storage Length on Trailer w/Extended Swim	23'0"	7.01 m
Bridge Clearance	4'0"	1.22 m
Bridge Clearance with Arch/Tower	6'11"	2.11 m
Keel to Top of Tower Dn	6'0"	1.83 m
Keel to Top of Windshield	5'3"	1.6 m
Total Height	5'3"	1.6 m
Total Height on Trailer	6'6"	1.98 m
Height on Trailer w/Wakeboard Tower Dn	7'3"	2.21 m
Height on Trailer w/Wakeboard Tower Up	9'6"	2.89 m

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
VP V6-280/DI/SX					
LBS	2100	910	192	150	1155
KG	952	413	87	68	524

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 200/A (149kw)	14 1/2 X 19	37 X 48	AL	45-48	72-77	125	201
MC 4.5L 250/A (187kw)	14 1/2 X 19	37 X 48	AL	49-52	79-84	120	193
MC 6.2L 300/B1 (224kw)	14 X 19	36 x 48	SST	54-57	87-92	105	169
VP V6-200/DI/SX (149kw)	14 1/4 X 21	36 X 53	AL	45-48	72-77	115	185
VP V6-240/DI/SX (179kw)	14 1/4 X 21	36 X 53	AL	48-51	77-82	115	185
VP V6-280/DI/SX (209kw)	14 1/4 X 21	36 X 53	AL	52-55	84-89	115	185
VP V8-300/DI/SX (224kw)	14 1/4 X 19	36 X 48	AL	54-57	87-92	95	153

MC 4.5L 200/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	6	10	2.0	8.0
1500 RPM	8	12	3.2	12.0
2000 RPM	12	19	4.6	17.0
2500 RPM	24	39	5.6	21.0
3000 RPM	30	49	7.0	26.0
3500 RPM	36	58	9.3	35.0
4000 RPM	40	65	11.8	45.0
4500 RPM	44	71	14.7	56.0
WOT	46	74	16.7	63.0

MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1.3	5.0
1500 RPM	7	11	2.4	9.0
2000 RPM	8	14	3.8	14.0
2500 RPM	13	20	5.4	20.0
3000 RPM	27	43	6.6	25.0
3500 RPM	33	53	8.3	31.0
4000 RPM	39	63	11.0	42.0
4500 RPM	44	71	14.0	53.0
5000 RPM	49	78	17.4	66.0
WOT	50	81	19.8	75.0

MC 6.2L 300/B1

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1.6	6.0
1500 RPM	8	12	2.9	11.0
2000 RPM	9	15	4.6	17.0
2500 RPM	14	22	6.5	25.0
3000 RPM	29	47	8.0	30.0
3500 RPM	36	59	10.1	38.0
4000 RPM	43	69	13.3	50.0
4500 RPM	48	78	17.0	64.0
5000 RPM	53	86	21.1	80.0
WOT	55	89	24.0	91.0

VP V6-200/DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.4	5.0
2000 RPM	7	11	2.3	9.0
2500 RPM	9	15	3.8	14.0
3000 RPM	17	27	4.7	18.0
3500 RPM	24	38	5.8	22.0
4000 RPM	29	46	7.2	27.0
4500 RPM	33	53	9.1	35.0
5000 RPM	37	60	11.4	43.0
5500 RPM	41	66	14.1	53.0
WOT	45	72	17.5	66.0

VP V6-240/DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.5	6.0
2000 RPM	8	12	2.5	10.0
2500 RPM	10	16	4.1	16.0
3000 RPM	18	29	5.1	19.0
3500 RPM	25	41	6.3	24.0
4000 RPM	31	50	7.9	30.0
4500 RPM	35	57	9.9	38.0
5000 RPM	40	64	12.5	47.0
5500 RPM	44	71	15.4	58.0
WOT	48	77	19.1	72.0

VP V6-280/DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	1.7	6.0
2000 RPM	8	13	2.8	11.0
2500 RPM	11	17	4.6	18.0
3000 RPM	20	32	5.8	22.0
3500 RPM	28	45	7.1	27.0
4000 RPM	34	55	8.9	34.0
4500 RPM	39	63	11.2	42.0
5000 RPM	44	71	14.0	53.0
5500 RPM	49	79	17.4	66.0
WOT	53	86	21.5	81.0

VP V8-300DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2.0	8.0
2000 RPM	9	14	3.4	13.0
2500 RPM	11	18	5.1	19.0
3000 RPM	21	33	7.0	26.0
3500 RPM	29	47	8.6	32.0
4000 RPM	35	57	10.7	41.0
4500 RPM	41	65	13.5	51.0
5000 RPM	46	74	17.0	64.0
5500 RPM	51	82	21.0	79.0
WOT	55	89	26.0	98.0

GT207

INCLUDES GT207, GTS207

SPECIFICATIONS	US		Metric
LOA	21'10"	6.55 m	
Beam	8'0"	2.44 m	
Fuel Capacity	49 gal	185 L	
Draft	14"	36 cm	
Maximum Capacity	1500 lbs	680 kg	
Persons Capacity	9	7	
Approx. Boat Weight	1950 lbs	885 kg	
Approx. Boat & Engine Weight	2520 lbs	1140 kg	
Maximum Horsepower	250 hp	186 kw	
Trailer Weight	910 lbs	413 kg	
Deadrise	21°	21°	
Storage Length on Trailer	23'0"	7.01 m	
Storage Length on Trailer w/Extended Swim	23'0"	7.01 m	
Bridge Clearance	4'0"	1.22 m	
Bridge Clearance with Arch/Tower	6'11"	2.11 m	
Keel to Top of Tower Dn	6'0"	1.83 m	
Keel to Top of Windshield	5'3"	1.6 m	
Total Height	5'3"	1.6 m	
Total Height on Trailer	6'6"	1.98 m	
Height on Trailer w/Wakeboard Tower Dn	7'3"	2.21 m	
Height on Trailer w/Wakeboard Tower Up	9'6"	2.89 m	

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
ROTAX 250 HP					
LBS	1990	430	186	80	834
ROTAX 187 KW					
KG	902	195	84	36	378

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
ROTAX 200/149 1.5L SUPERCHARGED	6.26	159	SST	38-41	61-66	160	257
ROTAX 250/187 1.5L SUPERCHARGED HO	6.34	161	SST	41-44	66-71	130	209

ROTAX 1.5L SUPERCHARGED, 200 HP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
3500 RPM	7	12	1	4
4000 RPM	8	12	2.0	8
4500 RPM	8	14	3.0	11
5000 RPM	10	15	4.0	15
5500 RPM	13	20	5.0	19
6000 RPM	24	39	6.0	23
6500 RPM	29	47	8.0	30
7000 RPM	33	53	10.0	38
7500 RPM	37	59	14.0	53
WOT	38	61	15.0	57

ROTAX 1.5L SUPERCHARGED HO, 250 HP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
3500 RPM	7	11	1.9	7
4000 RPM	7	12	2.5	9
4500 RPM	8	13	3.4	13
5000 RPM	9	15	4.5	17
5500 RPM	12	19	6.1	23
6000 RPM	23	38	7.6	29
6500 RPM	29	47	9.3	35
7000 RPM	34	55	12.1	46
7500 RPM	38	61	15.3	58
WOT	44	70	19.7	75

GT225

INCLUDES GT225, GTS225

SPECIFICATIONS	US	Metric
LOA	22'0"	6.71 m
LOA w/Extended Swim Platform	23'10"	7.26 m
Beam	8'4"	2.54 m
Fuel Capacity	40 gal	151 L
Draft (drive up)	17"	43 cm
Draft (drive down)	34"	86 cm
Maximum Capacity	1800 lbs	816 kg
Persons Capacity	11	9
Approx. Boat Weight	2350 lbs	1066 kg
Approx. Boat & Engine Weight	3360 lbs	1520 kg
Maximum Horsepower	300 hp	224 kw
Trailer Weight	1095 lbs	497 kg
Deadrise	20°	20°
Storage Length on Trailer	23'1"	7.04 m
Storage Length on Trailer w/Extended Swim	24'11"	7.59 m
Bridge Clearance	4'3"	1.3 m
Bridge Clearance with Arch/Tower	6'3"	1.9 m
Keel to Top of Tower Dn	6'0"	1.83 m
Keel to Top of Windshield	5'4"	1.63 m
Total Height	5'4"	1.63 m
Total Height on Trailer	6'10"	2.08 m
Height on Trailer w/Wakeboard Tower Dn	7'6"	2.29 m
Height on Trailer w/Wakeboard Tower Up	9'7"	2.92 m
Potable Water (standard or optional)	12 gal	45 L

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
VP V8-300/DI/DP					
LBS	2300	1010	240	150	1095
KG	1040	458	109	68	497

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 250/A (187kw)	15 x 17	38 x 43	AL	47-50	76-81	145	233
MC 4.5L 250/B3 (187kw)	24P	61P	SST	48-51	77-82	145	233
MC 6.2L 300/B1 (224kw)	15 1/2 X 17	39 X 43	SST	50-53	81-85	125	201
MC 6.2L 300/B3 (224kw)	24P	61P	SST	51-54	82-87	130	210
VP V6-240/DI/SX (179kw)	14 1/2 X 19	37 X 48	AL	46-49	74-79	130	210
VP V6-280/DI/SX (209kw)	14 1/4 X 21	36 X 53	AL	48-51	77-82	120	193
VP V6-280/DI/DP (209kw)	FH4	FH4	SST	49-52	79-84	120	193
VP V8-300/DI/SX (224kw)	15 X 17	38 X 43	AL	50-53	81-97	100	161
VP V8-300/DI/DP (224kw)	FH5	FH5	SST	51-54	82-87	100	161

MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1.5	6
1500 RPM	7	11	2.5	9
2000 RPM	11	17	3.8	14
2500 RPM	20	33	5.0	19
3000 RPM	26	42	6.6	25
3500 RPM	31	50	8.6	33
4000 RPM	37	59	11.5	44
4500 RPM	42	68	14.9	56
5000 RPM	48	76	17.9	68
WOT	49	79	19.5	74

MC 4.5L 250/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	1.5	6
1500 RPM	7	11	2.5	9
2000 RPM	11	17	3.8	14
2500 RPM	21	33	5.0	19
3000 RPM	27	43	6.6	25
3500 RPM	32	51	8.6	33
4000 RPM	37	60	11.5	44
4500 RPM	43	69	14.9	56
5000 RPM	48	78	17.9	68
WOT	50	81	19.5	74

MC 6.2L 300/B1

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	9	1.8	7
1500 RPM	7	11	3.1	12
2000 RPM	11	18	4.7	18
2500 RPM	22	35	6.1	23
3000 RPM	28	45	8.1	31
3500 RPM	33	54	10.6	40
4000 RPM	39	62	14.2	54
4500 RPM	45	73	18.4	69
5000 RPM	51	81	22.1	84
WOT	53	85	24.0	91

MC 6.2L 300/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	9	1.8	7
1500 RPM	7	11	3.1	12
2000 RPM	11	18	4.7	18
2500 RPM	22	35	6.1	23
3000 RPM	28	45	8.1	31
3500 RPM	33	54	10.6	40
4000 RPM	39	62	14.2	54
4500 RPM	45	73	18.4	69
5000 RPM	51	81	22.1	84
WOT	53	85	24.0	91

VP V6-240/DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1.4	5
2000 RPM	6	9	1.7	6
2500 RPM	7	11	2.6	10
3000 RPM	10	15	3.8	14
3500 RPM	15	25	5.1	19
4000 RPM	24	39	6.6	25
4500 RPM	31	50	8.6	33
5000 RPM	36	58	11.1	42
5500 RPM	42	68	15.6	59
WOT	48	76	19.5	74

VP V6-280/DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.5	6
2000 RPM	6	9	1.8	7
2500 RPM	7	12	2.6	10
3000 RPM	10	16	4.1	16
3500 RPM	16	26	5.5	21
4000 RPM	24	39	7.2	27
4500 RPM	31	50	9.4	36
5000 RPM	38	60	12.1	46
5500 RPM	44	70	17.0	64
WOT	50	80	21.2	80

VP V6-280/DI/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.5	6
2000 RPM	6	9	1.8	7
2500 RPM	8	12	2.6	10
3000 RPM	10	16	4.1	16
3500 RPM	16	26	5.5	21
4000 RPM	24	39	7.2	27
4500 RPM	31	50	9.4	36
5000 RPM	39	62	12.1	46
5500 RPM	44	70	17.0	64
WOT	51	82	21.2	80

VP V8-300/DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.8	7
2000 RPM	6	9	2.3	9
2500 RPM	8	12	3.0	11
3000 RPM	10	17	5.0	19
3500 RPM	17	27	7.1	27
4000 RPM	24	39	9.1	34
4500 RPM	31	50	11.4	43
5000 RPM	39	62	14.7	56
5500 RPM	45	72	20.7	78
WOT	51	82	25.8	98

VP V8-300/DI/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.8	7
2000 RPM	6	10	2.3	9
2500 RPM	8	13	3.0	11
3000 RPM	11	17	5.0	19
3500 RPM	17	27	7.1	27
4000 RPM	24	39	9.1	34
4500 RPM	31	50	11.4	43
5000 RPM	39	63	14.7	56
5500 RPM	46	74	20.7	78
WOT	53	84	25.8	98

GT229

INCLUDES GT229, GTS229

SPECIFICATIONS	US	Metric
LOA	22'0"	6.71 m
LOA w/Extended Swim Platform	23'10"	7.26 m
Beam	8'4"	2.54 m
Fuel Capacity	40 gal	151 L
Draft (drive up)	17"	43 cm
Draft (drive down)	34"	86 cm
Maximum Capacity	1600 lbs	726 kg
Persons Capacity	9	8
Approx. Boat Weight	2550 lbs	
Approx. Boat & Engine Weight	3650 lbs	1560 kg
Maximum Horsepower	300 hp	224 kw
Trailer Weight	1095 lbs	497 kg
Deadrise	20°	20°
Storage Length on Trailer	23'1"	7.04 m
Storage Length on Trailer w/Extended Swim	24'11"	7.59 m
Bridge Clearance	4'6"	1.37 m
Bridge Clearance with Arch/Tower	6'6"	1.98 m
Keel to Top of Tower Dn	6'3"	1.91 m
Keel to Top of Windshield	5'7"	1.70 m
Total Height	5'7"	1.70 m
Total Height on Trailer	7'1"	2.16 m
Height on Trailer w/Wakeboard Tower Dn	7'10"	2.39 m
Height on Trailer w/Wakeboard Tower Up	9'6"	2.90 m
Potable Water (standard or optional)	12 gal	45 L

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
VP V8-300/DI/DP					
LBS	2300	1010	240	150	1095
KG	1040	458	109	68	497

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 250/A (187kw)	15 x 17	38 x 43	AL	41-44	66-71	165	266
MC 4.5L 250/B3 (187kw)	24P	61P	SST	42-45	67-72	165	266
MC 6.2L 300/B1 (224kw)	15 1/2 X 17	39 X 43	SST	50-53	81-85	160	257
MC 6.2L 300/B3 (224kw)	24P	61P	SST	51-54	82-87	160	257
VP V6-240/DI/SX (179kw)	14 1/2 X 19	37 X 48	AL	46-49	74-79	185	298
VP V6-280/DI/SX (209kw)	14 1/4 X 21	36 X 53	AL	48-51	77-82	180	290
VP V6-280/DI/DP (209kw)	FH4	FH4	SST	49-52	79-84	180	290
VP V8-300/DI/SX (224kw)	15 X 17	38 X 43	AL	50-53	81-97	165	266
VP V8-300/DI/DP (224kw)	FH5	FH5	SST	51-54	82-87	170	274

MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	12	19	2.4	8.9
2000 RPM	17	28	3.7	14.2
2500 RPM	23	37	5.0	18.7
3000 RPM	28	45	6.8	25.9
3500 RPM	32	52	8.9	33.6
4000 RPM	36	58	11.7	44.2
4500 RPM	39	63	15.1	57.3
5000 RPM	42	68	18.4	69.6
WOT	43	69	19.5	73.8

MC 4.5L 250/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	12	19	2.4	8.9
2000 RPM	18	28	3.7	14.2
2500 RPM	24	38	5.0	18.7
3000 RPM	29	46	6.8	25.9
3500 RPM	33	53	8.9	33.6
4000 RPM	37	59	11.7	44.2
4500 RPM	40	65	15.1	57.3
5000 RPM	43	69	18.4	69.6
WOT	44	71	19.5	73.8

MC 6.2L 300/B1

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	12	19	2.9	11.0
2000 RPM	18	30	4.6	17.5
2500 RPM	27	43	6.1	23.1
3000 RPM	33	52	8.4	31.9
3500 RPM	37	60	10.9	41.3
4000 RPM	42	67	14.4	54.4
4500 RPM	45	73	18.6	70.5
5000 RPM	49	78	22.6	85.7
WOT	50	80	24.0	90.8

MC 6.2L 300/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	12	19	2.9	11.0
2000 RPM	19	30	4.6	17.5
2500 RPM	27	44	6.1	23.1
3000 RPM	33	54	8.4	31.9
3500 RPM	38	61	10.9	41.3
4000 RPM	43	68	14.4	54.4
4500 RPM	46	75	18.6	70.5
5000 RPM	50	80	22.6	85.7
WOT	51	82	24.0	90.8

VP V6-240/DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	1.4	5.4
2000 RPM	8	13	2.4	8.9
2500 RPM	18	28	3.7	14.2
3000 RPM	26	41	5.0	18.7
3500 RPM	31	50	6.8	25.9
4000 RPM	36	57	8.9	33.6
4500 RPM	40	64	11.7	44.2
5000 RPM	43	70	15.1	57.3
5500 RPM	46	74	18.4	69.6
WOT	47	76	19.5	73.8

VP V6-280/DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	1.5	5.8
2000 RPM	8	13	2.5	9.6
2500 RPM	18	30	4.0	15.3
3000 RPM	27	43	5.3	20.2
3500 RPM	32	52	7.4	27.9
4000 RPM	37	60	9.6	36.2
4500 RPM	41	67	12.6	47.6
5000 RPM	45	72	16.3	61.7
5500 RPM	48	78	19.8	75.0
WOT	50	80	21.0	79.5

VP V6-280/DI/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	12	1.5	5.8
2000 RPM	8	14	2.5	9.6
2500 RPM	19	30	4.0	15.3
3000 RPM	27	43	5.3	20.2
3500 RPM	33	53	7.4	27.9
4000 RPM	38	61	9.6	36.2
4500 RPM	42	68	12.6	47.6
5000 RPM	46	74	16.3	61.7
5500 RPM	49	79	19.8	75.0
WOT	50	81	21.0	79.5

VP V8-300/DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	12	1.7	6.3
2000 RPM	8	14	2.8	10.4
2500 RPM	19	30	4.4	16.6
3000 RPM	27	44	5.8	21.9
3500 RPM	33	53	8.0	30.3
4000 RPM	38	61	10.4	39.3
4500 RPM	42	68	13.7	51.7
5000 RPM	46	74	17.7	67.0
5500 RPM	49	79	21.5	81.4
WOT	50	81	22.8	86.3

VP V8-300/DI/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	12	1.7	6.3
2000 RPM	9	14	2.8	10.4
2500 RPM	19	30	4.4	16.6
3000 RPM	27	44	5.8	21.9
3500 RPM	33	54	8.0	30.3
4000 RPM	38	61	10.4	39.3
4500 RPM	43	68	13.7	51.7
5000 RPM	46	75	17.7	67.0
5500 RPM	50	80	21.5	81.4
WOT	51	82	22.8	86.3

GT240

INCLUDES GT240, GTS240

SPECIFICATIONS	US	Metric
LOA	24'	7.32 m
Beam	8'4"	2.54 m
Fuel Capacity	52 gal	197 L
Draft (drive up)	15"	38 cm
Draft (drive down)	31"	79 cm
Maximum Capacity	3000 lbs	1,360 kg
Persons Capacity	13	12 CE
Approx. Boat Weight	2950 lbs	1338 kg
Approx. Boat & Engine Weight	3520 lbs	1597 kg
Maximum Horsepower	300 hp	224 kw
Trailer Weight	1,420 lbs	644 kg
Deadrise	20°	20°
Storage Length on Trailer	27'4"	8.33 m
Bridge Clearance	4'8"	1.42 m
Bridge Clearance with Arch/Tower	7'6"	2.29 m
Keel to Top of Tower Dn	6'6"	1.98 m
Keel to Top of Windshield	5'10"	1.78 m
Total Height	5'10"	1.78 m
Total Height on Trailer	7'7"	2.31 m
Height on Trailer w/Wakeboard Tower Dn	8'3"	2.51 m
Height on Trailer w/Wakeboard Tower Up	10'5"	3.18 m
Potable Water (standard or optional)	12 gal	45 L

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
EV 250 G2					
LBS	3420	570	310	150	1505
KG	1550	259	142	68	683

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Ev C200FX E-TEC G2/200 hp (149kw)	14 3/4 X 19	37 X 48	SST	42-45	68-72	180	290
Ev E250X E-TEC G2/250 hp (187kw)	15 x 18	38 x 46	SST	47-50	76-81	175	282
Ev E300XU E-TEC G2/300 hp (224kw)	15 X 18	38 X 46	SST	51-54	82-87	160	257
Merc 200XL Verado/200 hp (149kw)	15 1/2 X 17	39 X 43	SST	42-45	68-72	160	257
Merc 250XL Verado/250 hp (187kw)	15 1/2 X 17	39 X 43	SST	47-50	76-81	125	201
Merc 300XL Verado/300 hp (224kw)	15 1/2 X 17	39 X 43	SST	50-53	81-85	125	201

EVINRUDE C200FX E-TEC G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.4	5.3
2000 RPM	7	12	2.9	10.9
2500 RPM	8	13	3.9	14.6
3000 RPM	11	18	5.0	18.8
3500 RPM	24	39	6.2	23.6
4000 RPM	29	47	7.6	28.6
4500 RPM	34	54	8.9	33.7
5000 RPM	38	61	11.1	42.1
5500 RPM	42	67	14.0	53.0
WOT	44	71	17.2	65.1

EVINRUDE E250X E-TEC G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.6	6.2
2000 RPM	8	13	3.4	12.7
2500 RPM	9	15	4.5	17.0
3000 RPM	12	20	5.8	21.9
3500 RPM	27	44	7.2	27.4
4000 RPM	33	53	8.8	33.3
4500 RPM	38	60	10.3	39.2
5000 RPM	42	68	12.9	48.9
5500 RPM	46	75	16.3	61.7
WOT	49	79	20.0	75.7

EVINRUDE E300XU E-TEC G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	1.9	7.2
2000 RPM	9	14	3.9	14.8
2500 RPM	10	16	5.2	19.7
3000 RPM	13	21	6.7	25.4
3500 RPM	29	47	8.4	31.8
4000 RPM	35	57	10.2	38.6
4500 RPM	40	65	12.0	45.4
5000 RPM	45	73	15.0	56.8
5500 RPM	50	80	18.9	71.5
WOT	53	85	23.2	87.8

MERCURY 200XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	2	6.1
2000 RPM	7	12	3	12.5
2500 RPM	8	13	4	16.7
3000 RPM	11	18	6	21.5
3500 RPM	24	39	7	27.0
4000 RPM	29	47	9	32.8
4500 RPM	34	54	10	38.6
5000 RPM	38	61	13	48.2
5500 RPM	42	67	16	60.8
WOT	44	71	20	74.6

MERCURY 250XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	2	8.5
2000 RPM	8	13	5	17.5
2500 RPM	9	15	6	23.3
3000 RPM	12	20	8	30.1
3500 RPM	27	43	10	37.7
4000 RPM	32	52	12	45.8
4500 RPM	37	60	14	53.8
5000 RPM	42	67	18	67.3
5500 RPM	46	74	22	84.8
WOT	49	79	28	104.1

MERCURY 300XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2.4	9.1
2000 RPM	9	14	5.0	18.8
2500 RPM	10	16	6.6	25.0
3000 RPM	13	21	8.5	32.2
3500 RPM	29	47	10.7	40.4
4000 RPM	35	56	13.0	49.1
4500 RPM	40	64	15.3	57.8
5000 RPM	45	72	19.1	72.2
5500 RPM	49	79	24.0	91.0
WOT	53	85	29.5	111.7

NOTES

GT245

INCLUDES GT245, GTS245

SPECIFICATIONS	US	Metric
LOA	24'0"	7.32 m
LOA w/Extended Swim Platform	25'11"	7.90 m
Beam	8'4"	2.54 m
Fuel Capacity	52 gal	197 L
Draft (drive up)	17"	43 cm
Draft (drive down)	34"	86 cm
Maximum Capacity	2250 lbs	1020 kg
Persons Capacity	13	11
Approx. Boat Weight	2980 lbs	1352 kg
Approx. Boat & Engine Weight	3980 lbs	1800 kg
Maximum Horsepower	380 hp	283 kw
Trailer Weight	1420 lbs	644 kg
Deadrise	20°	20°
Storage Length on Trailer	25'3"	7.70 m
Storage Length on Trailer w/Extended Swim	27'2"	8.28 m
Bridge Clearance	4'6"	1.37 m
Bridge Clearance with Arch/Tower	7'4"	2.24 m
Keel to Top of Tower Dn	6'6"	1.98 m
Keel to Top of Windshield	5'10"	1.78 m
Total Height	5'10"	1.78 m
Total Height on Trailer	7'7"	2.31 m
Height on Trailer w/Wakeboard Tower Dn	8'3"	2.51 m
Height on Trailer w/Wakeboard Tower Up	10'5"	3.18 m
Potable Water (standard or optional)	12 gal	45 L

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
VP V8-350/DI/DP					
LBS	2980	1000	310	150	1505
KG	1350	454	141	68	683

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 250/A (187kw)	15 1/4 X 15	39 X 38	AL	38-41	61-66	145	233
MC 6.2L 300/B3 (224kw)	26P	26P	SST	48-51	77-82	145	233
MC 6.2L 350/B3 (261 kw)	26P	26P	SST	51-54	82-87	125	201
VP V6-240/DI/SX (179kw)	15 X 17	38 X 43	AL	40-43	64-69	185	298
VP V6-280/DI/SX (209kw)	14 1/2 X 19	37 X 48	AL	43-46	69-77	185	298
VP V6-280/DI/DP (209kw)	FH5	FH5	SST	44-47	71-76	185	298
VP V8-300C/DI/DP(224kw)	FH5	FH5	SST	48-51	77-82	160	257
VP V8-350C/DI/DP (261kw)	FH5	FH5	SST	51-54	82-87	160	257
VP V8-380C/DI/DP (283kw)	FH5	FH5	SST	53-56	85-90	160	257

MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2.5	9.3
2000 RPM	8	13	3.8	14.3
2500 RPM	11	18	6.0	22.5
3000 RPM	22	36	7.0	26.5
3500 RPM	29	46	9.6	36.5
4000 RPM	33	53	12.8	48.3
4500 RPM	37	59	16.2	61.3
5000 RPM	40	64	18.7	70.8
WOT	41	65	19.0	71.9

MC 6.2L 300/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	8	13	3.1	11.8
2000 RPM	10	16	4.8	18.1
2500 RPM	14	23	7.5	28.5
3000 RPM	27	44	8.8	33.4
3500 RPM	35	57	12.2	46.1
4000 RPM	41	66	16.1	61.0
4500 RPM	45	73	20.8	78.6
5000 RPM	49	79	23.8	89.9
WOT	50	81	24.0	90.8

MC 6.2L 350/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	9	14	3.7	14.0
2000 RPM	11	17	5.7	21.5
2500 RPM	15	24	8.9	33.8
3000 RPM	29	46	10.5	39.7
3500 RPM	37	60	14.5	54.7
4000 RPM	43	69	19.1	72.5
4500 RPM	48	77	24.7	93.4
5000 RPM	51	82	28.2	106.8
WOT	53	85	28.5	107.9

VP V6-240/DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.6	6.0
2000 RPM	7	11	2.7	10.2
2500 RPM	10	17	3.9	14.9
3000 RPM	18	29	4.5	17.0
3500 RPM	23	37	5.9	22.4
4000 RPM	27	43	7.6	29.0
4500 RPM	31	50	10.0	37.8
5000 RPM	35	56	13.5	51.1
5500 RPM	39	63	17.6	66.5
WOT	42	68	19.5	73.8

VP V6-280/DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.7	6.5
2000 RPM	7	12	2.9	11.0
2500 RPM	11	18	4.2	16.0
3000 RPM	19	31	4.8	18.3
3500 RPM	24	39	6.4	24.2
4000 RPM	29	46	8.2	31.2
4500 RPM	33	53	10.8	40.7
5000 RPM	38	60	14.5	55.1
5500 RPM	42	68	18.9	71.6
WOT	46	75	21.0	79.5

VP V6-280/DI/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.7	6.5
2000 RPM	8	12	2.9	11.0
2500 RPM	11	18	4.2	16.0
3000 RPM	19	31	4.8	18.3
3500 RPM	25	40	6.4	24.2
4000 RPM	29	47	8.2	31.2
4500 RPM	33	54	10.8	40.7
5000 RPM	38	60	14.5	55.1
5500 RPM	42	68	18.9	71.6
WOT	46	75	21.0	79.5

VP V8-300/DI/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2.1	8.0
2000 RPM	8	13	3.6	13.6
2500 RPM	12	19	5.2	19.8
3000 RPM	21	34	6.0	22.6
3500 RPM	27	43	7.9	29.9
4000 RPM	31	50	10.2	38.6
4500 RPM	36	58	13.3	50.4
5000 RPM	40	65	18.0	68.2
5500 RPM	45	73	23.4	88.7
WOT	49	79	26.0	98.4

VP V8-350/DI/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2.2	8.5
2000 RPM	9	14	3.8	14.3
2500 RPM	13	21	5.5	21.0
3000 RPM	22	36	6.3	23.9
3500 RPM	28	45	8.4	31.6
4000 RPM	33	53	10.8	40.8
4500 RPM	38	61	14.1	53.3
5000 RPM	43	69	19.1	72.3
5500 RPM	48	77	25.3	95.8
WOT	52	84	27.5	104.1

VP V8-380/DI/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	12	2.3	8.7
2000 RPM	9	14	3.9	14.8
2500 RPM	13	21	5.7	21.6
3000 RPM	23	37	6.5	24.6
3500 RPM	29	47	8.6	32.6
4000 RPM	34	55	11.1	42.0
4500 RPM	39	63	14.5	54.9
5000 RPM	44	70	19.6	74.2
5500 RPM	49	79	25.5	96.5
WOT	54	87	28.3	107.1

GTD200

INCLUDES GTOX200, GTD200

SPECIFICATIONS	US	Metric
LOA	20'3"	6.2 m
Beam	8'6"	2.54 m
Fuel Capacity	40 gal	151 L
Draft (drive up)	18"	46 cm
Draft (drive down)	35"	89 cm
Maximum Capacity	2400 lbs	1088 kg
Persons Capacity	11	9 CE
Approx. Boat Weight	2800 lbs	1270 kg
Approx. Boat & Engine Weight	3250 lbs	1474 kg
Maximum Horsepower	200 hp	150 kw
Trailer Weight	1020 lbs	463 lbs
Deadrise	17°	17°
Storage Length on Trailer	21'2"	6.45 m
Bridge Clearance	3'11"	1.19 m
Bridge Clearance with Arch/Tower	6'9"	2.06 m
Keel to Top of Tower Dn	5'2"	1.57 m
Keel to Top of Windshield	5'2"	1.57 m
Total Height	5'2"	1.57 m
Total Height on Trailer	6'8"	2.03 m
Height on Trailer w/Wakeboard Tower Dn	6'8"	2.03 m
Height on Trailer w/Wakeboard Tower Up	9'9"	2.97 m
Potable Water (standard or optional)	12 gal	45 L

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
Evinrude E115DPX E-TEC	115	86	2870	1302
Evinrude E150DPX E-TEC	150	112	2880	1306
Evinrude C200FX E-TEC G2	200	149	3000	1361
Mercury 115 EXLPT CT	115	86	2830	1284
Mercury 150XL 4S	150	112	2920	1324
Mercury 200XL Verado	200	149	2975	1349
Yamaha F115XB	115	86	2860	1297
Yamaha F150XB	150	112	2960	1343
Yamaha F200XB	200	149	2970	1347

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
Merc 150 XL					
LBS	2410	470	252	150	866
KG	1093	213	114	68	393

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Evinrude E115DPX E-TEC	15 x 15	38 x 38	AL	37 - 40	59 - 64	144	232
Evinrude E150DPX E-TEC	14.75 x 16	37 x 41	SS	42 - 45	68 - 72	182	293
Evinrude C200FX E-TEC G2	14.5 x 21	37 x 53	SS	47 - 50	76 - 80	144	232
Mercury 115 EXLPT CT	14.5 x 19	37 x 48	AL	37 - 40	59 - 64	161	259
Mercury 150XL 4S	14.5 x 17	37 x 43	SS	42 - 45	68 - 72	141	227
Mercury 200XL Verado	15.25 x 19	39 x 48	SS	47 - 50	76 - 80	115	185
Yamaha F115XB	13.5 x 15	34 x 38	AL	35 - 38	56 - 61	160	257
Yamaha F150XB	14.25 x 17	36 x 43	SS	41 - 44	66 - 71	113	182
Yamaha F200XB	14.25 x 18	36 X 46	SS	46 - 49	74 - 79	116	187

EVINRUDE E115DPX E-TEC

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	4.8	8	0.7	3
2000 RPM	5.7	9	1.3	5
2500 RPM	6.5	10	2.2	9
3000 RPM	9.2	15	3.0	11
3500 RPM	17.4	28	3.4	13
4000 RPM	23.6	38	4.2	16
4500 RPM	28.4	46	5.2	20
5000 RPM	32.7	53	6.4	24
5500 RPM	37.3	60	7.9	30
WOT	39.9	64	10.0	38

EVINRUDE E150DPX E-TEC

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5.3	9	0.8	3
2000 RPM	6.3	10	1.6	6
2500 RPM	7.2	12	2.8	11
3000 RPM	10.2	16	3.8	14
3500 RPM	19.3	31	4.2	16
4000 RPM	26.3	42	5.2	20
4500 RPM	31.6	51	6.5	24
5000 RPM	36.4	59	8.0	30
5500 RPM	41.4	67	9.9	37
WOT	44.4	71	12.5	47

EVINRUDE C200FX E-TEC G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.2	5
2000 RPM	7.1	11	2.3	9
2500 RPM	8.1	13	4.0	15
3000 RPM	11.5	19	5.4	20
3500 RPM	21.7	35	6.0	23
4000 RPM	29.5	47	7.4	28

EVINRUDE C200FX E-TEC G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
4500 RPM	35.4	57	9.2	35
5000 RPM	40.8	66	11.4	43
5500 RPM	46.5	75	14.1	53
WOT	49.8	80	17.8	67

MERCURY 115 EXLPT CT

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5.2	8	1	4
2000 RPM	6.7	11	1.5	6
2500 RPM	7.8	13	2.3	9
3000 RPM	10.8	17	3.2	12
3500 RPM	17.9	29	4.1	16
4000 RPM	23.3	37	5.2	20
4500 RPM	27.8	45	6.7	25
5000 RPM	31.7	51	8.1	31
5500 RPM	36.6	59	9.7	37
WOT	40.7	66	11.2	42

MERCURY 150XL 4S

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5.7	9	1.3	5
2000 RPM	7.3	12	1.9	7
2500 RPM	8.5	14	2.9	11
3000 RPM	11.8	19	4.0	15
3500 RPM	19.6	32	5.1	19
4000 RPM	25.5	41	6.5	25
4500 RPM	30.5	49	8.4	32
5000 RPM	34.7	56	10.1	38
5500 RPM	40.1	65	12.1	46
WOT	44.6	72	14.0	53

MERCURY 200XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	6.4	10	1.7	7
2500 RPM	8.2	13	2.6	10
3000 RPM	9.6	15	4.0	15
3500 RPM	13.3	21	5.5	21
4000 RPM	22.0	35	7.1	27
4500 RPM	28.6	46	9.0	34
5000 RPM	34.2	55	11.5	44
5500 RPM	39.0	63	14.0	53
6000 RPM	45.0	72	16.7	63
WOT	50.0	81	19.3	73

YAMAHA F115XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	5.1	8	0.8	3
2500 RPM	6.4	10	1.3	5
3000 RPM	7.4	12	1.9	7
3500 RPM	8.1	13	2.9	11
4000 RPM	11.2	18	3.8	14
4500 RPM	17.8	29	4.5	17
5000 RPM	22.6	36	5.1	19
5500 RPM	26.9	43	6.1	23
6000 RPM	31.1	50	7.8	30
WOT	35.5	57	10.1	38

YAMAHA F150XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	5.8	9	1.3	5
2500 RPM	7.3	12	2.1	8
3000 RPM	8.5	14	3.1	12
3500 RPM	9.3	15	4.7	18
4000 RPM	12.8	21	6.1	23
4500 RPM	20.4	33	7.3	27
5000 RPM	25.9	42	8.2	31
5500 RPM	30.8	50	9.8	37
6000 RPM	35.6	57	12.6	48
WOT	40.7	65	16.3	62

YAMAHA F200XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	6.6	11	1.4	5
2500 RPM	8.3	13	2.3	9
3000 RPM	9.6	15	3.4	13
3500 RPM	10.5	17	5.2	20
4000 RPM	14.5	23	6.8	26
4500 RPM	23.1	37	8.0	30
5000 RPM	29.3	47	9.1	34
5500 RPM	34.9	56	10.9	41
6000 RPM	40.4	65	13.9	53
WOT	46.1	74	18.0	68

GTD205

INCLUDES GTDX205, GTD205

SPECIFICATIONS	US	Metric
LOA	20'4"	6.2 m
LOA w/Extended Swim Platform	22'2"	6.75 m
Beam	8'6"	2.54 m
Fuel Capacity	40 gal	151 L
Draft (drive up)	18"	46 cm
Draft (drive down)	35"	89 cm
Maximum Capacity	1650 lbs	748 kg
Persons Capacity	11	9 CE
Approx. Boat Weight	2800 lbs	1270 kg
Approx. Boat & Engine Weight	3800 lbs	1724 kg
Maximum Horsepower	280 hp	209 kw
Trailer Weight	1020 lbs	463 lbs
Deadrise	17°	17°
Storage Length on Trailer	21'3"	6.48 m
Storage Length on Trailer w/Extended Swim	23'1"	7.04 m
Bridge Clearance	3'11"	1.19 m
Bridge Clearance with Arch/Tower	6'9"	2.06 m
Keel to Top of Tower Dn	5'2"	1.57 m
Keel to Top of Windshield	5'2"	1.57 m
Total Height	5'2"	1.57 m
Total Height on Trailer	6'8"	2.03 m
Height on Trailer w/Wakeboard Tower Dn	6'8"	2.03 m
Height on Trailer w/Wakeboard Tower Up	9'9"	2.97 m
Potable Water (standard or optional)	12 gal	45 L

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
VP V6-240/SX					
LBS	2800	910	252	150	866
KG	1270	413	114	68	393

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 200/A(149 KW)	14 x 17	36 x 43	AL	38	61	115	185
MC 4.5L 250/A(187 KW)	14 x 17	36 x 43	AL	42	68	130	209
VP V6-200/DI/SX(149kw)	14.25 x 19	36 x 48	AL	41	66	125	201
VP V6-240/DI/SX(179kw)	14.25 x 19	36 x 48	AL	44	71	100	161
VP V6-280/DI/SX(209kw)	14.25 x 19	36 x 48	AL	47	76	95	153

MC 4.5L 200/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	6	9	2.1	8
1500 RPM	7	11	3.2	12
2000 RPM	9	15	4.9	19
2500 RPM	19	30	6.2	23
3000 RPM	25	41	7.8	30
3500 RPM	29	47	10.4	39
4000 RPM	33	53	14.2	54
4500 RPM	37	59	17.6	67
WOT	38	61	19.5	74

MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	7	1.3	5
1500 RPM	6	10	2	8
2000 RPM	8	12	3.1	12
2500 RPM	10	16	4.7	18
3000 RPM	20	33	5.9	22
3500 RPM	28	44	7.5	28
4000 RPM	32	51	10	38
4500 RPM	36	58	13.6	51
5000 RPM	40	65	16.9	64
WOT	42	67	18.7	71

VP V6-200/DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.4	5
2000 RPM	7	11	2.0	8
2500 RPM	8	13	3.3	13
3000 RPM	9	15	4.9	19
3500 RPM	12	20	6.3	24
4000 RPM	26	41	7.3	28
4500 RPM	31	50	8.9	34
5000 RPM	35	57	11.1	42
5500 RPM	39	63	13.9	53
WOT	41	66	14.8	56

GS259

INCLUDES GS259

SPECIFICATIONS	US		Metric	
	LOA	25'2"	7.67 m	
LOA w/Extended Swim Platform	26'7"	7.92 m		
Beam	8'5"	2.54 m		
Fuel Capacity	70 gal	265 L		
Draft (drive up)	22"	56 cm		
Draft (drive down)	36"	91 cm		
Maximum Capacity	2100 lbs	953 kg		
Persons Capacity	9	9		
Approx. Boat Weight	5500 lbs	2495 kg		
Approx. Boat & Engine Weight	6400 lbs	2900 kg		
Maximum Horsepower	300 hp	224 kw		
Trailer Weight	1600 lbs	735 kg		
Deadrise	17°			
Storage Length on Trailer	27'10"	8.50 m		
Storage Length on Trailer w/Extended Swim	29'3"	8.92 m		
Bridge Clearance	6'8"	2.03 m		
Bridge Clearance w/Arch (excl. electronics)	9'4"	2.84 m		
Keel to Top of Arch	10'9"	3.28 m		
Keel to Top of Windshield	8'1"	2.46 m		
Total Height	8'1"	2.46 m		
Total Height w/Arch (excl. electronics)	10'9"	3.28 m		
Total Height on Trailer	12'5"	3.78 m		
Potable Water	21 gal	79 L		
Holding Tank	13 gal	49 L		
Generator, Gas	3.5 kw	3.5 kw		
Air Conditioning/Heater (Cabin)	9K BTU	9K BTU		
Headroom (max)	6'3"	1.90 m		
Maximum Sleeping Depth (V-Berth)	6'8"	2.03 m		
Maximum Sleeping Width (V-Berth)	4'	1.22 m		
Maximum Sleeping Depth (Mid Cabin)	6'11"	2.11 m		
Maximum Sleeping Width (Mid Cabin)	4'6"	1.37 m		

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 250/B3	250	187	6600	2990
MC 6.2L 300/B3	300	224	6700	3040
VP V6-240/DI/DP	240	179	6400	2900
VP V6-280/DI/DP	280	209	6400	2900
VP V8-300/DI/DP	300	224	6500	2950

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
VP V8-300/DI/DP					
LBS	5500	1000	420	450	—
KG	2490	454	190	200	—

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 250/B3 (187 KW)	22.5P	57P	SST	38-41	61-66	165	240
MC 6.2L 300/B3 (224 KW)	22.5P	57P	SST	41-44	66-71	150	240
VP V6-240/DI/DP (179 KW)	FH2	FH3	SST	38-41	61-66	165	266
VP V6-280/DI/DP (209 KW)	FH3	FH3	SST	39-42	63-68	160	260
VP V8-300/DI/DP (224 KW)	FH4	FH4	SST	41-44	66-71	135	217

MC 4.5L 250/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	9	14	6	23
3000 RPM	12	19	9	34
3500 RPM	22	35	10	38
4000 RPM	29	47	12	45
4500 RPM	34	55	15	57
5000 RPM	39	63	19	72
WOT	40	64	20	76

MC 6.2L 300/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	9	14	6	23
3000 RPM	13	21	12	45
3500 RPM	23	37	13	49
4000 RPM	32	52	15	57
4500 RPM	37	60	18	68
5000 RPM	42	68	21	75
WOT	43	69	23	87

VP V6-240/DI/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	9	15	5	19
3000 RPM	10	16	8	30
3500 RPM	14	23	11	42
4000 RPM	23	37	11	42
4500 RPM	30	48	12	45
5000 RPM	35	56	15	57
5500 RPM	38	61	18	68
WOT	40	64	20	76

GS259 OB

INCLUDES GS259 OB

SPECIFICATIONS	US	Metric
LOA	26'11"	8.20 m
Beam	8'5"	2.54 m
Fuel Capacity	70 gal	265 L
Draft (engine up)	22"	56 cm
Draft (engine down)	39"	99 cm
Maximum Capacity	2900 lbs	1315 kg
Persons Capacity	10	10
Approx. Boat Weight	5700 lbs	2585 kg
Approx. Boat & Engine Weight	6350 lbs	2880 kg
Maximum Horsepower	300 hp	224 kw
Trailer Weight	1600 lbs	735 kg
Deadrise	17°	17°
Storage Length on Trailer	29'7"	9.00 m
Bridge Clearance	6'8"	2.03 m
Bridge Clearance w/Arch (excl. electronics)	9'4"	2.84 m
Keel to Top of Arch	10'9"	3.28 m
Keel to Top of Windshield	8'1"	2.46 m
Total Height	8'1"	2.46 m
Total Height w/Arch (excl. electronics)	10'9"	3.28 m
Potable Water	21 gal	79 L
Holding Tank	13 gal	49 L
Generator, Gas	3.5 kw	3.5 kw
Air Conditioning/Heater (Cabin)	9K BTU	9K BTU
Headroom (max)	6'3"	1.90 m
Maximum Sleeping Depth (V-Berth)	6'8"	2.03 m
Maximum Sleeping Width (V-Berth)	4'	1.22 m
Maximum Sleeping Depth (Mid Cabin)	6'11"	2.11 m
Maximum Sleeping Width (Mid Cabin)	4'6"	1.37 m

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
Mercury 250XXL Verado	250	186	6250	2835
Mercury 300XXL Verado	300	224	6250	2835

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat	Engine	Fuel	Access.	Trailer Wt.
Merc 300XXL Verado					
LBS	5600	650	420	450	—
KG	2540	295	191	204	—

PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Mercury 250XXL Verado	15.6 X 13	40 X 33	SST	38 - 41	61 - 66	130	138
Mercury 300XXL Verado	14 5/8 x 15	37 x 38	SST	40 - 43	64 - 69	119	126

MERCURY 250XXL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	4.7	8	1.3	5
2000 RPM	6.8	11	2.3	9
3000 RPM	8.7	14	5.9	22
3500 RPM	9.9	16	8.5	32
4000 RPM	12.3	20	11.0	42
4500 RPM	23.4	38	12.3	47
5000 RPM	29.1	47	14.0	53
5500 RPM	33.5	54	16.7	63
6000 RPM	37.3	60	21.3	81
WOT	40.1	65	27.3	103

MERCURY 300XXL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	7.2	12	2.7	10
2500 RPM	8.2	13	4.4	17
3000 RPM	8.7	14	6.8	26
3500 RPM	9.3	15	9.5	36
4000 RPM	11.3	18	12.3	47
4500 RPM	17.0	27	13.9	53
5000 RPM	25.7	41	15.3	58
5500 RPM	33.8	54	17.9	68
6000 RPM	38.6	62	22.4	85
WOT	41.8	67	29.4	111

GT180 SINGLE AXLE TRAILER

INCLUDES GT180, GTS180 & GTSF180 TRAILER

	US	Metric
Trailer length	20' 1"	6.121 M
Trailer length w/ Tongue Folded	17' 11"	5.461 M
Width	8' 2"	2.489 M
Trailer Empty weight w/spare	639 LBS	290 KG
Carrying Capacity	2861 LBS	1298 KG
GVWR (Gross Vehicle Weight Rating)	3500 LBS	1588 KG
GAWR (Gross Axle Weight Rating)	3500 LBS	1588 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity each (Standard)	1,760 LBS	798 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	3500 LBS	1588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544 KG
Winch	1800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	22.5"	57 CM

GT185 SINGLE AXLE TRAILER

INCLUDES GTX185, GT185, GTS185 & GTSF185 TRAILER

	US	Metric
Trailer length	20' 1"	6.096 M
Trailer length w/ Tongue Folded	17' 11"	5.461 M
Width	8' 6"	2.591 M
Trailer Empty weight w/spare	861 LBS	390 KG
Carrying Capacity	3539 LBS	1606 KG
GVWR (Gross Vehicle Weight Rating)	4400 LBS	1996 KG
GAWR (Gross Axle Weight Rating)	4400 LBS	1996 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Pressure (standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2540 LBS	1152 KG
Lug Nut Torque	90-120 FT/LBS	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	4400 LBS	1996 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544KG
Winch	1800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	24"	61 CM

GT187 SINGLE AXLE TRAILER

INCLUDES GT187, GTS187 TRAILER

	US	Metric
Trailer length	20' 1"	6.096 M
Trailer length w/ Tongue Folded	17' 11"	5.461 M
Width	8' 2"	2.489 M
Trailer Empty weight w/spare	713 LBS	323 KG
Carrying Capacity	2787 LBS	1264 KG
GVWR (Gross Vehicle Weight Rating)	3500 LBS	1588 KG
GAWR (Gross Axle Weight Rating)	3500 LBS	1588 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity each (Standard)	1760 LBS	798 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	3500 LBS	1588KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544KG
Winch	1800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	22.5"	57 CM

GT200 & GT205 SINGLE AXLE TRAILER

INCLUDES GT200, GTS200, GTSF 200, GT205, GTS205 & GTSF205 TRAILER

	US	Metric
Trailer length	21' 9"	6.629 M
Trailer length w/ Tongue Folded	19' 7"	5.969 M
Width	8' 6"	2.591 M
Trailer Empty weight w/spare	971 LBS	440 KG
Carrying Capacity	4029 LBS	1828 KG
GVWR (Gross Vehicle Weight Rating)	5000 LBS	2268 KG
GAWR (Gross Axle Weight Rating)	5000 LBS	2268 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Pressure (standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2540 LBS	1152 KG
Lug Nut Torque	90-120 FT/LBS	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	5000 LBS	2268 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544 KG
Winch	1800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	24"	61 CM

GT200 & GT205 TANDEM AXLE TRAILER

INCLUDES GT200, GTS200, GTSF 200, GT205, GTS205 & GTSF205 TRAILER

	US	Metric
Trailer length	21' 9"	6.629M
Trailer length w/ Tongue Folded	19' 7"	5.969 M
Width	8' 6"	2.591 M
Trailer Empty weight w/spare	1155 LBS	524 KG
Carrying Capacity	5845 LBS	2651 KG
GVWR (Gross Vehicle Weight Rating)	7000 LBS	3175 KG
GAWR (Gross Axle Weight Rating)	7000 LBS	3175 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity each (Standard)	1760 LBS	798 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3500 LBS	1588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544KG
Winch	1800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	21"	53.3 CM

GTD200 & GTD205 SINGLE AXLE TRAILER

	US	Metric
Trailer length	22'	6.71 M
Trailer length w/ Tongue Folded	19' 10"	6.05 M
Width	8' 6"	2.591 M
Trailer Empty weight w/spare	866 LBS	392.8 KG
Carrying Capacity	4134 LBS	1875 KG
GVWR (Gross Vehicle Weight Rating)	5000 LBS	2268 KG
GAWR (Gross Axle Weight Rating)	5000 LBS	2268 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Pressure (standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2,540 LBS	1152 KG
Lug Nut Torque	90-120 FT/LBS	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	5000 LBS	2268 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544KG
Winch	1800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	24"	61 CM

GTD200 & GTD205 TANDEM AXLE TRAILER

	US	Metric
Trailer length	22'	6.71 M
Trailer length w/ Tongue Folded	19' 10"	6.05 M
Width	8' 6"	2.591 M
Trailer Empty weight w/spare	1019 LBS	462.2 KG
Carrying Capacity	5981 LBS	2713 KG
GVWR (Gross Vehicle Weight Rating)	7000 LBS	3175 KG
GAWR (Gross Axle Weight Rating)	7000 LBS	3175 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity each (Standard)	1760 LBS	798 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3500 LBS	1588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544 KG
Winch	1800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	21"	53.3 CM

GT207 & GTS207 SINGLE AXLE TRAILER INCLUDES GT207 & GTS207 TRAILER

	US	Metric
Trailer length	22' 8"	6.909 M
Trailer length w/ Tongue Folded	20' 6"	6.248 M
Width	8' 6"	2.591 M
Trailer Empty weight w/spare	910 LBS	413 KG
Carrying Capacity	3539 LBS	1606 KG
GVWR (Gross Vehicle Weight Rating)	4400 LBS	1996 KG
GAWR (Gross Axle Weight Rating)	4400LBS	1996 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Pressure (standard)	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2540 LBS	1152 KG
Lug Nut Torque	90-120 FT/LBS	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	4400 LBS	1996 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544KG
Winch	1800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	24"	61 CM

GT225 & GT229 TANDEM AXLE TRAILER

INCLUDES GT225, GTS 225, GT229 & GTS229 TRAILER

	US	Metric
Trailer length	22' 8"	6.909 M
Trailer length w/ Tongue Folded	21' 6"	7.061 M
Width	8' 6"	2.591 M
Trailer Empty weight w/spare	1095 LBS	497 KG
Carrying Capacity	5905 LBS	2678 KG
GVWR (Gross Vehicle Weight Rating)	7000 LBS	3175 KG
GAWR (Gross Axle Weight Rating)	7000 LBS	3175 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity (Standard)	1760 LBS	798 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 LBS	1588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544KG
Winch	2600 LBS	1179 KG
Ball Size	2"	5 CM
Ball Towing Height	21"	53.3 CM

GT240 & GTS245 TANDEM AXLE TRAILER

INCLUDES GT240, GTS240, GT245 & GTS245 TRAILER

	US	Metric
Trailer length w/ Tongue	26' 3"	7.874 M
Trailer length w/ Tongue Folded	21' 4"	6.502 M
Width	8' 6"	2.59 M
Empty weight w/spare	1420 LBS	644 KG
Carrying Capacity	8380 LBS	3801 KG
GVWR (Gross Vehicle Weight Rating)	9800 LBS	4445 KG
GAWR (Gross Axle Weight Rating)	10000 LBS	4535 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Pressure	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2540 LBS	1152 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	5000 LBS	2268 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1500 LBS	680 KG
Winch	2600 LBS	1179 KG
Ball Size	2 5/16"	6 CM
Ball Towing Height	24.5"	62.23 CM

GTD220 TANDEM AXLE TRAILER

	US	Metric
Trailer length	24' 2"	7.366 M
Trailer length w/ Tongue Folded	21' 6"	7.061 M
Width	8' 6"	2.591 M
Trailer Empty weight w/spare	1095 LBS	497 KG
Carrying Capacity	5905 LBS	2678 KG
GVWR (Gross Vehicle Weight Rating)	7000 LBS	3175 KG
GAWR (Gross Axle Weight Rating)	7000 LBS	3175 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Pressure (standard)	50 PSI COLD	350 KPA COLD
Tire Capacity (Standard)	1760 LBS	798 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3500 LBS	1588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	CHROME	CHROME
Jack Capacity	1200 LBS	544KG
Winch	2600 LBS	1179 KG
Ball Size	2"	5 CM
Ball Towing Height	21"	53.3 CM

GS259 TANDEM AXLE TRAILER

INCLUDES GS259 & GS259 OB TRAILER

	US	Metric
Trailer length w/ Tongue	27' 7"	8.4 M
Trailer length w/ Tongue Folded	22' 8"	6.9 M
Width	8' 6"	2.59 M
Empty weight w/spare	1599 LBS	725.3 KG
Carrying Capacity	8201 LBS	3720 KG
GVWR (Gross Vehicle Weight Rating)	9800 LBS	4445 KG
GAWR (Gross Axle Weight Rating)	10000 LBS	4535 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Pressure	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2,540 LBS	1152 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	5000 LBS	2268 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1500 LBS	680 KG
Winch	2600 LBS	1179 KG
Ball Size	2 5/16"	6 CM
Ball Towing Height	24.5"	62.23 CM

WINNING EDGE NORTH AMERICAN OWNER PROTECTION PLAN

2018 LIMITED WARRANTY FIBERGLASS BOATS AND TRAILERS

Rec Boat Holdings, LLC dba Glastron ("Glastron") warrants to you, the first North American retail purchaser of this 2018 model year Glastron boat and/or trailer or a second North American retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Glastron, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Glastron boat and/or trailer constitutes your acceptance of the terms of this limited warranty. This limited warranty gives you specific legal rights and you may have other rights which may vary from state to state.

This limited warranty is the sole and exclusive express warranty from Glastron regarding your 2018 Glastron boat and/or trailer and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Glastron, unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.

Coverage Under This Limited Warranty

Trailer Limited Warranty: The limited warranty period runs for one (1) year for defects in trailer components, except as noted below.

Exterior Cosmetic Gel Coat Limited Warranty: The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below. (\$100 deductible per warranty claim for years 2 & 3).

Non-Structural Parts And Components Limited Warranty: The limited warranty period runs for three (3) years for defects in the boat's non-structural parts and components, except as noted below.

Osmotic Hull Blister Limited Warranty: The limited warranty period to the first North American retail purchaser runs for five (5) years, except as noted below, for osmotic Hull (defined below) blisters on the boat, which are defined as blisters larger than 1/8" diameter and with a depth of 1/16" or greater, which occur on the boat Hull below the waterline. This limited warranty is not transferable to a second North American retail purchaser.

If the boat is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period, this limited warranty will only apply if a marine barrier coating with proper surface preparation is applied to the boat Hull before it is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period.

In the event of osmotic blistering, Glastron must approve of any repairs, and their method and cost, **before** the repairs are performed, for this limited warranty to apply. Once any repairs are completed, a marine barrier coating will be applied to the affected Hull surface area(s).

Repairs under this osmotic Hull blister limited warranty are limited to one time. Any repair costs covered under this limited warranty are limited to labor and materials only. They will be paid on a prorated basis, according to the schedule outlined below. The repair costs cannot exceed \$150 (US) per foot of boat length prior to the prorating outlined below:

Osmotic Hull blistering reported to Glastron:	Amount of repair costs paid:
Less than two (2) years from date of delivery	100%
Two (2) to less than three (3) years from date of delivery	75%
Three (3) to less than four (4) years from date of delivery	50%
Four (4) to five (5) years from date of delivery	25%

Structural Hull Or Deck Limited Warranty: The limited warranty period to the first North American retail purchaser runs for the duration of the first North American retail purchaser's period of ownership for Structural Hull or Deck Defects (defined below), except as noted below. The limited warranty period to the second (if applicable) North American retail purchaser runs for ten (10) years for Structural Hull or Deck Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structural within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale) and the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale). A "Structural Hull or Deck Defect" shall mean a substantial defect in the boat's Hull or Deck, which causes the boat to be unfit or unsafe for use as a pleasure craft under normal operating conditions.

The applicable limited warranty period, for both the First and Second (if applicable) North American retail purchasers, runs from the date of delivery of the boat and/or trailer to the first North American retail purchaser, provided that the boat and/or trailer is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat and/or trailer delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat and/or trailer was delivered to that purchaser. For a boat and/or trailer delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat and/or trailer with photos to Glastron before delivery of the boat and/or trailer to that purchaser; Glastron will then determine and advise what limited warranty coverage remains in effect on the boat and/or the trailer, if any. For a boat and/or trailer delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranty on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

Certain portions of this limited warranty, as noted above, extend only to the first North American retail purchaser. Other portions of this limited warranty, as noted above, may be transferred to a second North American retail purchaser, if the transfer occurs within five (5) years of the boat's and/or trailer's sale to the first North American retail purchaser, for a non-refundable recording fee of \$300 (US), provided the second North American retail purchaser purchases the boat and/or trailer from the first North American retail purchaser or an authorized Glastron dealer. To transfer the limited warranty, the second North American retail purchaser or the authorized Glastron dealer must send to Glastron, within fifteen (15) days of the boat's and/or trailer's purchase, at the address noted below, the: 1) first North American retail purchaser's plastic registration card, if available; 2) proof of the purchase; and 3) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Glastron. This limited warranty may only be transferred once. Glastron will confirm all limited warranty transfers, in writing, to the authorized Glastron dealer and/or second North American retail purchaser via email. Glastron reserves the right to reject a limited warranty

transfer request for a Glastron boat and/or trailer that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat and/or trailer purchased from any party other than an authorized Glastron dealer or the first North American retail purchaser.
2. A boat and/or trailer, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Glastron, or a boat and/or a trailer that has been salvaged, declared a total loss or a constructive total loss for any reason not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats or trailers that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, jet pumps, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Glastron, whether or not they are warranted by other manufacturers. **Note: it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components. Note: dealers are expected to properly represent the engine brands offered in ordered units through service training certification, parts support, warranty access, etc.**
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. The original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-instatement of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the U.S. Coast Guard Capacity Plate.
12. Any boat and/or a trailer that has been misused or used in a negligent manner; a boat that has been used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instruction furnished by Glastron; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local, Coast Guard or other governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage to a boat resulting from failure to use a lower unit support device when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat and/or trailer for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.

16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Glastron.
19. Any defect that results in the redesign of the Glastron boat and/or trailer.
20. Trailer tires, paint or Gatorhyde defects caused by fading, peeling, chipping, scratches or rusting attributed to normal use.

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT GLASTRON'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. GLASTRON EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES, OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period allowed under applicable law, whichever is earlier.

PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION

Prior to delivering a new Glastron boat and/or trailer to the first North American retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first North American retail purchaser. After completion of the necessary pre-delivery services, the first North American retail purchaser must sign the Glastron limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat and/or trailer unless these forms are completed, signed and returned to Glastron at the address indicated below, or via an authorized Glastron dealer's online dealer extranet. All information received by Glastron via the limited warranty registration or transfer process shall be the property of Glastron, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Glastron's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Glastron. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Glastron by sending a written request to: Glastron Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY

The authorized Glastron dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Glastron factory, or at another repair facility approved by Glastron. You are responsible for the expense associated with transporting the boat and/or trailer to and from the repair facility. Glastron must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat and/or trailer, including any alleged defective part, to an authorized Glastron dealer and present the Owner's Registration Card. If necessary, you should call Glastron

for assistance to locate the nearest Glastron dealer in your area. The following procedures will apply to a limited warranty claim:

- A. The dealer will contact and receive an authorization number from Glastron for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Glastron limited warranty claim form if the claim is not submitted through the Glastron extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Glastron dealer will be responsible for choosing a qualified and reputable repair facility and the authorized **Glastron Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Glastron dealer must submit a written estimate to Glastron's claims department to obtain written pre-authorization (including a claim authorization number).** Glastron will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Glastron will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Glastron. Any questions concerning the scope of this limited warranty should be directed to Glastron. The terms and conditions contained in this limited warranty may not be modified, altered, or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Glastron. Glastron does not authorize any person or persons (except a senior management level employee of Glastron), including Glastron dealers, to change the terms of this limited warranty. (Note that your authorized Glastron dealer is an independent business, authorized to sell and service Glastron products, but is not an agent of Glastron). Glastron reserves the right to change or improve the design or manufacture of Glastron boats and/or trailers without obligation to modify any boat and/or trailer previously manufactured.

Glastron
925 Frisbie Street
Cadillac, MI 49601
Telephone: (231) 775-1351

WINNING EDGE INTERNATIONAL OWNER PROTECTION PLAN

2018 LIMITED WARRANTY FIBERGLASS BOATS

Rec Boat Holdings, LLC dba Glastron ("Glastron") warrants to you, the first International retail purchaser of this 2018 model year Glastron boat or a second International retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Glastron, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Glastron boat constitutes your acceptance of the terms of this limited warranty.

This limited warranty is the sole and exclusive express warranty from Glastron regarding your 2018 Glastron boat, and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Glastron, unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Retail purchasers in the European Union (EU) may have legal rights under applicable national legislation and the Consumers Protective Directive 1999/44/EC of the European Parliament and of the Council of 25 May 1999, governing the sale of consumer goods, which are not affected by this limited warranty. Retail purchasers in other countries may also have legal rights which are not affected by this limited warranty.

Coverage Under This Limited Warranty

Exterior Cosmetic Gel Coat Limited Warranty: The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

Non-Structural Parts And Components Limited Warranty: The limited warranty period runs for one (1) year for defects in non-structural parts and components, except as noted below.

Osmotic Hull Blister Limited Warranty: The limited warranty period to the first International retail purchaser runs for five (5) years, except as noted below, for osmotic Hull (defined below) blisters, which are defined as blisters larger than 1/8" diameter and with a depth of 1/16" or greater, which occur on the boat Hull below the waterline. This limited warranty is not transferrable to a second International retail purchaser.

If the boat is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period, this limited warranty will only apply if a marine barrier coating with proper surface preparation is applied to the boat Hull before it is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period.

In the event of osmotic blistering, Glastron must approve of any repairs, and their method and cost, before the repairs are performed, for this limited warranty to apply. Once any repairs are completed, a marine barrier coating will be applied to the affected Hull surface area(s).

Repairs under this osmotic Hull blister limited warranty are limited to one time. Any repair costs covered under this limited warranty are limited to labor and materials only. They will be paid on a prorated basis, according to the schedule outlined below. The repair costs cannot exceed \$150 (US) per foot of boat length prior to the prorating outlined below:

Osmotic Hull blistering reported to Glastron:	Amount of repair costs paid:
Less than two (2) years from date of delivery	100%
Two (2) to less than three (3) years from date of delivery	75%
Three (3) to less than four (4) years from date of delivery	50%
Four (4) to five (5) years from date of delivery	25%

Structural Hull Or Deck Component Limited Warranty: The limited warranty period to the first International retail purchaser runs for the duration of the first International retail purchaser's period of ownership for Structural Hull or Deck Defects (defined below), except as noted below. The limited warranty period to the second (if applicable) International retail purchaser runs for ten (10) years for Structural Hull or Deck Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structural within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale) and the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale). A "Structural Hull or Deck Defect" shall mean a substantial defect in the boat's Hull or Deck, which causes the boat to be unsafe or unfit for use as a pleasure craft under normal operating conditions.

The applicable limited warranty period, for both the first and second (if applicable) International retail purchasers, runs from the date of delivery of the boat to the first International retail purchaser, provided that the boat is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat was delivered to that purchaser. For a boat delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat with photos to Glastron before delivery of the boat to the first International retail purchaser; Glastron will then determine and advise what limited warranty coverage remains in effect on the boat, if any. For a boat delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranty on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

Certain portions of this limited warranty, as noted above, extend only to the first International retail purchaser. Other portions of this limited warranty, as noted above, may be transferred to a second International retail purchaser, if the transfer occurs within five (5) years of the boat's sale to the first International retail purchaser, for a non-refundable recording fee of \$300 (US), provided the second International retail purchaser purchases the boat from the first International retail purchaser or an authorized Glastron dealer. To transfer the limited warranty, the second International retail purchaser or the authorized Glastron dealer must send to Glastron, within fifteen (15) days of the boat's purchase, at the address noted below, the: 1) first International retail purchaser's plastic registration card, if available; 2) proof of the purchase; and 3) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Glastron. This limited warranty may only be transferred once. Glastron will confirm all limited warranty transfers, in writing, to the authorized Glastron dealer and/or second International retail purchaser via email. Glastron reserves the right to reject a limited warranty transfer request for a Glastron boat that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat purchased from any party other than an authorized Glastron dealer or the first International retail purchaser.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Glastron, or a boat that has been salvaged, declared a total loss or a constructive total loss for any reason not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, jet pumps, outdrives, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Glastron, whether or not they are warranted by other manufacturers. **Note: it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components. Note: dealers are expected to properly represent the engine brands offered in ordered units through service training, parts support, warranty access, etc.**
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. The original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-instatement of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the Capacity Plate.
12. Any boat that has been misused or used in a negligent manner; that has been used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instruction furnished by Glastron; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local or governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage to a boat resulting from failure to use a lower unit support device when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing a boat for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.

17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Glastron.
19. Any defect that results in the redesign of the Glastron boat.
20. Trailers.

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT GLASTRON'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. GLASTRON EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period of time allowed under applicable law. Any claim by a retail purchaser in the EU that the boat was nonconforming at the time of delivery must be made within two (2) years from the date of delivery.

PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION

Prior to delivering a new Glastron boat to the first International retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first International retail purchaser. After completion of the necessary pre-delivery services, the first International retail purchaser must sign the Glastron limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat unless these forms are completed, signed and returned to Glastron at the address indicated below, or via an authorized Glastron dealer's online dealer extranet. All information received by Glastron via the limited warranty registration or transfer process shall be the property of Glastron, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Glastron's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Glastron. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Glastron by sending a written request to: Glastron Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY

The authorized Glastron dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Glastron factory, or at another repair facility approved by Glastron. You are responsible for the expense associated with transporting the boat to and from the repair facility. Glastron must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat, including any alleged defective part, to an authorized Glastron dealer and present the Owner's Registration Card. If necessary, you should call Glastron for assistance to locate the nearest Glastron dealer in your area. The following procedures will apply to a limited warranty claim:

- A. The dealer will contact and receive an authorization number from Glastron for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Glastron limited warranty claim form if the claim is not submitted through the Glastron extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Glastron dealer will be responsible for choosing a qualified and reputable repair facility and the authorized **Glastron Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Glastron dealer must submit a written estimate to Glastron's claims department to obtain written pre-authorization (including a claim authorization number).** Glastron will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Glastron will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Glastron. Any questions concerning the scope of this limited warranty should be directed to Glastron. The terms and conditions contained in this limited warranty may not be modified, altered, or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Glastron. Glastron does not authorize any person or persons (except a senior management level employee of Glastron), including Glastron dealers, to change the terms of this limited warranty. (Note that your authorized Glastron dealer is an independent business, authorized to sell and service Glastron products, but is not an agent of Glastron). Glastron reserves the right to change or improve the design or manufacture of Glastron boats and/or trailers without obligation to modify any boat and/or trailer previously manufactured.

**Glastron
925 Frisbie Street
Cadillac, MI 49601
Telephone: (231) 775-1351**



925 Frisbie Street | Cadillac, MI 49601
231.775.1351

www.glastron.com

090-3069-18