

GLASTRON//2017

PRODUCT INFORMATION GUIDE





TABLE OF CONTENTS

| | |
|--------------------------------|--------------|
| THE GLASTRON LEGACY | 2 |
| 60 years of Leadership | |
| GLASTRON PERFORMANCE | 3 |
| Outperforming the Competition | |
| LEGENDARY SSV HULL | 4 |
| SSV Hull Design | |
| ENGINE OFFERINGS | 5 |
| Engine/Power Choices | |
| MODEL DESIGNATOR KEY | 6 |
| Model Labeling | |
| GT180 | 8–11 |
| GT180, GTS180, GTSF180 | |
| GT185 | 12–16 |
| GTX185, GT185, GTS185, GTSF185 | |
| GT187 | 18–20 |
| GT187, GTS187 | |
| GT200 | 22–25 |
| GT200, GTS200, GTSF200 | |
| GT205 | 26–29 |
| GT205, GTS205, GTSF205 | |
| GT207 | 30–32 |
| GT207, GTS207 | |
| GT 225 | 34–36 |
| GT225, GTS225 | |
| GT229 | 38–40 |
| GT229, GTS229 | |
| GT240 | 42–44 |
| GT240, GTS240 | |
| GT245 | 46–48 |
| GT245, GTS245 | |
| GS259 | 50–52 |
| TRAILERS | 54–61 |
| WARRANTY | 62–69 |

Over 60 Years of Leadership

A PROMINENT PAST

Glastron has been building boats for 60 years—a milestone only a few companies have achieved. During that time, they have built nearly half a million fiberglass boats.

ADVANCED ENGINEERING

More than any other manufacturer, Glastron has a legacy of unprecedented product innovations and technological breakthroughs. Amongst them:

- › THE DEEP-VEE HULL
- › THE TRI-HULL
- › TWO-TONE GRAPHICS
- › STERNDRIVE-POWERED BOATS
- › THE SSV HULL
- › FIBERGLASS STRINGER SYSTEMS

SUPERSTARS OF THE WATER


More than a few well-known people have owned Glastron boats over the years, from President Lyndon Johnson to England's Royal Family, to Elvis Presley. Glastron boats also appeared in numerous movies and TV shows.

Glastron was James Bond's boat of choice in Live and Let Die and Moonraker.

THE LEGENDARY SWEEP SPEAR

The Glastron "**Sweep Spear**" is the most well-known icon in boating, it's the marine industries equivalent to the Nike "swoosh"

OUTPERFORMING THE COMPETITION



Throughout the company's 60 years, its focus has been on designing and building boats that provide a great overall family boating experience. The company has always managed to stay ahead of other

companies in building boats that possess **three** distinct Glastron qualities:

- › ADVANCED TECHNOLOGY
- › HIGHLY FUNCTIONAL, FAMILY-FRIENDLY DESIGNS
- › OUTSTANDING PERFORMANCE

Every Glastron model delivers performance attributes that every family boater can appreciate:

- › QUICK PLANING TIMES
- › MINIMAL BOWRISE
- › IMPRESSIVE TOP SPEEDS
- › LOW MINIMUM PLANING SPEEDS (IMPORTANT FOR WAKESPORTS)
- › AGILE HANDLING
- › EXCELLENT FUEL ECONOMY

SSV Hull Design

YEARS OF UNSATURATED DOMINANCE

The legendary SSV(Super Stable Vee®) hull design is the biggest reason why Glastron boats perform so well. It's quick to plane (with minimal bowrise), stable at high speeds and tracks tight in the turns.

The SSV hull's light weight and hydrodynamic efficiency results in another big advantage—excellent fuel economy.



The SSV hull features tuned strakes molded longitudinally into the hull. They form a series of horizontal planing surfaces that create lift by deflecting spray down and away from the hull—a key reason why Glastron boats get on plane so quickly.



Under power, the SSV hull's wide reverse chines create a "bank" of water for added lift and precise, stable turning. Boats without them have a flatter running surface that results in a more jarring ride with a tendency to slide in turns. On most boat hulls, the chines diminish in the forward half of the hull. In comparison, the SSV hull's wide chines extend far forward. These extended chines reduce rocking from side-to-side and front-to-back by acting as sponsons when the boat is at rest.

Glastron's SSV hull is patented; only Glastron has it. So no matter what other manufacturers tell you, they don't have an SSV hull.

Engine/Power Choices

POWER COMES WITH CHOICE

Glastron continues to offer preferred engine choices for our customers. Unlike other boat manufacturers that offer just one brand of engine, Glastron offers a wide range power offerings to ensure our customers purchase the engine that best suits their needs.

Outboard Brand Offerings From:



Sterndrive Brand Offerings From:



Jetdrive Brand Offerings From:



INCLUDES GT180, GTS180, GTSF180

| SPECIFICATIONS | US | METRIC |
|--|----------|--------|
| LOA | 17'10" | 5.44 m |
| Beam | 7'5" | 2.26 m |
| Fuel Capacity | 24 gal | 91 L |
| Draft (drive up) | 14" | 36 cm |
| Draft (drive down) | 30" | 76 cm |
| Maximum Capacity | 1800 lbs | 816 kg |
| Persons Capacity | 8 | 7 |
| Approx. Boat & Engine Weight | 2010 lbs | 912 kg |
| Trailer Weight | 639 lbs | 290 kg |
| Deadrise | 20° | 20° |
| Storage Length on Trailer | 21'5" | 6.53 m |
| Bridge Clearance | 3'10" | 1.17 m |
| Bridge Clearance with Arch/Tower | 6'9" | 2.06 m |
| Total Height | 4'10" | 1.47 m |
| Total Height on Trailer | 6'4" | 1.93 m |
| Total Height on Trailer w/Wakeboard Tower Dn | 7'1" | 2.16 m |
| Total Height on Trailer w/Wakeboard Tower Up | 9'4" | 2.85 m |

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

| Model | Eng. Type | Boat | Eng. | Fuel | Access. | Trail Wt. |
|------------|-------------|------|------|------|---------|-----------|
| GT 180 LBS | Merc 115 4S | 1600 | 400 | 144 | 100 | 639 |
| GT 180 KG | Merc 115 4S | 726 | 181 | 65 | 45 | 290 |

PERFORMANCE

| Power hp (kw) | Propeller (Dia x Pitch) | | Type | Top Speed | | Cruise Range | |
|--------------------------------|-------------------------|---------|------|-----------|-------|--------------|-----|
| | IN | CM | | MPH | KPH | MI | KM |
| EV 90 E-TEC 90 hp (67kw) | 13 1/4 X 17 | 34 X 43 | AL | 38-41 | 61-66 | 110 | 180 |
| EV 115 E-TEC 115 hp (86kw) | 13 1/4 X 17 | 34 X 43 | AL | 41-44 | 66-71 | 110 | 180 |
| EV 135 HO E-TEC 135 hp (101kw) | 14.8 x 17 | 38 X 43 | AL | 44-47 | 71-76 | 110 | 180 |
| EV 150 E-TEC 150 hp (112kw) | 14.8 x 17 | 38 X 43 | AL | 45-48 | 72-77 | 110 | 180 |
| Merc 90 Opti 90 hp (67kw) | 13 1/4 X 17 | 34 X 43 | AL | 38-41 | 61-66 | 110 | 180 |
| Merc 115 4S 115 hp (86kw) | 13 1/4 X 17 | 34 X 43 | AL | 41-44 | 66-71 | 120 | 190 |
| Merc 150 4S 150 hp (112kw) | 14 1/2 19 | 37 X 48 | AL | 47-50 | 76-81 | 120 | 190 |
| Yam F90 90 hp (67kw) | 13 1/4 X 17 | 34 X 43 | AL | 38-41 | 61-66 | 110 | 180 |
| Yam F115 115 hp (86kw) | 13 1/4 X 17 | 34 X 43 | AL | 41-44 | 66-71 | 110 | 180 |
| Yam F150 150 hp (112kw) | 14 X 19 | 36 X 48 | AL | 47-50 | 76-81 | 120 | 190 |

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform(s), integrated, skid-resistant
surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Cooler, built-in, under bench seat
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
Interior, choice of Cognac, Black & White, or
White & Savannah Sand
Seating, comfort ride bucket seats (2)
port and starboard, adjustable
Seating, full-width bench seat, storage
beneath
Ski locker, in-floor, molded fiberglass finish,
w/mat
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and
Bluetooth® Connectivity
Speakers, 2

TRAILER

Glastron custom-matched trailer, single axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

SSV® gel scheme
Swim platform mat(s)
Side windshield wings

TOW SPORTS

Ski tow pylon
Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
Cockpit carpet, Tundra
Cockpit Reed Mat, Dune or Ash
Flip-up bucket seat(s)

HELM

Hydraulic tilt steering
(outboard only, std on 150 hp and up)

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Evinrude® outboard 90 – 150 hp
Mercury® outboard 90 – 150 hp
Yamaha® outboard 90 – 150 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Care cover (black)
Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
GTS gel scheme & graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid black vinyl with chrome insert
SSV® hull
Swim platform mat(s)
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Cooler, built-in, under bench seat
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
GTS cockpit interior
Seating, comfort ride bucket seats (2)
port and starboard, adjustable
Seating, full-width bench seat, storage beneath
Ski locker, in-floor, molded fiberglass finish, w/mat
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom GTS gauges, fog resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity
Speakers 1 2

TRAILER

Glastron custom-matched trailer, single axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Side windshield wings

TOW SPORTS

Ski tow pylon
Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
Cockpit carpet, Tundra
Flip-up bucket seat(s)

HELM

Hydraulic tilt steering
(outboard only, std on 150 hp and up)

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

| | |
|--------------------|-------------|
| Evinrude® outboard | 90 – 150 hp |
| Mercury® outboard | 90 – 150 hp |
| Yamaha® outboard | 90 – 150 hp |

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Care cover (black)
Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
SSV® gel scheme
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Trolling motor, 12 volt
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield

COCKPIT

Aerated live well
Assist handles, synthetic
Beverage holders, synthetic
Bow casting platform
Bow seats with storage & seat latch
Built-in cockpit side storage
Casting seats
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
Interior, choice of Black & White, or White & Savannah Sand
Rod holders & Rod Storage
Removable Bow & Stern Cushions
Seating, comfort ride bucket seats (2)
port and starboard, adjustable
Seating, full-width bench seat, storage beneath
Ski locker, in-floor, molded fiberglass finish, w/mat
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity
Speakers, 2

TRAILER

Glastron custom-matched trailer, single axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Ski/Fish graphics
Trolling Motor, 12 volt, delete
Trolling motor, 24 volt
Trolling Motor, Pre-Rig, 24 volt
Side windshield wings

TOW SPORTS

Ski tow pylon
Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
*(Inc. fishing seat fill-in)
Cockpit carpet, Tundra
Flip-up bucket seat(s)

HELM

Fish Finder
Hydraulic tilt steering
(outboard only, std on 150 hp and up)
Steering wheel, upgrade

ENGINE / SYSTEMS / DRIVE

Battery Charger

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

| | |
|--------------------|-------------|
| Evinrude® outboard | 90 – 150 hp |
| Mercury® outboard | 90 – 150 hp |
| Yamaha® outboard | 90 – 150 hp |

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

INCLUDES GTX185, GT185, GTS185, GTSF185

SPECIFICATIONS

| | US | METRIC |
|--|-----------------|---------|
| LOA | 18'0" | 5.49 m |
| LOA w/Extended Swim Platform | 19'6" | 5.95 m |
| Beam | 7'5" | 2.26 m |
| Fuel Capacity | 24 gal | 91 L |
| Draft (drive up) | 16" | 41 cm |
| Draft (drive down) | 33" | 84 cm |
| Maximum Capacity | 1200 lbs | 544 kg |
| Persons Capacity | 8 | 6 |
| Approx. Boat & Engine Weight | 2470 lbs | 1120 kg |
| Trailer Weight | 861 lbs | 390 kg |
| Deadrise | 20° | 20° |
| Storage Length on Trailer | 20'9" | 9.33 m |
| Storage Length on Trailer w/Extended Swim | 20'9" | 9.33 m |
| Bridge Clearance | 3'9" | 1.14 m |
| Bridge Clearance with Arch/Tower | 6'8" | 2.03 m |
| Total Height | 4'10" | 1.47 m |
| Total Height on Trailer | 6'4" | 1.93 m |
| Total Height on Trailer w/Wakeboard Tower Dn | 7'1" | 2.16 m |
| Total Height on Trailer w/Wakeboard Tower Up | 9'4" | 2.85 m |

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

| Model | Eng. Type | Boat | Eng. | Fuel | Access. | Trail Wt. |
|-------------------|---------------------|-------------|------------|------------|------------|------------|
| GT 185 LBS | VP V6-240/SX | 1590 | 910 | 144 | 100 | 861 |
| GT 185 KG | VP V6-240/SX | 721 | 413 | 65 | 45 | 390 |

PERFORMANCE

| Power hp (kw) | Propeller (Dia x Pitch) | | Type | Top Speed | | Cruise Range | |
|-------------------------|-------------------------|---------|------|--------------|---------|--------------|-----|
| | IN | CM | | MPH | KPH | MI | KM |
| MC 4.5L 200/A (149kw) | 14 1/4 X 21 | 36 X 53 | AL | 48-51 | 77-82 | 95 | 155 |
| MC 4.5L 250/A (186kw) | 14 1/2 x 19 | 37 x 48 | AL | 51-54 | 84 - 89 | 95 | 155 |
| VP V6-200/DI/SX (149kw) | 14 1/4 X 23 | 36 X 58 | AL | 48-51 | 77-82 | 100 | 161 |
| VP V6-240/DI/SX (179kw) | 14 1/4 X 23 | 36 X 58 | AL | 51-54 | 84 - 89 | 100 | 161 |

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform(s), integrated, skid-resistant
surface
Ladder, stainless steel
Windshield, roadster style, exclusive design
Walk-thru windshield

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Assist handles, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Fiberglass floor w/built-in footrests & drains
Glove box
Seating, comfort ride bucket seats (2)
port and starboard, adjustable
Seating, full-width bench seat, storage
beneath
Ski locker, in-floor, molded fiberglass finish
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

TRAILER

Glastron custom-matched trailer, single axle
Drum brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Side windshield wings

COCKPIT

Cockpit carpet, Tundra
Flip-up bucket seat(s)

HELM

Tilt steering

ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

ENTERTAINMENT

Stereo, Kicker®, 2 speakers, MP3 adapter

POWER

Volvo Penta® sterndrive 200 hp
MerCruiser® sterndrive 200 hp

TRAILER

Spare tire & wheel
Trailer delete

CANVAS

Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform(s), integrated, skid-resistant
surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Cooler, built-in, under bench seat
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
Interior, choice of Cognac, Black & White, or
White & Savannah Sand
Seating, comfort ride bucket seats (2)
port and starboard, adjustable
Seating, full-width bench seat, storage
beneath
Ski locker, in-floor, molded fiberglass finish,
w/mat
Sundeck, aft converts to chaise lounge
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and
Bluetooth® Connectivity
Speakers, 2

TRAILER

Glastron custom-matched trailer, single axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

SSV® gel scheme
Swim platform mat(s)
Swim platform(s), integrated, skid-resistant
surface
Swim platform extended, mat
Swim platform, extended low-profile
Side windshield wings

TOW SPORTS

Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
Cockpit carpet, Tundra
Cockpit Reed Mat, Dune or Ash
Flip-up bucket seat(s)

HELM

Steering wheel, upgrade

ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive 200 – 240 hp
MerCruiser® sterndrive 200 – 250 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Care cover (black)
Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
GTS gel scheme & graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid black vinyl with chrome insert
SSV® hull
Swim platform mat(s)
Swim platform(s), integrated, skid-resistant
surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Cooler, built-in, under bench seat
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
GTS cockpit interior
Seating, comfort ride bucket seats (2)
port and starboard, adjustable
Seating, full-width bench seat, storage
beneath
Ski locker, in-floor, molded fiberglass finish,
w/mat
Sundeck, aft converts to chaise lounge
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom GTS gauges, fog resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and
Bluetooth® Connectivity
Speakers 2

TRAILER

Glastron custom-matched trailer, single axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Swim platform, extended low-profile
Side windshield wings

TOW SPORTS

Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
Cockpit carpet, Tundra
Flip-up bucket seat(s)

ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive 200 – 240 hp
MerCruiser® sterndrive 200 – 250 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Care cover (black)
Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
SSV® gel scheme
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform(s), integrated, skid-resistant
surface
Ladder, stainless steel
Trolling motor, 12 volt
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aerated live well
Assist handles, synthetic
Beverage holders, synthetic
Bow casting platform
Bow seats with storage & seat latch
Built-in cockpit side storage
Casting seats
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
Interior, choice of Black & White, or
White & Savannah Sand
Rod holders & Rod Storage
Removable Bow & Stern Cushions
Seating, comfort ride bucket seats (2)
port and starboard, adjustable
Seating, full-width bench seat, storage
beneath
Ski locker, in-floor, molded fiberglass finish,
w/mat
Sundeck, aft, converts to casting platform
(sterndrive only)
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and
Bluetooth® Connectivity
Speakers, 2

TRAILER

Glastron custom-matched trailer, single axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Ski/Fish graphics
Swim platform mat(s)
Swim platform extended, mat
Swim platform, extended low-profile
Trolling Motor, 12 volt, delete
Trolling motor, 24 volt
Trolling Motor, Pre-Rig, 24 volt
Side windshield wings

TOW SPORTS

Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
*(Inc. fishing seat fill-in)
Cockpit carpet, Tundra
Flip-up bucket seat(s)

HELM

Fish Finder

ENGINE / SYSTEMS / DRIVE

Battery Charger
Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

| | |
|-------------------------|--------------|
| Volvo Penta® sterndrive | 200 – 240 hp |
| MerCruiser® sterndrive | 200 – 250 hp |

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

NOTES

INCLUDES GT187, GTS187

SPECIFICATIONS

| | US | METRIC |
|--|----------|--------|
| LOA | 19'6" | 5.94 m |
| Beam | 7'5" | 2.26 m |
| Fuel Capacity | 27 gal | 102 L |
| Draft | 14" | 36 cm |
| Maximum Capacity | 1200 lbs | 544 kg |
| Persons Capacity | 8 | 7 |
| Approx. Boat & Engine Weight | 2040 lbs | 925 kg |
| Trailer Weight | 731 lbs | 323 kg |
| Deadrise | 20° | 20° |
| Storage Length on Trailer | 20'9" | 9.33 m |
| Storage Length on Trailer w/Extended Swim | 20'9" | 9.33 m |
| Bridge Clearance | 3'9" | 1.14 m |
| Bridge Clearance with Arch/Tower | 6'8" | 2.03 m |
| Total Height | 4'10" | 1.47 m |
| Total Height on Trailer | 6'4" | 1.93 m |
| Total Height on Trailer w/Wakeboard Tower Dn | 7'1" | 2.16 m |
| Total Height on Trailer w/Wakeboard Tower Up | 9'4" | 2.85 m |

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

| Model | Eng. Type | Boat | Eng. | Fuel | Access. | Trail Wt. |
|-----------|-------------|-------|------|------|---------|-----------|
| GT187 LBS | Rotax 200HP | 1,700 | 430 | 162 | 80 | 731 |
| GT187 KG | Rotax 149KV | 771 | 195 | 73 | 36 | 323 |

PERFORMANCE

| Power hp (kw) | Propeller (Dia x Pitch) | | Type | Top Speed | | Cruise Range | |
|---------------------------------|-------------------------|-----|------|-----------|-------|--------------|-----|
| | IN | CM | | MPH | KPH | MI | KM |
| ROTAX 150/112 1.5L INJECTED | 6.1 | 155 | SST | 33-36 | 53-58 | 85 | 137 |
| ROTAX 200/149 1.5L SUPERCHARGED | 6.26 | 159 | SST | 39-42 | 63-68 | 85 | 137 |
| ROTAX 250/187 1.5L SUPERCHARGED | 6.34 | 161 | SST | 43-46 | 69-74 | 85 | 137 |

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform(s), integrated, skid-resistant surface
Swim platform, extended low-profile
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
Interior, choice of Cognac, Black & White, or White & Savannah Sand
Seating, comfort ride bucket seats (2) port and starboard, adjustable
Seating, full-width bench seat, storage beneath
Ski locker, in-floor, molded fiberglass finish, w/mat
Sundeck, aft converts to chaise lounge
Swim platform lounge seat(s)
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity
Speakers, 2

TRAILER

Glastron custom-matched trailer, single axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

SSV® gel scheme
Swim platform mat(s)
Side windshield wings

TOW SPORTS

Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
Cockpit carpet, Tundra
Cockpit Reed Mat, Dune or Ash
Flip-up bucket seat(s)

HELM

Depth Sounder

ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

1.5 L EFI Rotax® 4-TEC 150 – 250

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Care cover (black)
Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
GTS gel scheme & graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid black vinyl with chrome insert
SSV® hull
Swim platform mat(s)
Swim platform(s), integrated, skid-resistant surface
Swim platform, extended low-profile
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
GTS cockpit interior
Seating, comfort ride bucket seats (2) port and starboard, adjustable
Seating, full-width bench seat, storage beneath
Ski locker, in-floor, molded fiberglass finish, w/mat
Sundeck, aft converts to chaise lounge
Swim platform lounge seat(s)
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom GTS gauges, fog resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity
Speakers, 2

TRAILER

Glastron custom-matched trailer, single axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Side windshield wings

TOW SPORTS

Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
Cockpit carpet, Tundra
Flip-up bucket seat(s)

HELM

Depth Sounder

ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

1.5 L EFI Rotax® 4-TEC 150 – 250

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Care cover (black)
Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

NOTES

INCLUDES GT200, GTS200, GTSF200

| SPECIFICATIONS | US | METRIC |
|--|----------|---------|
| LOA | 20'4" | 6.20 m |
| Beam | 8'0" | 2.24 m |
| Fuel Capacity | 32 gal | 121 L |
| Draft (drive up) | 18" | 46 cm |
| Draft (drive down) | 35" | 89 cm |
| Maximum Capacity | 2200 lbs | 998 kg |
| Persons Capacity | 9 | 7 |
| Approx. Boat & Engine Weight | 2450 lbs | 1110 kg |
| Trailer Weight | 971 lbs | 440 kg |
| Deadrise | 21° | 21° |
| Storage Length on Trailer | 22'3" | 6.78 m |
| Bridge Clearance | 4'0" | 1.22 m |
| Bridge Clearance with Arch/Tower | 6'11" | 2.11 m |
| Total Height | 5'3" | 1.60 m |
| Total Height on Trailer | 6'6" | 1.98 m |
| Total Height on Trailer w/Wakeboard Tower Dn | 7'3" | 2.21 m |
| Total Height on Trailer w/Wakeboard Tower Up | 9'6" | 2.89 m |

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

| Model | Eng. Type | Boat | Eng. | Fuel | Access. | Trail Wt. |
|------------|-------------|------|------|------|---------|-----------|
| GT 200 LBS | Merc 150 4S | 1930 | 460 | 192 | 150 | 971 |
| GT 200 KG | Merc 150 4S | 875 | 209 | 87 | 68 | 440 |

PERFORMANCE

| Power hp (kw) | Propeller (Dia x Pitch) | | Type | Top Speed | | Cruise Range | |
|--------------------------------|-------------------------|---------|------|-----------|-------|--------------|-----|
| | IN | CM | | MPH | KPH | MI | KM |
| EV 135 E-TEC HO/135 hp (101kw) | 14 7/8 X 17 | 38 X 43 | AL | 42-45 | 68-72 | 105 | 170 |
| EV 150 E-TEC/150 hp (112kw) | 14 7/8 X 17 | 38 X 43 | AL | 43-46 | 69-74 | 105 | 170 |
| EV 200 E-TEC/200 hp (149kw) | 14 1/2 X 19 | 37 X 48 | AL | 48-51 | 77-82 | 105 | 170 |
| Merc 150 4S/150 hp (112kw) | 15 X 17 | 38 X 43 | AL | 43-46 | 69-74 | 105 | 170 |
| Merc 200 Verado/200 hp (149kw) | 14 1/2 X 19 | 37 X 48 | AL | 48-51 | 77-82 | 110 | 180 |
| Yam F150XB/150 hp (112kw) | 14 1/4 X 17 | 36 X 43 | AL | 43-46 | 69-74 | 105 | 170 |
| Yam F200XB/200 hp (149kw) | 14 1/2 X 17 | 37 X 43 | AL | 47-50 | 76-80 | 105 | 170 |

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Cooler, built-in, under bench seat
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
Interior, choice of Cognac, Black & White, or
White & Savannah Sand
Seating, aft seating converts to lounge
w/retractable seat
Seating, comfort ride bucket seats (2)
port and starboard, adjustable
Seating, full-width bench seat, storage
beneath
Ski locker, in-floor, molded fiberglass finish,
w/mat
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and
Bluetooth® Connectivity
Speakers, 4

TRAILER

Glastron custom-matched trailer, single axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Docking lights
SSV® gel scheme
Swim platform mat(s)
Underwater lighting

TOW SPORTS

Ski tow pylon
Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
Cockpit carpet, Tundra
Cockpit Reed Mat, Dune or Ash
Flip-up bucket seat(s)

HELM

Hydraulic tilt steering
(outboard only, std on 150 hp and up)
Steering wheel, upgrade

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Evinrude® outboard 135 – 200 hp
Mercury® outboard 135 – 200 hp
Yamaha® outboard 135 – 200 hp

TRAILER

Glastron trailer, tandem axle
Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete
Delete 2nd tandem-axle brakes

CANVAS

Care cover (black)
Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
GTS gel scheme & graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid black vinyl with chrome insert
SSV® hull
Swim platform mat(s)
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Cooler, built-in, under bench seat
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
GTS cockpit interior
Seating, aft seating converts to lounge w/retractable seat
Seating, comfort ride bucket seats (2) port and starboard, adjustable
Seating, full-width bench seat, storage beneath
Ski locker, in-floor, molded fiberglass finish, w/mat
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom GTS gauges, fog resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity
Speakers, 4

TRAILER

Glastron custom-matched trailer, single axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Docking lights
Underwater lighting

TOW SPORTS

Ski tow pylon
Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
Cockpit carpet, Tundra
Flip-up bucket seat(s)

HELM

Hydraulic tilt steering
(outboard only, std on 150 hp and up)

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

| | |
|--------------------|--------------|
| Evinrude® outboard | 135 – 200 hp |
| Mercury® outboard | 135 – 200 hp |
| Yamaha® outboard | 135 – 200 hp |

TRAILER

Glastron trailer, tandem axle
Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete
Delete 2nd tandem-axle brakes

CANVAS

Care cover (black)
Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Beverage stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
SSV® gel scheme
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Trolling motor, 12 volt
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

COCKPIT

Aerated live well
Assist handles, synthetic
Beverage holders, synthetic
Bow casting platform
Bow seats with storage & seat latch
Built-in cockpit side storage
Casting seats
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
Interior, choice of Black & White, or White & Savannah Sand
Rod holders & Rod Storage
Removable Bow & Stern Cushions
Seating, comfort ride bucket seats (2) port and starboard, adjustable
Seating, full-width bench seat, storage beneath
Ski locker, in-floor, molded fiberglass finish, w/mat
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity
Speakers, 4

TRAILER

Glastron custom-matched trailer, single axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Docking lights
Ski/Fish graphics
Fiberglass stringers
Trolling Motor, 12 volt, delete
Trolling motor, 24 volt
Trolling Motor, Pre-Rig, 24 volt
Underwater lighting
Side windshield wings, Delete

TOW SPORTS

Ski tow pylon
Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
*(Inc. fishing seat fill-in)
Cockpit carpet, Tundra
Flip-up bucket seat(s)

HELM

Fish Finder
Hydraulic tilt steering
(outboard only, std on 150 hp and up)
Steering wheel, upgrade

ENGINE / SYSTEMS / DRIVE

Battery Charger

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

| | |
|--------------------|--------------|
| Evinrude® outboard | 135 – 200 hp |
| Mercury® outboard | 135 – 200 hp |
| Yamaha® outboard | 135 – 200 hp |

TRAILER

Glastron trailer, tandem axle
Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete
Delete 2nd tandem-axle brakes

CANVAS

Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

INCLUDES GT205, GTS205, GTSF205

| SPECIFICATIONS | US | METRIC |
|---|-----------------|---------|
| LOA | 20'6" | 6.25 m |
| LOA w/Extended Swim Platform | 23'0" | 7.01 m |
| Beam | 8'0" | 2.44 m |
| Fuel Capacity | 32 gal | 121 L |
| Draft (drive up) | 18" | 46 cm |
| Draft (drive down) | 35" | 89 cm |
| Maximum Capacity | 1500 lbs | 680 kg |
| Persons Capacity | 9 | 7 |
| Approx. Boat & Engine Weight | 3010 lbs | 1370 kg |
| Trailer Weight | 971 lbs | 440 kg |
| Deadrise | 21° | 21° |
| Storage Length on trailer | 23'0" | 7.01 m |
| Storage Length on trailer w/Extended Swim | 23'0" | 7.01 m |
| Bridge Clearance | 4'0" | 1.22 m |
| Bridge Clearance with Arch/Tower | 6'11" | 2.11 m |
| Total Height | 5'3" | 1.60 m |
| Total Height on Trailer | 6'6" | 1.98 m |
| Height on Trailer w/Wakeboard Tower Dn | 7'3" | 2.21 m |
| Height on Trailer w/Wakeboard Tower Up | 9'6" | 2.89 m |

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

| Model | Eng. Type | Boat | Eng. | Fuel | Access. | Trail Wt. |
|-------------------|------------------------|-------------|------------|------------|------------|-------------|
| GT 205 LBS | VP V6-280/DI/SX | 2100 | 910 | 192 | 150 | 1155 |
| GT 205 KG | VP V6-280/DI/SX | 952 | 413 | 87 | 68 | 524 |

PERFORMANCE

| Power hp (kw) | Propeller (Dia x Pitch) | | Type | Top Speed | | Cruise Range | |
|-------------------------|-------------------------|---------|------|--------------|-------|--------------|-----|
| | IN | CM | | MPH | KPH | MI | KM |
| MC 4.5L 200/A (149 kw) | 14 1/2 X 19 | 37 X 48 | AL | 45-48 | 72-77 | 95 | 155 |
| MC 4.5L 250/A (187kw) | 14 1/2 X 19 | 37 X 48 | AL | 49-52 | 79-84 | 95 | 155 |
| MC 6.2L 300/B1 (224kw) | 14 X 19 | 36 x 48 | SST | 54-57 | 87-92 | 95 | 155 |
| VP V6-200/DI/SX (149kw) | 14 1/4 X 21 | 36 X 53 | AL | 45-48 | 72-77 | 105 | 169 |
| VP V6-240/DI/SX (179kw) | 14 1/4 X 21 | 36 X 53 | AL | 48-51 | 77-82 | 105 | 169 |
| VP V6-280/DI/SX (209kw) | 14 1/4 X 21 | 36 X 53 | AL | 52-55 | 84-89 | 105 | 169 |
| VP V8-300/DI/SX (224kw) | 14 1/4 X 21 | 36 X 53 | AL | 54-57 | 87-92 | 105 | 169 |

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Cooler, built-in, under bench seat
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
Interior, choice of Cognac, Black & White, or White & Savannah Sand
Seating, aft seating converts to lounge w/retractable seat
Seating, comfort ride bucket seats (2) port and starboard, adjustable
Seating, full-width bench seat, storage beneath
Ski locker, in-floor, molded fiberglass finish, w/mat
Sundeck, aft converts to chaise lounge
Walk-thru transom
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity
Speakers, 4

TRAILER

Glastron custom-matched trailer, single axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Docking lights
SSV® gel scheme
Swim platform mat(s)
Swim platform extended, mat
Swim platform, extended low-profile
Underwater lighting

TOW SPORTS

Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
Cockpit carpet, Tundra
Cockpit Reed Mat, Dune or Ash
Flip-up bucket seat(s)

HELM

Steering wheel, upgrade

ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive 200 – 300 hp
MerCruiser® sterndrive 200 – 300 hp

TRAILER

Glastron trailer, tandem axle
Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete
Delete 2nd tandem-axle brakes

CANVAS

Care cover (black)
Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
GTS gel scheme & graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid black vinyl with chrome insert
SSV® hull
Swim platform mat(s)
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Cooler, built-in, under bench seat
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
GTS cockpit interior
Seating, aft seating converts to lounge w/retractable seat
Seating, comfort ride bucket seats (2) port and starboard, adjustable
Seating, full-width bench seat, storage beneath
Ski locker, in-floor, molded fiberglass finish, w/mat
Sundeck, aft converts to chaise lounge
Walk-thru transom
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom GTS gauges, fog resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity
Speakers, 4

TRAILER

Glastron custom-matched trailer, single axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Docking lights
Swim platform, extended low-profile
Underwater lighting

TOW SPORTS

Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
Cockpit carpet, Tundra
Flip-up bucket seat(s)

ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

| | |
|-------------------------|--------------|
| Volvo Penta® sterndrive | 200 – 300 hp |
| MerCruiser® sterndrive | 200 – 300 hp |

TRAILER

Glastron trailer, tandem axle
Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete
Delete 2nd tandem-axle brakes

CANVAS

Care cover (black)
Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
SSV® gel scheme
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Trolling motor, 12 volt
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Aerated live well
Assist handles, synthetic
Beverage holders, synthetic
Bow casting platform
Bow seats with storage & seat latch
Built-in cockpit side storage
Casting seats
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
Interior, choice of Black & White, or White & Savannah Sand
Rod holders & Rod Storage
Removable Bow & Stern Cushions
Seating, comfort ride bucket seats (2) port and starboard, adjustable
Seating, full-width bench seat, storage beneath
Ski locker, in-floor, molded fiberglass finish, w/mat
Sundeck, aft, converts to casting platform (sterndrive only)
Walk-thru transom
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity
Speakers, 4

TRAILER

Glastron trailer, tandem axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Docking lights
Ski/Fish graphics
Swim platform mat(s)
Swim platform extended, mat
Swim platform, extended low-profile
Trolling Motor, 12 volt, delete
Trolling motor, 24 volt
Trolling Motor, Pre-Rig, 24 volt
Underwater lighting

TOW SPORTS

Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
*(Inc. fishing seat fill-in)
Cockpit carpet, Tundra
Flip-up bucket seat(s)

HELM

Fish Finder

ENGINE / SYSTEMS / DRIVE

Battery Charger
Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

| | |
|-------------------------|--------------|
| Volvo Penta® sterndrive | 200 – 300 hp |
| MerCruiser® sterndrive | 200 – 300 hp |

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete
Delete 2nd tandem-axle brakes

CANVAS

Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

INCLUDES GT207, GTS207

SPECIFICATIONS

| | US | METRIC |
|--|-----------------|---------|
| LOA | 21'10" | 6.55 m |
| Beam | 8'0" | 2.44 m |
| Fuel Capacity | 49 gal | 185 L |
| Draft | 14" | 36 cm |
| Maximum Capacity | 1500 lbs | 680 kg |
| Persons Capacity | 9 | 7 |
| Approx. Boat & Engine Weight | 2520 lbs | 1140 kg |
| Trailer Weight | 910 lbs | 413 kg |
| Deadrise | 21° | 21° |
| Storage Length on trailer | 23'0" | 7.01 m |
| Storage Length on trailer w/ extended swim | 23'0" | 7.01 m |
| Bridge Clearance | 4'0" | 1.22 m |
| Bridge Clearance with arch/tower | 6'11" | 2.11 m |
| Total Height | 5'3" | 1.6 m |
| Total Height on Trailer | 6'6" | 1.98 m |
| Height on Trailer w/Wakeboard tower Dn | 7'3" | 2.21 m |
| Height on Trailer w/Wakeboard tower Up | 9'6" | 2.89 m |

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

| Model | Eng. Type | Boat | Eng. | Fuel | Access. | Trail Wt. |
|-----------|-------------|-------|------|------|---------|-----------|
| GT207 LBS | ROTAX 250HP | 1,990 | 430 | 186 | 80 | 834 |
| GT207 KG | ROTAX 187KV | 902 | 195 | 84 | 36 | 378 |

PERFORMANCE

| Power hp (kw) | Propeller (Dia x Pitch) Type | | | Top Speed | | Cruise Range | |
|------------------------------------|------------------------------|-----|-----|--------------|-------|--------------|-----|
| | IN | CM | | MPH | KPH | MI | KM |
| ROTAX 200/149 1.5L SUPERCHARGED | 6.26 | 159 | SST | 38-41 | 61-66 | 85 | 130 |
| ROTAX 250/187 1.5L SUPERCHARGED HO | 6.34 | 161 | SST | 41-44 | 66-71 | 85 | 130 |

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and
USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform(s), integrated, skid-resistant
surface
Swim platform, extended low-profile
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
Interior, choice of Cognac, Black & White, or
White & Savannah Sand
Seating, comfort ride bucket seats (2)
port and starboard, adjustable
Seating, U-shaped bench, storage beneath
Ski locker, in-floor, molded fiberglass finish,
w/mat
Sundeck, aft converts to chaise lounge
Swim platform lounge seat(s)
Walk-thru transom
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and
Bluetooth® Connectivity
Speakers, 4

TRAILER

Glastron custom-matched trailer, single axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Docking lights
SSV® gel scheme
Swim platform mat(s)

TOW SPORTS

Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
Cockpit carpet, Tundra
Cockpit Reed Mat, Dune or Ash
Flip-up bucket seat(s)

HELM

Depth Sounder

ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

1.5 L EFI Rotax® 4-TEC 200 – 250

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Care cover (black)
Bimini top w/boat, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS**HULL AND DECK**

Bow and stern eyes, stainless steel
 Cleats, stainless steel
 Engine vents, transom-mounted
 Fiberglass stringers
 GTS gel scheme & graphics
 Horn, concealed
 Meets applicable ABYC, Canadian, ISO and
 USCG Standards, NMMA and CE certified
 Navigational lighting
 Rub rail, rigid black vinyl with chrome insert
 SSV® hull
 Swim platform mat(s)
 Swim platform(s), integrated, skid-resistant
 surface
 Swim platform, extended low-profile
 Ladder, stainless steel
 Two-tone deck
 Windshield, roadster style, exclusive design
 Walk-thru windshield
 Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Assist handles, synthetic
 Beverage holders, synthetic
 Bow seats with storage & seat latch
 Built-in cockpit side storage
 Courtesy light
 Fiberglass floor w/built-in footrests & drains
 Glove box
 GTS cockpit interior
 Seating, comfort ride bucket seats (2)
 port and starboard, adjustable
 Seating, U-shaped bench, storage beneath
 Ski locker, in-floor, molded fiberglass finish,
 w/mat
 Sundeck, aft converts to chaise lounge
 Swim platform lounge seat(s)
 Walk-thru transom
 Water intrusion management system

HELM

Emergency engine shut-off
 Glastron custom GTS gauges, fog resistant
 Steering wheel, non-directional
 Tilt steering
 Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and
 Bluetooth® Connectivity
 Speakers, 4

TRAILER

Glastron custom-matched trailer, single axle
 Disc brakes
 Tongue, swing-away

OPTIONS**HULL AND DECK**

Docking lights

TOW SPORTS

Wakeboard tower, gas assist, Hinging
 Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
 Cockpit carpet, Tundra
 Flip-up bucket seat(s)

HELM

Depth Sounder

ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

1.5 L EFI Rotax® 4-TEC 200 – 250

TRAILER

Galvanized trailer w/GatorHyde finish
 Spare tire & wheel
 Trailer delete

CANVAS

Care cover (black)
 Bimini top w/boot, Sunbrella®
 Bow cover, Sunbrella®
 Cockpit cover, Sunbrella®

PACKAGES

XL Package: (Includes convenience package)
 Flip-up bucket seats (2)
 Snap-in carpet
 Beverage holders, stainless steel
 Speaker covers, stainless steel
 Assist handles, stainless steel
 Cleats, pull-up, stainless steel
 Bow scuff plate

NOTES

INCLUDES GT225, GTS225

| SPECIFICATIONS | US | METRIC |
|--|----------|---------|
| LOA | 22'0" | 6.71 m |
| Beam | 8'4" | 2.54 m |
| Fuel Capacity | 40 gal | 151 L |
| Draft (drive up) | 17" | 43 cm |
| Draft (drive down) | 34" | 86 cm |
| Maximum Capacity | 1800 lbs | 816 kg |
| Persons Capacity | 11 | 9 |
| Approx. Boat & Engine Weight | 3360 lbs | 1520 kg |
| Trailer Weight | 1095 lbs | 497 kg |
| Deadrise | 20° | 20° |
| Storage Length on Trailer | 23'1" | 7.04 m |
| Bridge Clearance | 4'3" | 1.30 m |
| Bridge Clearance with Arch/Tower | 6'3" | 1.90 m |
| Total Height | 5'4" | 1.63 m |
| Total Height on Trailer | 6'10" | 2.08 m |
| Height on Trailer w/Wakeboard Tower Dn | 7'6" | 2.29 m |
| Height on Trailer w/Wakeboard Tower Up | 9'7" | 2.92 m |
| Potable Water | 12 gal | 45 L |

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

| Model | Eng. Type | Boat | Eng. | Fuel | Access. | Trail Wt. |
|------------|-----------------|------|------|------|---------|-----------|
| GT 225 LBS | VP V8-300/DI/DP | 2300 | 1010 | 240 | 150 | 1095 |
| GT 225 KG | VP V8-300/DI/DP | 1040 | 458 | 109 | 68 | 497 |

PERFORMANCE

| Power hp (kw) | Propeller (Dia x Pitch) | | Type | Top Speed | | Cruise Range | |
|---------------------------|-------------------------|---------|------|-----------|-------|--------------|-----|
| | IN | CM | | MPH | KPH | MI | KM |
| MC 4.5 I/A/250 hp (186kw) | 14 1/2 X 19 | 37 X 48 | AL | 41-44 | 66-71 | 125 | 201 |
| MC 6.2L 300/B1 (224kw) | 15 1/2 X 17 | 39 X 43 | SST | 50-53 | 81-85 | 130 | 210 |
| MC 6.2L 300/B3 (224kw) | 24P | 61 | SST | 51-54 | 82-87 | 130 | 210 |
| VP V6-240/DI/SX (179kw) | 14 1/2 X 19 | 37 X 48 | AL | 46-49 | 74-79 | 140 | 225 |
| VP V6-280/DI/SX (209kw) | 14 1/4 X 21 | 36 X 53 | AL | 48-51 | 77-82 | 140 | 225 |
| VP V6-280/DI/DP (209kw) | FH4 | FH4 | SST | 49-52 | 79-84 | 140 | 225 |
| VP V8-300/DI/SX (224kw) | 15 X 17 | 38 X 43 | AL | 50-53 | 81-87 | 130 | 210 |
| VP V8-300/DI/DP (224kw) | FH5 | FH5 | SST | 51-54 | 82-87 | 140 | 225 |

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Anchor locker w/rope storage
Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
Interior, choice of Cognac, Black & White, or White & Savannah Sand
Seating, comfort ride bucket seats (2) port and starboard, adjustable
Seating, U-shaped bench, storage beneath
Ski locker, in-floor, molded fiberglass finish, w/mat
Sundeck, aft converts to chaise lounge
Sundeck, aft, chaise lounge & aft facing seat
Walk-thru transom
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity
Speakers, 4

TRAILER

Glastron trailer, tandem axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Docking lights
SSV® gel scheme
Swim platform mat(s)
Swim platform extended, mat
Swim platform, extended low-profile
Transom shower
Underwater lighting

TOW SPORTS

Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
Cockpit carpet, Tundra
Cockpit Reed Mat, Dune or Ash
Flip-up bucket seat(s)
Table w/mount

HELM

Steering wheel, upgrade

ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive 240 – 300 hp
MerCruiser® sterndrive 220 – 300 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete
Delete 2nd tandem-axle brakes

CANVAS

Care cover (black)
Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Anchor locker w/rope storage
Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
GTS gel scheme & graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid black vinyl with chrome insert
SSV® hull
Swim platform mat(s)
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
GTS cockpit interior
Seating, comfort ride bucket seats (2) port and starboard, adjustable
Seating, U-shaped bench, storage beneath
Ski locker, in-floor, molded fiberglass finish, w/mat
Sundeck, aft converts to chaise lounge
Sundeck, aft, chaise lounge & aft facing seat
Walk-thru transom
Water intrusion management system

HELM

Emergency engine shut-off
Gastron custom GTS gauges, fog resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity
Speakers, 4

TRAILER

Glastron trailer, tandem axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Docking lights
Swim platform, extended low-profile
Transom shower
Underwater lighting

TOW SPORTS

Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
Cockpit carpet, Tundra
Flip-up bucket seat(s)
Table w/mount

ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

| | |
|-------------------------|--------------|
| Volvo Penta® sterndrive | 240 – 300 hp |
| MerCruiser® sterndrive | 220 – 300 hp |

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete
Delete 2nd tandem-axle brakes

CANVAS

Care cover (black)
Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

NOTES

INCLUDES GT229, GTS229

| SPECIFICATIONS | US | METRIC |
|--|----------|---------|
| LOA | 22'0" | 6.71 m |
| Beam | 8'4" | 2.54 m |
| Fuel Capacity | 40 gal | 151 L |
| Draft (drive up) | 17" | 43 cm |
| Draft (drive down) | 34" | 86 cm |
| Maximum Capacity | 1600 lbs | 726 kg |
| Persons Capacity | 9 | 8 |
| Approx. Boat & Engine Weight | 3650 lbs | 1560 kg |
| Trailer Weight | 1095 lbs | 497 kg |
| Deadrise | 20° | 20° |
| Storage Length on Trailer | 23'1" | 7.04 m |
| Bridge Clearance | 4'6" | 1.37 m |
| Bridge Clearance with Arch/Tower | 6'6" | 1.98 m |
| Total Height | 5'7" | 1.70 m |
| Total Height on Trailer | 7'1" | 2.16 m |
| Total Height on Trailer w/Wakeboard Tower Dn | 7'10" | 2.39 m |
| Total Height on Trailer w/Wakeboard Tower Up | 9'6" | 2.90 m |
| Potable Water (standard or optional) | 12 gal | 45 L |

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

| Model | Eng. Type | Boat | Eng. | Fuel | Access. | Trail Wt. |
|------------|-----------------|------|------|------|---------|-----------|
| GT 229 LBS | VP V8-300/DI/DP | 2300 | 1010 | 240 | 150 | 1095 |
| GT 229 KG | VP V8-300/DI/DP | 1040 | 458 | 109 | 68 | 497 |

PERFORMANCE

| Power hp (kw) | Propeller (Dia x Pitch) | | Type | Top Speed | | Cruise Range | |
|--------------------------|-------------------------|---------|------|-----------|-------|--------------|-----|
| | IN | CM | | MPH | KPH | MI | KM |
| MC 4.5 LA/250 hp (186kw) | 14 1/2 X 19 | 37 x 48 | AL | 41-44 | 66-71 | 125 | 201 |
| MC 6.2L 300/B1 (224kw) | 15 1/2 X 17 | 39 X 43 | SST | 50-53 | 81-85 | 130 | 210 |
| MC 6.2L 300/B3 (224kw) | 24P | 61 | SST | 51-54 | 82-87 | 130 | 210 |
| VP V6-240/DI/SX (179kw) | 14 1/2 X 19 | 37 X 48 | AL | 46-49 | 74-79 | 140 | 225 |
| VP V6-280/DI/SX (209kw) | 14 1/4 X 21 | 36 X 53 | AL | 48-51 | 77-82 | 140 | 225 |
| VP V6-280/DI/DP (209kw) | FH4 | FH4 | SST | 49-52 | 79-84 | 140 | 225 |
| VP V8-300/DI/SX (224kw) | 15 X 17 | 38 X 43 | AL | 50-53 | 81-97 | 130 | 210 |
| VP V8-300/DI/DP (224kw) | FH5 | FH5 | SST | 51-54 | 82-87 | 140 | 225 |

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Anchor locker w/rope storage
Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
Interior, choice of Cognac, Black & White, or White & Savannah Sand
Seating, comfort ride bucket seats (2) port and starboard, adjustable
Seating, U-shaped bench, storage beneath
Sundeck, aft converts to chaise lounge
Sundeck, aft, chaise lounge & aft facing seat
Walk-thru transom
Water intrusion management system

CABIN

Berth

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity
Speakers, 4

TRAILER

Glastron trailer, tandem axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Bow anchor roller
Bow rails, stainless steel
Docking lights
SSV® gel scheme
Swim platform mat(s)
Swim platform extended, mat
Swim platform, extended low-profile
Transom shower
Underwater lighting
Windlass w/rope, chain and anchor

TOW SPORTS

Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Cockpit carpet, Tundra
Cockpit Reed Mat, Dune or Ash
Flip-up bucket seat(s)
Table w/mount

CABIN

Porta pottie
Pump out, Porta pottie

ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive 240 – 300 hp
MerCruiser® sterndrive 220 – 300 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete
Delete 2nd tandem-axle brakes

CANVAS

Bimini top w/boot, Sunbrella®
Cockpit cover, Sunbrella®
Camper canvas, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Anchor locker w/rope storage
Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
GTS gel scheme & graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid black vinyl with chrome insert
SSV® hull
Swim platform mat(s)
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Built-in cockpit side storage
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
GTS cockpit interior
Seating, comfort ride bucket seats (2)
port and starboard, adjustable
Seating, U-shaped bench, storage beneath
Sundeck, aft converts to chaise lounge
Sundeck, aft, chaise lounge & aft facing seat
Walk-thru transom
Water intrusion management system

CABIN

Berth

HELM

Emergency engine shut-off
Glastron custom GTS gauges, fog resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Billge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity
Speakers, 4

TRAILER

Glastron trailer, tandem axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Bow anchor roller
Bow rails, stainless steel
Docking lights
Swim platform, extended low-profile
Transom shower
Underwater lighting
Windlass w/rope, chain and anchor

TOW SPORTS

Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Cockpit carpet, Tundra
Flip-up bucket seat(s)
Table w/mount

CABIN

Porta pottie
Pump out, Porta pottie

ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive 240 – 300 hp
MerCruiser® sterndrive 220 – 300 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete
Delete 2nd tandem-axle brakes

CANVAS

Bimini top w/boot, Sunbrella®
Cockpit cover, Sunbrella®
Camper canvas, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

NOTES

INCLUDES GT240, GTS 240

| SPECIFICATIONS | US | METRIC |
|--|-----------------|----------|
| LOA | 24' | 7.32 m |
| Beam | 8'4" | 2.54 m |
| Fuel Capacity | 52 gal | 197 L |
| Draft (drive up) | 15" | 38 cm |
| Draft (drive down) | 31" | 79 cm |
| Maximum Capacity | 3000 lbs | 1,360 kg |
| Persons Capacity | 13 | 12 CE |
| Approx. Boat & Engine Weight | 4030 lbs | 1830 KG |
| Trailer Weight | 1420 lbs | 644 kg |
| Deadrise | 20° | 20° |
| Storage Length on Trailer | 27'4" | 8.33 m |
| Bridge Clearance | 4'8" | 1.42 m |
| Bridge Clearance with Tower | 7'6" | 2.29 m |
| Total Height | 5'10" | 1.78 m |
| Total Height on Trailer | 7'7" | 2.31 m |
| Total Height on Trailer w/Wakeboard Tower Dn | 8'3" | 2.51 m |
| Total Height on Trailer w/Wakeboard Tower Up | 10'5" | 3.18 m |
| Potable Water (standard or optional) | 12 gal | 45 L |

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

| Model | Eng. Type | Boat | Eng. | Fuel | Access. |
|------------------|------------------|-------------|------------|------------|------------|
| GT240 LBS | EV 250 G2 | 3420 | 570 | 310 | 150 |
| GT240 KG | EV 250 G2 | 1550 | 259 | 142 | 68 |

PERFORMANCE

| Power hp (kw) | Propeller (Dia x Pitch) | | Type | Top Speed | | Cruise Range | |
|--------------------------------|-------------------------|---------|------|--------------|-------|--------------|-----|
| | IN | CM | | MPH | KPH | MI | KM |
| EV 200 E-TEC/200 hp (149kw) | 14 3/4 X 17 | 37 X 43 | SST | 42-45 | 68-72 | 160 | 260 |
| EV 250 E-TEC G2/250 hp (187kw) | 14 3/4 X 17 | 37 X 43 | SST | 47-50 | 76-81 | 160 | 260 |
| EV 300 E-TEC G2/300 hp (224kw) | 15 X 18 | 38 X 46 | SST | 51-54 | 82-87 | 160 | 260 |
| Merc 200 Verado/200 hp (149kw) | 15 1/2 X 17 | 39 X 43 | SST | 42-45 | 68-72 | 160 | 260 |
| Merc 250 Verado/250 hp (187kw) | 15 1/2 X 17 | 39 X 43 | SST | 47-50 | 76-81 | 160 | 260 |
| Merc 300 Verado/300 hp (224kw) | 15 1/2 X 17 | 39 X 43 | SST | 50-53 | 81-85 | 160 | 260 |

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Anchor locker w/rope storage
Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Changing room/Head compartment, enclosed
Cooler, built-in, under bench seat
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
Interior, choice of Cognac, Black & White, or White & Savannah Sand
Seating, comfort ride bucket seats (2) port and starboard, adjustable
Seating, U-shaped bench, storage beneath
Ski locker, in-floor, molded fiberglass finish, w/mat
Sundeck, aft converts to chaise lounge
Sundeck, aft, chaise lounge & aft facing seat
Walk-thru transom
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Hydraulic tilt steering
(outboard only, std on 150 hp and up)
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity
Speakers, 4

TRAILER

Glastron trailer, tandem axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Docking lights
SSV® gel scheme
Swim platform mat(s)
Transom shower
Underwater lighting

TOW SPORTS

Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
Cockpit carpet, Tundra
Cockpit Reed Mat, Dune or Ash
Enclosed Head w/ Sink, Porta pottie, Port Window
Flip-up bucket seat(s)
Table w/mount

CABIN

Pump out, Porta pottie

HELM

Depth Sounder
Steering wheel, upgrade

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Evinrude® outboard 200 – 300 hp
Mercury® outboard 200 – 300 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS**HULL AND DECK**

Anchor locker w/rope storage
Bow and stern eyes, stainless steel
Cleats, stainless steel
Fiberglass stringers
GTS gel scheme & graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid black vinyl with chrome insert
SSV® hull
Swim platform mat(s)
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Changing room/Head compartment, enclosed
Cooler, built-in, under bench seat
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
GTS cockpit interior
Seating, comfort ride bucket seats (2)
port and starboard, adjustable
Seating, U-shaped bench, storage beneath
Ski locker, in-floor, molded fiberglass finish, w/mat
Sundeck, aft converts to chaise lounge
Sundeck, aft, chaise lounge & aft facing seat
Walk-thru transom
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom GTS gauges, fog resistant
Hydraulic tilt steering
(outboard only, std on 150 hp and up)
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity
Speakers, 4

TRAILER

Glastron trailer, tandem axle
Disc brakes
Tongue, swing-away

OPTIONS**HULL AND DECK**

Docking lights
Transom shower
Underwater lighting

TOW SPORTS

Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
Cockpit carpet, Tundra
Enclosed Head w/ Sink, Porta pottie, Port Window
Flip-up bucket seat(s)
Table w/mount

CABIN

Pump out, Porta pottie

HELM

Depth Sounder

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

| | |
|--------------------|--------------|
| Evinrude® outboard | 200 – 300 hp |
| Mercury® outboard | 200 – 300 hp |

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

NOTES

INCLUDES GT245, GTS245

| SPECIFICATIONS | US | METRIC |
|--|-----------------|---------|
| LOA | 24'0" | 7.32 m |
| Beam | 8'4" | 2.54 m |
| Fuel Capacity | 52 gal | 151 L |
| Draft (drive up) | 17" | 43 cm |
| Draft (drive down) | 34" | 86 cm |
| Maximum Capacity | 2250 lbs | 1020 kg |
| Persons Capacity | 13 | 11 |
| Approx. Boat & Engine Weight | 3980 lbs | 1800 kg |
| Trailer Weight | 1420 lbs | 644 kg |
| Deadrise | 20° | 20° |
| Storage Length on Trailer | 25'3" | 7.70 m |
| Bridge Clearance | 4'6" | 1.37 m |
| Bridge Clearance with Tower | 7'4" | 2.24 m |
| Total Height | 5'10" | 1.78 m |
| Total Height on Trailer | 7'7" | 2.31 m |
| Total Height on Trailer w/Wakeboard Tower Dn | 8'3" | 2.51 m |
| Total Height on Trailer w/Wakeboard Tower Up | 10'5" | 3.18 m |
| Potable Water (standard or optional) | 12 gal | 45 L |

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

| Model | Eng. Type | Boat | Eng. | Fuel | Access. | Trail Wt. |
|-----------|-----------------|------|------|------|---------|-----------|
| GT245 LBS | VP V8-350/DI/DP | 2980 | 1000 | 310 | 150 | 1505 |
| GT245 KG | VP V8-350/DI/DP | 1350 | 454 | 141 | 68 | 683 |

PERFORMANCE

| Power hp (kw) | Propeller (Dia x Pitch) | | Type | Top Speed | | Cruise Range | |
|----------------------------|-------------------------|---------|------|--------------|-------|--------------|-----|
| | IN | CM | | MPH | KPH | MI | KM |
| MC 4.5 L 250/A (186kw) | 15 1/4 X 15 | 39 X 38 | AL | 38-41 | 61-66 | 145 | 235 |
| MC 6.2L 300/B3 (224kw) | 26P | 26P | SST | 48-51 | 77-82 | 150 | 240 |
| MC 6.2L 350/B3 (261 kw) | 26P | 26P | SST | 51-54 | 82-87 | 150 | 240 |
| MC 8.2MPI/B3/380hp (283kw) | 26P | 26P | SST | 53-56 | 85-90 | 145 | 235 |
| VP V6-240/DI/SX (179kw) | 15 X 17 | 38 X 43 | AL | 40-43 | 64-69 | 145 | 235 |
| VP V6-280/DI/SX (209kw) | 14 1/2 X 19 | 37 X 48 | AL | 43-46 | 69-77 | 150 | 240 |
| VP V6-280/DI/DP (209kw) | FH5 | FH5 | SST | 44-47 | 71-76 | 160 | 255 |
| VP V8-300C/DI/DP (224kw) | FH5 | FH5 | SST | 48-51 | 77-82 | 160 | 255 |
| VP V8-350C/DI/DP (261 kw) | FH5 | FH5 | SST | 51-54 | 82-87 | 160 | 255 |
| VP V8-380/DP (283kw) | FH5 | FH5 | SST | 53-56 | 85-90 | 150 | 240 |

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Anchor locker w/rope storage
Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
Gel coat, premium, choice of colors,
Glastron spear graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid white vinyl with chrome insert
SSV® hull
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Changing room/Head compartment, enclosed
Courtesy light
Fiberglass floor w/built-in footrests & drains
Glove box
Interior, choice of Cognac, Black & White, or White & Savannah Sand
Seating, comfort ride bucket seats (2)
port and starboard, adjustable
Seating, U-shaped bench, storage beneath
Ski locker, in-floor, molded fiberglass finish, w/mat
Sundeck, aft converts to chaise lounge
Sundeck, aft, chaise lounge & aft facing seat
Walk-thru transom
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom gauges, fog-resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity
Speakers, 4

TRAILER

Glastron trailer, tandem axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Docking lights
SSV® gel scheme
Swim platform mat(s)
Swim platform extended, mat
Swim platform, extended low-profile
Transom shower
Underwater lighting

TOW SPORTS

Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
Cockpit carpet, Tundra
Cockpit Reed Mat, Dune or Ash
Enclosed Head w/ Sink, Porta pottie,
Port Window
Flip-up bucket seat(s)
Table w/mount

CABIN

Pump out, Porta pottie

HELM

Steering wheel, upgrade

ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

Volvo Penta® sterndrive 240 – 380 hp
MerCruiser® sterndrive 250 – 350 hp

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (Includes deluxe convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

STANDARDS

HULL AND DECK

Anchor locker w/rope storage
Bow and stern eyes, stainless steel
Cleats, stainless steel
Engine vents, transom-mounted
Fiberglass stringers
GTS gel scheme & graphics
Horn, concealed
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigational lighting
Rub rail, rigid black vinyl with chrome insert
SSV® hull
Swim platform mat(s)
Swim platform(s), integrated, skid-resistant surface
Ladder, stainless steel
Two-tone deck
Windshield, roadster style, exclusive design
Walk-thru windshield
Side windshield wings

TOW SPORTS

Ski tow, stainless steel

COCKPIT

Assist handles, synthetic
Beverage holders, synthetic
Bow seats with storage & seat latch
Built-in cockpit side storage
Changing room/Head compartment, enclosed
Courtesies light
Fiberglass floor w/built-in footrests & drains
Glove box
GTS cockpit interior
Seating, comfort ride bucket seats (2)
port and starboard, adjustable
Seating, U-shaped bench, storage beneath
Ski locker, in-floor, molded fiberglass finish, w/mat
Sundeck, aft converts to chaise lounge
Sundeck, aft, chaise lounge & aft facing seat
Walk-thru transom
Water intrusion management system

HELM

Emergency engine shut-off
Glastron custom GTS gauges, fog resistant
Steering wheel, non-directional
Tilt steering
Unique pull-knob switches

ENGINE / SYSTEMS / DRIVE

Bilge pump, automatic
Power steering
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity
Speakers, 4

TRAILER

Glastron trailer, tandem axle
Disc brakes
Tongue, swing-away

OPTIONS

HULL AND DECK

Docking lights
Swim platform extended, mat
Transom shower
Underwater lighting

TOW SPORTS

Wakeboard tower, gas assist, Hinging
Wakeboard tower Bimini top

COCKPIT

Bow fill-in cushion(s)
Cockpit carpet, Tundra
Enclosed Head w/ Sink, Porta pottie, Port Window
Flip-up bucket seat(s)
Table w/mount

CABIN

Porta pottie

ENGINE / SYSTEMS / DRIVE

Fire extinguishing system

ENTERTAINMENT

Stereo upgrade, subwoofer & aft remote

POWER

| | |
|-------------------------|--------------|
| Volvo Penta® sterndrive | 240 – 380 hp |
| MerCruiser® sterndrive | 250 – 350 hp |

TRAILER

Galvanized trailer w/GatorHyde finish
Spare tire & wheel
Trailer delete

CANVAS

Bimini top w/boot, Sunbrella®
Bow cover, Sunbrella®
Cockpit cover, Sunbrella®

PACKAGES

Convenience Package:
Hour meter & depth sounder
XL Package: (Includes convenience package)
Flip-up bucket seats (2)
Snap-in carpet
Beverage holders, stainless steel
Speaker covers, stainless steel
Assist handles, stainless steel
Cleats, pull-up, stainless steel
Bow scuff plate

NOTES

| SPECIFICATIONS | US | METRIC |
|---|----------|---------|
| LOA | 25'2" | 7.67 m |
| LOA w/Extended Swim Platform | 26'7" | 7.92 m |
| Beam | 8'5" | 2.55 m |
| Fuel Capacity | 70 gal | 265 L |
| Draft (drive up) | 22" | 56 cm |
| Draft (drive down) | 36" | 91 cm |
| Maximum Capacity | 2100 lbs | 953 kg |
| Persons Capacity | 9 | 9 |
| Approx. Boat & Engine Weight | 6400 lbs | 2801 kg |
| Trailer Weight | 1600 lbs | 2900 kg |
| Deadrise | 17° | 17° |
| Bridge Clearance | 6'8" | 2.03 m |
| Bridge Clearance w/Arch (excl. electronics) | 9'4" | 2.84 m |
| Total Height | 8'1" | 2.46 m |
| Total Height w/Arch (excl. electronics) | 10'9" | 3.28 m |
| Potable Water | 21 gal | 79 L |
| Holding Tank | 13 gal | 49 L |
| Generator, Gas | 3.5 kw | 3.5 kw |
| Air Conditioning/Heater (Cabin) | 9K BTU | 9K BTU |
| Headroom (max) | 6'3" | 1.90 m |
| Maximum Sleeping Depth (V-Berth) | 6'8" | 2.03 m |
| Maximum Sleeping Width (V-Berth) | 4' | 1.22 m |
| Maximum Sleeping Depth (Mid Cabin) | 6'11" | 2.11 m |
| Maximum Sleeping Width (Mid Cabin) | 4'6" | 1.37 m |

RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

| Model | Eng. Type | Boat | Eng. | Fuel | Access. |
|-----------|-----------------|------|------|------|---------|
| GS259 LBS | VP V8-300/DI/DP | 5500 | 1000 | 420 | 450 |
| GS259 KG | VP V8-300/DI/DP | 2490 | 454 | 190 | 200 |

PERFORMANCE

| Power hp (kw) | Propeller (Dia x Pitch) | | Type | Top Speed | | Cruise Range | |
|---------------------|-------------------------|-----|------|-----------|-------|--------------|-----|
| | IN | CM | | MPH | KPH | MI | KM |
| MC 4.5 MPI/B3/250HP | 22 1/2" | 57 | SST | 38-41 | 61-66 | 150 | 240 |
| MC 6.2L/B3/300HP | 22 1/2" | 57 | SST | 41-44 | 66-71 | 150 | 240 |
| VP V6-240/DI/DP | FH3 | FH3 | SST | 38-41 | 61-66 | 160 | 260 |
| VP V6-280/DI/DP | FH3 | FH3 | SST | 39-42 | 63-68 | 160 | 260 |
| VP V8-300/DI/DP | FH4 | FH4 | SST | 41-44 | 66-71 | 160 | 260 |

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

STANDARDS

HULL AND DECK

Bow anchor roller
Bow and stern eyes, stainless steel
Chrome vents
Cleats, stainless steel
Engine compartment ventilators
Gel coat, Premium: choice of colors
Gel scheme: two tone w/Glastron
 spear graphic
Horn, concealed
Hydraulic trim tabs
Meets applicable ABYC, Canadian, ISO and USCG Standards, NMMA and CE certified
Navigation lights
Rub Rail, w/stainless steel insert
Skid-resistant, foredeck, cockpit floor
Stainless steel bow rail
Stainless steel boarding ladder
Translucent deck hatch w/screen
Transom storage locker
Walk-thru transom w/gate
Walk-thru full glass windshield

COCKPIT

Cooler
Countertop, solid surface
Courtesy lights
Engine compartment, insulated
Fiberglass floor w/drain(s)
Helm seat, double wide, rotating backrest
Port lounge seat
Refreshment center w/ sink
Self bailing cockpit

CABIN

Cabin entry, centered
Cabin door, acrylic
CO (carbon monoxide) monitor(s)
Dinette, converts to berth
Lighting, overhead
Under seat storage

MID CABIN

Berth
Curtain
Over head lights

GALLEY

Cabinetry, woodgrain
Countertop, solid surface, with sink
Storage

HEAD AND SHOWER

Door, woodgrain, locking
Fiberglass enclosed stand-up head and shower
Storage

HELM

Instrumentation, Faria, fog-resistant w/ polished raised bezels
Steering wheel, non-directional
Tilt steering

ENGINE / SYSTEMS / DRIVE

Battery management system
Bilge pump, automatic
Dual battery switch
Power trim and tilt

ENTERTAINMENT

Stereo, Kicker® AM/FM, MP3 port, and Bluetooth® Connectivity

OPTIONS

HULL AND DECK

Bow rails, high profile
Foredeck sun pad
Electric anchor windlass
Radar arch
Remote control spotlight
Swim platform, mat
Swim platform, extended
Swim platform extended, mat
Transom shower
Underwater lighting
Windshield wiper, starboard

COCKPIT

Assist handles, Stainless steel
Beverage holders, stainless steel
Cockpit carpet, Tundra
Cockpit, Reed Mat
Pillow package
Refrigerator
Stern filler cushion and table

CABIN

Dockside air conditioner/reverse heat
Pump out, Porta pottie

GALLEY

Microwave
Refrigerator

HEAD AND SHOWER

Electric china head
Electric china head, w/over board discharge
Grey water system

HELM

Compass
Depth sounder
GPS/Plotter/Depth sounder
Hour meter
VHF Radio (Garmin 100)

ENGINE / SYSTEMS / DRIVE

Battery charger
Bow thruster
Bow thruster, pre-rig
Dockside power
Fire extinguisher
Generator
Water heater

TRAILER SPECIFICATIONS

GT180, GTS180, GTSF180
Single Axle Trailer

| | US | METRIC |
|------------------------------------|----------------------|----------------------|
| Trailer Length | 20' 1" | 6.121 m |
| Trailer Length w/ Tongue Folded | 17' 11" | 5.461 m |
| Width | 8' 2" | 2.489 m |
| Trailer Empty Weight w/ Spare | 639 LBS | 290 kg |
| Carrying Capacity | 2861 LBS | 1298 kg |
| GVWR (Gross Vehicle Weight Rating) | 3500 LBS | 1588 kg |
| GAWR (Gross Axle Weight Rating) | 3500 LBS | 1588 kg |
| Tire Size / Range (Standard) | ST 205/75R14C RADIAL | ST 205/75R14C RADIAL |
| Tire Pressure (Standard) | 50 PSI COLD | 350 KPA COLD |
| Tire Capacity Each (Standard) | 1760 LBS | 798 kg |
| Lug Nut Torque | 90-120 FT/LBS | 120.6NM-162.8NM |
| Axle | SINGLE | SINGLE |
| Axle Rating (Per Axle) | 3500 LBS | 1588 kg |
| Hub | 5 LUG 4.5" PATTERN | 5 LUG 4.5" PATTERN |
| Wheel Type | CHROME | CHROME |
| Jack Capacity | 1200 LBS | 544 kg |
| Winch | 1800 LBS | 818 kg |
| Ball Size | 2" | 5 cm |
| Ball Towing Height | 24" | 61 cm |

TRAILER SPECIFICATIONS

GTX185, GT185,
GTS185, GTSF185
Single Axle Trailer

| | US | METRIC |
|------------------------------------|----------------------|----------------------|
| Trailer Length | 20' 1" | 6.121 m |
| Trailer Length w/ Tongue Folded | 17' 11" | 5.461 m |
| Width | 8' 6" | 2.591 m |
| Trailer Empty Weight w/ Spare | 861 LBS | 390 kg |
| Carrying Capacity | 3539 LBS | 1606 kg |
| GVWR (Gross Vehicle Weight Rating) | 4400 LBS | 1996 kg |
| GAWR (Gross Axle Weight Rating) | 4400LBS | 1996 kg |
| Tire Size / Range (Standard) | ST 225/75R15D RADIAL | ST 225/75R15D RADIAL |
| Tire Pressure (Standard) | 65 PSI COLD | 450 KPA COLD |
| Tire Capacity (Standard) | 2540 LBS | 1152 KG |
| Lug Nut Torque | 90-120 FT/LBS | 120.6 NM-162.8NM |
| Axle | SINGLE | SINGLE |
| Axle Rating (Per Axle) | 4400 LBS | 1996 kg |
| Hub | 6 LUG 5.5" PATTERN | 6 LUG 14 CM PATTERN |
| Wheel Type | CHROME | CHROME |
| Jack Capacity | 1200 LBS | 544 kg |
| Winch | 1800 LBS | 818 kg |
| Ball Size | 2" | 5 cm |
| Ball Towing Height | 24" | 61 cm |

TRAILER SPECIFICATIONS

GT187, GTS187
Single Axle Trailer

| | US | METRIC |
|------------------------------------|----------------------|----------------------|
| Trailer Length | 20' 1" | 6.096 m |
| Trailer Length w/ Tongue Folded | 17' 11" | 5.461 m |
| Width | 8' 2" | 2.489 m |
| Trailer Empty Weight w/ Spare | 713 LBS | 323 kg |
| Carrying Capacity | 2787 LBS | 1264 kg |
| GVWR (Gross Vehicle Weight Rating) | 3500 LBS | 1588 kg |
| GAWR (Gross Axle Weight Rating) | 3500 LBS | 1588 kg |
| Tire Size / Range (Standard) | ST 205/75R14C RADIAL | ST 205/75R14C RADIAL |
| Tire Pressure (Standard) | 50 PSI COLD | 350 KPA COLD |
| Tire Capacity Each (Standard) | 1760 LBS | 798 kg |
| Lug Nut Torque | 90-120 FT/LBS | 120.6NM-162.8NM |
| Axle | SINGLE | SINGLE |
| Axle Rating (Per Axle) | 3500 LBS | 1588 kg |
| Hub | 5 LUG 4.5" PATTERN | 5 LUG 11CM PATTERN |
| Wheel Type | CHROME | CHROME |
| Jack Capacity | 1200 LBS | 544 kg |
| Winch | 1800 LBS | 818 kg |
| Ball Size | 2" | 5 cm |
| Ball Towing Height | 22.5" | 57 cm |

TRAILER SPECIFICATIONS

GT200, GTS200, GTSF 00,
GT205, GTS205
Single Axle Trailer

| | US | METRIC |
|------------------------------------|----------------------|----------------------|
| Trailer Length | 21' 9" | 6.629 m |
| Trailer Length w/ Tongue Folded | 19' 7" | 5.969 m |
| Width | 8' 6" | 2.591 m |
| Trailer Empty Weight w/ Spare | 971 LBS | 440 kg |
| Carrying Capacity | 4029 LBS | 1828 kg |
| GVWR (Gross Vehicle Weight Rating) | 5000 LBS | 2268 kg |
| GAWR (Gross Axle Weight Rating) | 5000 LBS | 2268 kg |
| Tire Size / Range (Standard) | ST 225/75R15D RADIAL | ST 225/75R15D RADIAL |
| Tire Pressure (Standard) | 65 PSI COLD | 450 KPA COLD |
| Tire Capacity (Standard) | 2540 LBS | 1152 kg |
| Lug Nut Torque | 90-120 FT/LBS | 120.6NM-162.8NM |
| Axle | SINGLE | SINGLE |
| Axle Rating (Per Axle) | 5,000 LBS | 2268 kg |
| Hub | 6 LUG 5.5" PATTERN | 6 LUG 14 CM PATTERN |
| Wheel Type | CHROME | CHROME |
| Jack Capacity | 1200 LBS | 544 kg |
| Winch | 1800 LBS | 818 kg |
| Ball Size | 2" | 5 cm |
| Ball Towing Height | 24" | 61 cm |

TRAILER SPECIFICATIONS

GT200, GTS200, GTSF200,
GT205, GTS205, GTSF205
Tandem Axle Trailer

| | US | METRIC |
|------------------------------------|----------------------|----------------------|
| Trailer Length | 21' 9" | 6.629 m |
| Trailer Length w/ Tongue Folded | 19' 7" | 5.969 m |
| Width | 8' 6" | 2.591 m |
| Trailer Empty Weight w/ Spare | 1155 LBS | 524 kg |
| Carrying Capacity | 5845 LBS | 2651 kg |
| GVWR (Gross Vehicle Weight Rating) | 7000 LBS | 3175 kg |
| GAWR (Gross Axle Weight Rating) | 7000 LBS | 3175 kg |
| Tire Size / Range (Standard) | ST 205/75R14C RADIAL | ST 205/75R14C RADIAL |
| Tire Pressure (Standard) | 50 PSI COLD | 350 KPA COLD |
| Tire Capacity Each (Standard) | 1760 LBS | 798 kg |
| Lug Nut Torque | 90-120 FT/LBS | 120.6NM-162.8NM |
| Axle | TANDEM | TANDEM |
| Axle Rating (Per Axle) | 3500 LBS | 1588 kg |
| Hub | 5 LUG 4.5" PATTERN | 5 LUG 11 CM PATTERN |
| Wheel Type | CHROME | CHROME |
| Jack Capacity | 1200 LBS | 544 kg |
| Winch | 1800 LBS | 818 kg |
| Ball Size | 2" | 5 cm |
| Ball Towing Height | 21" | 53.3 cm |

TRAILER SPECIFICATIONS

GT207, GTS207
Tandem Axle Trailer

| | US | METRIC |
|------------------------------------|----------------------|----------------------|
| Trailer Length | 22' 8" | 6.909 m |
| Trailer Length w/ Tongue Folded | 20' 6" | 6.248 m |
| Width | 8' 6" | 2.591 m |
| Trailer Empty weight w/ Spare | 910 LBS | 413 kg |
| Carrying Capacity | 3539 LBS | 1606 kg |
| GVWR (Gross Vehicle Weight Rating) | 4400 LBS | 1996 kg |
| GAWR (Gross Axle Weight Rating) | 4400 LBS | 1996 kg |
| Tire Size / Range (Standard) | ST 225/75R15D RADIAL | ST 225/75R15D RADIAL |
| Tire Pressure (Standard) | 65 PSI COLD | 450 KPA COLD |
| Tire Capacity (Standard) | 2540 LBS | 1152 kg |
| Lug Nut Torque | 90-120 FT/LBS | 120.6 NM-162.8NM |
| Axle | SINGLE | SINGLE |
| Axle Rating (Per Axle) | 4400 LBS | 1996 kg |
| Hub | 6 LUG 5.5" PATTERN | 6 LUG 14 CM PATTERN |
| Wheel Type | CHROME | CHROME |
| Jack Capacity | 1200 LBS | 544 kg |
| Winch | 1800 LBS | 818 kg |
| Ball Size | 2" | 5 cm |
| Ball Towing Height | 24" | 61 cm |

TRAILER SPECIFICATIONS

GT225, GTS225, GT229, GTS229
Tandem Axle Trailer

| | US | METRIC |
|---------------------------------------|----------------------|----------------------|
| Trailer Length | 22' 8" | 6.909 m |
| Trailer Length w/ Tongue Folded | 20' 6" | 6.248 m |
| Width | 8' 6" | 2.591 m |
| Trailer Empty Weight w/ Spare | 1095 LBS | 497 kg |
| Carrying Capacity | 5905 LBS | 2678 kg |
| GVWR (Gross Vehicle Weight Rating) | 7000 LBS | 3175 kg |
| GAWR (Gross Axle Weight Rating) | 7000 LBS | 3175 kg |
| Tire Size / Range (Standard) | ST 205/75R14C RADIAL | ST 205/75R14C RADIAL |
| Tire Pressure (Standard) | 50 PSI COLD | 350 KPA COLD |
| Tire Capacity (Standard) | 1760 LBS | 798 kg |
| Lug Nut Torque | 90-120 FT/LBS | 120.6NM-162.8NM |
| Axle | TANDEM | TANDEM |
| Axle Rating (Per Axle) | 3500 LBS | 1588 kg |
| Hub | 5 LUG 4.5" PATTERN | 5 LUG 11CM PATTERN |
| Wheel Type | CHROME | CHROME |
| Jack Capacity | 1200 LBS | 544 kg |
| Winch | 2600 LBS | 1179 kg |
| Ball Size | 2" | 5 cm |
| Ball Towing Height | 21" | 53.3 cm |

TRAILER SPECIFICATIONS

GT240, GTS240, GT245, GTS245
Tandem Axle Trailer

| | US | METRIC |
|---------------------------------------|----------------------|----------------------|
| Trailer Length w/Tongue | 26 3" | 7.874 m |
| Trailer Length w/Tongue Folded | 21' 4" | 6.502 m |
| Width | 8' 6" | 2.59 m |
| Empty Weight w/Spare | 1420 LBS | 644 kg |
| Carrying Capacity | 8380 LBS | 3801 kg |
| GVWR (Gross Vehicle Weight Rating) | 9800 LBS | 4445 kg |
| GAWR (Gross Axle Weight Rating) | 10000 LBS | 4535 kg |
| Tire Size / Range (Standard) | ST 225/75R15D RADIAL | ST 225/75R15D RADIAL |
| Tire Pressure | 65 PSI COLD | 450 KPA COLD |
| Tire Capacity (Standard) | 2540 LBS | 1152 kg |
| Lug Nut Torque | 90-120 FT/LBS | 120.6NM-162.8NM |
| Axle | TANDEM | TANDEM |
| Axle Rating (Per Axle) | 5,000 LBS | 2268 kg |
| Hub | 6 LUG 5.5" PATTERN | 6 LUG 14 CM PATTERN |
| Wheel Type | CHROME | CHROME |
| Jack Capacity | 1,500 LBS | 680 kg |
| Winch | 2,600 LBS | 1179 kg |
| Ball Size | 2 5/16" | 6 cm |
| Ball Towing Height | 24.5" | 62.23 cm |

2017 Glastron Fiberglass Boats and Trailers

Limited Warranty / North America

Rec Boat Holdings, LLC dba Glastron ("Glastron") warrants to you, the first North American retail purchaser of this 2017 model year Glastron boat and/or trailer or a second North American retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Glastron, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Glastron boat and/or trailer constitutes your acceptance of the terms of this limited warranty. This limited warranty gives you specific legal rights and you may have other rights which may vary from state to state.

This limited warranty is the sole and exclusive express warranty from Glastron regarding your 2016 Glastron boat and/or trailer and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Glastron, unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.

Coverage Under This Limited Warranty

Trailer Limited Warranty: The limited warranty period runs for one (1) year for defects in trailer components, except as noted below.

Exterior Cosmetic Gel Coat Limited Warranty: The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

Non-Structural Parts And Components Limited Warranty: The limited warranty period runs for one (1) year for defects in the boat's non-structural parts and components, except as noted below.

Osmotic Hull Blister Limited Warranty: The limited warranty period to the first North American retail purchaser runs for five (5) years, except as noted below, for osmotic Hull (defined below) blisters on the boat, which are defined as blisters larger than 1/8" diameter and with a depth of 1/16" or greater, which occur on the boat Hull below the waterline. This limited warranty is not transferable to a second North American retail purchaser.

If the boat is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period, this limited warranty will only apply if a marine barrier coating with proper surface preparation is applied to the boat Hull before it is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period.

In the event of osmotic blistering, Glastron must approve of any repairs, and their method and cost, **before** the repairs are performed, for this limited warranty to apply. Once any repairs are completed, a marine barrier coating will be applied to the affected Hull surface area(s).

Repairs under this osmotic Hull blister limited warranty are limited to one time. Any repair costs covered under this limited warranty are limited to labor and materials only. They will be paid on a prorated basis, according to the schedule outlined below. The repair costs cannot exceed \$150 (US) per foot of boat length prior to the prorating outlined below:

| Osmotic Hull blistering reported to Glastron: | Amount of repair costs paid: |
|---|------------------------------|
| Less than two (2) years from date of delivery | 100% |
| Two (2) to less than three (3) years from date of delivery | 75% |
| Three (3) to less than four (4) years from date of delivery | 50% |
| Four (4) to five (5) years from date of delivery | 25% |

Structural Hull Or Deck Limited Warranty: The limited warranty period to the first North American retail purchaser runs for the duration of the first North American retail purchaser's period of ownership for Structural Hull or Deck Defects (defined below), except as noted below. The limited warranty period to the second (if applicable) North American retail purchaser runs for ten (10) years for Structural Hull or Deck Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structural within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale) and the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale). A "Structural Hull or Deck Defect" shall mean a substantial defect in the boat's Hull or Deck, which causes the boat to be unfit or unsafe for use as a pleasure craft under normal operating conditions.

The applicable limited warranty period, for both the First and Second (if applicable) North American retail purchasers, runs from the date of delivery of the boat and/or trailer to the first North American retail purchaser, provided that the boat and/or trailer is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat and/or trailer delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat and/or trailer was delivered to that purchaser. For a boat and/or trailer delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat and/or trailer with photos to Glastron before delivery of the boat and/or trailer to that purchaser; Glastron will then determine and advise what limited warranty coverage remains in effect on the boat and/or the trailer, if any. For a boat and/or trailer delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranty on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

Certain portions of this limited warranty, as noted above, extend only to the first North American retail purchaser. Other portions of this limited warranty, as noted above, may be transferred to a second North American retail purchaser, if the transfer occurs within five (5) years of the boat's and/or trailer's sale to the first North American retail purchaser, for a non-refundable recording fee of \$150 (US), for boats less than twenty (20) feet in length, or \$300 (US), for boats twenty (20) feet or more in length, provided the second North American retail purchaser purchases the boat and/or trailer from the first North American retail purchaser or an authorized Glastron dealer. To transfer the limited warranty, the second North American retail purchaser or the authorized Glastron dealer must send to Glastron, within fifteen (15) days of the boat's and/or trailer's purchase, at the address noted below, the: 1) first North American retail purchaser's plastic registration card, if available; 2) proof of the purchase; and 3) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Glastron. This limited warranty may only be transferred **once**. Glastron will confirm all limited warranty transfers, in writing, to the authorized Glastron dealer and/or second North American retail purchaser via email. Glastron reserves the right to reject a limited warranty transfer request for a Glastron boat and/or trailer that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat and/or trailer purchased from any party other than an authorized Glastron dealer or the first North American retail purchaser.
2. A boat and/or trailer, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Glastron, or a boat and/or a trailer that has been salvaged, declared a total loss or a constructive total loss for any reason not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats or trailers that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, jet pumps, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Glastron, whether or not they are warranted by other manufacturers. **Note:** it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components.

7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. The original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-instatement of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the U.S. Coast Guard Capacity Plate.
12. Any boat and/or a trailer that has been misused or used in a negligent manner; a boat that has been used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instruction furnished by Glastron; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local, Coast Guard or other governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage to a boat resulting from failure to use a lower unit support device when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat and/or trailer for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless pre-approved by Glastron.
19. Any defect that results in the redesign of the Glastron boat and/or trailer.
20. Trailer tires, paint or Gatorhyde defects caused by fading, peeling, chipping, scratches or rusting attributed to normal use.

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT GLASTRON'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. GLASTRON EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES, OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period allowed under applicable law, whichever is earlier.

PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION

Prior to delivering a new Glastron boat and/or trailer to the first North American retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first North American retail purchaser. After completion of the necessary pre-delivery services, the first North American retail purchaser must sign the Glastron limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat and/or trailer unless these forms are completed, signed and returned to Glastron at the address indicated below, or via an authorized Glastron dealer's online dealer extranet.

All information received by Glastron via the limited warranty registration or transfer process shall be the property of Glastron, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by

applicable law, be deemed to constitute consent by the purchaser and dealer to Glastron's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Glastron. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Glastron by sending a written request to: Glastron Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY

The authorized Glastron dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Glastron factory, or at another repair facility approved by Glastron. You are responsible for the expense associated with transporting the boat and/or trailer to and from the repair facility. Glastron must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat and/or trailer, including any alleged defective part, to an authorized Glastron dealer and present the Owner's Registration Card. If necessary, you should call Glastron for assistance to locate the nearest Glastron dealer in your area. The following procedures will apply to a limited warranty claim:

- A. The dealer will contact and receive an authorization number from Glastron for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Glastron limited warranty claim form if the claim is not submitted through the Glastron extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Glastron dealer will be responsible for choosing a qualified and reputable repair facility and the authorized **Glastron Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Glastron dealer must submit a written estimate to Glastron's claims department to obtain written pre-authorization (including a claim authorization number).** Glastron will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Glastron will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Glastron. Any questions concerning the scope of this limited warranty should be directed to Glastron. The terms and conditions contained in this limited warranty may not be modified, altered, or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Glastron. Glastron does not authorize any person or persons (except a senior management level employee of Glastron), including Glastron dealers, to change the terms of this limited warranty. (Note that your authorized Glastron dealer is an independent business, authorized to sell and service Glastron products, but is not an agent of Glastron). Glastron reserves the right to change or improve the design or manufacture of Glastron boats and/or trailers without obligation to modify any boat and/or trailer previously manufactured.

GLASTRON

925 Frisbie Street | Cadillac, MI 49601

(231) 775-1351

2017 Glastron Fiberglass Boats

Limited Warranty / International

Rec Boat Holdings, LLC dba Glastron ("Glastron") warrants to you, the first International retail purchaser of this 2017 model year Glastron boat or a second International retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Glastron, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Glastron boat constitutes your acceptance of the terms of this limited warranty.

This limited warranty is the sole and exclusive express warranty from Glastron regarding your 2016 Glastron boat, and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Glastron, unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Retail purchasers in the European Union (EU) may have legal rights under applicable national legislation and the Consumers Protective Directive 1999/44/EC of the European Parliament and of the Council of 25 May 1999, governing the sale of consumer goods, which are not affected by this limited warranty. Retail purchasers in other countries may also have legal rights which are not affected by this limited warranty.

Coverage Under This Limited Warranty

Exterior Cosmetic Gel Coat Limited Warranty: The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

Non-Structural Parts And Components Limited Warranty: The limited warranty period runs for one (1) year for defects in non-structural parts and components, except as noted below.

Osmotic Hull Blister Limited Warranty: The limited warranty period to the first International retail purchaser runs for five (5) years, except as noted below, for osmotic Hull (defined below) blisters, which are defined as blisters larger than 1/8" diameter and with a depth of 1/16" or greater, which occur on the boat Hull below the waterline. This limited warranty is not transferrable to a second International retail purchaser.

If the boat is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period, this limited warranty will only apply if a marine barrier coating with proper surface preparation is applied to the boat Hull before it is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period.

In the event of osmotic blistering, Glastron must approve of any repairs, and their method and cost, **before** the repairs are performed, for this limited warranty to apply. Once any repairs are completed, a marine barrier coating will be applied to the affected Hull surface area(s).

Repairs under this osmotic Hull blister limited warranty are limited to one time. Any repair costs covered under this limited warranty are limited to labor and materials only. They will be paid on a prorated basis, according to the schedule outlined below. The repair costs cannot exceed \$150 (US) per foot of boat length prior to the prorating outlined below:

| Osmotic Hull blistering reported to Glastron: | Amount of repair costs paid: |
|---|-------------------------------------|
| Less than two (2) years from date of delivery | 100% |
| Two (2) to less than three (3) years from date of delivery | 75% |
| Three (3) to less than four (4) years from date of delivery | 50% |
| Four (4) to five (5) years from date of delivery | 25% |

Structural Hull Or Deck Component Limited Warranty: The limited warranty period to the first International retail purchaser runs for the duration of the first International retail purchaser's period of ownership for Structural Hull or Deck Defects (defined below), except as noted below. The limited warranty period to the second (if applicable) International retail purchaser runs for ten (10) years for Structural Hull or Deck Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structural within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale) and the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale). A "Structural Hull or Deck Defect" shall mean a substantial defect in the boat's Hull or Deck, which causes the boat to be unsafe or unfit for use as a pleasure craft under normal operating conditions.

The applicable limited warranty period, for both the first and second (if applicable) International retail purchasers, runs from the date of delivery of the boat to the first International retail purchaser, provided that the boat is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat was delivered to that purchaser. For a boat delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat with photos to Glastron before delivery of the boat to the first International retail purchaser; Glastron will then determine and advise what limited warranty coverage remains in effect on the boat, if any. For a boat delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranty on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

Certain portions of this limited warranty, as noted above, extend only to the first International retail purchaser. Other portions of this limited warranty, as noted above, may be transferred to a second International retail purchaser, if the transfer occurs within five (5) years of the boat's sale to the first International retail purchaser, for a non-refundable recording fee of \$150 (US), for boats less than twenty (20) feet in length, or \$300 (US), for boats twenty (20) feet or more in length, provided the second International retail purchaser purchases the boat from the first International retail purchaser or an authorized Glastron dealer. To transfer the limited warranty, the second International retail purchaser or the authorized Glastron dealer must send to Glastron, within fifteen (15) days of the boat's purchase, at the address noted below, the: 1) first International retail purchaser's plastic registration card, if available; 2) proof of the purchase; and 3) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Glastron. This limited warranty may only be transferred **once**. Glastron will confirm all limited warranty transfers, in writing, to the authorized Glastron dealer and/or second International retail purchaser via email. Glastron reserves the right to reject a limited warranty transfer request for a Glastron boat that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat purchased from any party other than an authorized Glastron dealer or the first International retail purchaser.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Glastron, or a boat that has been salvaged, declared a total loss or a constructive total loss for any reason not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, jet pumps, outdrives, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Glastron, whether or not they are warranted by other manufacturers. **Note:** it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components.
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.

8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. The original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-instatement of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the Capacity Plate.
12. Any boat that has been misused or used in a negligent manner; that has been used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instruction furnished by Glastron; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local or governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage to a boat resulting from failure to use a lower unit support device when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing a boat for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Glastron.
19. Any defect that results in the redesign of the Glastron boat.
20. Trailers.

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT GLASTRON'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. GLASTRON EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period of time allowed under applicable law. Any claim by a retail purchaser in the EU that the boat was nonconforming at the time of delivery must be made within two (2) years from the date of delivery.

PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION

Prior to delivering a new Glastron boat to the first International retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first International retail purchaser. After completion of the necessary pre-delivery services, the first International retail purchaser must sign the Glastron limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat unless these forms are completed, signed and returned to Glastron at the address indicated below, or via an authorized Glastron dealer's online dealer extranet. All information received by Glastron via the limited warranty registration or transfer process shall be the property of Glastron, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Glastron's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Glastron. You may opt to not have your personal information disclosed to third parties and/or to not receive

marketing materials from Glastron by sending a written request to: Glastron Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY

The authorized Glastron dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Glastron factory, or at another repair facility approved by Glastron. You are responsible for the expense associated with transporting the boat to and from the repair facility. Glastron must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat, including any alleged defective part, to an authorized Glastron dealer and present the Owner's Registration Card. If necessary, you should call Glastron for assistance to locate the nearest Glastron dealer in your area. The following procedures will apply to a limited warranty claim:

- A. The dealer will contact and receive an authorization number from Glastron for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Glastron limited warranty claim form if the claim is not submitted through the Glastron extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Glastron dealer will be responsible for choosing a qualified and reputable repair facility and the authorized **Glastron Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Glastron dealer must submit a written estimate to Glastron's claims department to obtain written pre-authorization (including a claim authorization number).** Glastron will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Glastron will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Glastron. Any questions concerning the scope of this limited warranty should be directed to Glastron. The terms and conditions contained in this limited warranty may not be modified, altered, or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Glastron. Glastron does not authorize any person or persons (except a senior management level employee of Glastron), including Glastron dealers, to change the terms of this limited warranty. (Note that your authorized Glastron dealer is an independent business, authorized to sell and service Glastron products, but is not an agent of Glastron). Glastron reserves the right to change or improve the design or manufacture of Glastron boats trailers without obligation to modify any boat trailer previously manufactured.

GLASTRON

925 Frisbie Street | Cadillac, MI 49601

(231) 775-1351



925 Frisbie Street | Cadillac, MI 49601
231.775.1351

www.Glastron.com